

- 1950 —————— Slater, Ia. St. Coll. Jour. Sci. 25 (1):63, pl. 5, fig. 19,
pl. 6, fig. 5 (genitalia)
1951 —————— Carvalho, Ann. Nat. Hofmus. Wien 58:103 (list)
1952 —————— Carvalho, An. Acad. Brasil. Ci. 24 (1):65 (as type)

<i>sulphureus</i>	Reuter		Jamaica
1907	<i>Psallus sulphureus</i> Reuter, Ofv. F. Vet. Soc. Forh. 49 (5):23 (n. sp.)		N. America
1907	——— Van Duzee, Bul. Buf. Soc. Nat. Sci. 8 (5):27 (note)		Ala.
1909	——— Van Duzee, Bul. Soc. Nat. Sci. 9:183 (list)		Ariz.
* 1911	<i>Pseudatomoscelis tuckeri</i> Poppius, Ann. Soc. Ent. Belg. 55:86 (n. sp.) (n. syn.)		Ark.
1914	<i>Apocremnus sulphureus</i> Barber, Bul. Amer. Mus. Nat. Hist. 33:500 (list)		Fla.
1916	<i>Psallus tuckeri</i> Van Duzee, Check list Hem.: 46		Ga.
1917	——— Van Duzee, Univ. Cal. Pub. Ent. 2:407 (cat.)		Mass.
1917	——— sulphureus Van Duzee, Univ. Cal. Pub. Ent. 2:407 (cat.)		Miss.
1923	<i>Reuteroscopus sulphureus</i> Knight, Conn. Nat. Hist. Surv. Bul. 34:462		Mo.
1926	——— Blatchley, Het. E. N. Amer.: 951 (descr.)		s. States to Ill.
1927	——— Knight, Can. Ent. 59: 36 (distr. host)		Tex.
1941	——— Knight, Ill. Nat. Hist. Surv. Bul. 22 (1):12, 48, 49 (key, descr.)		USA.
1949	——— Froeschner, Amer. Mid. Nat. 42 (1):135, 161 (key, note)		

* *tuckeri* Poppius see *sulphureus* (Reuter)

* *uvidus* Distant see *ornatus* (Reuter)

Genus RHINACLOA Recter

Type *Rhinacloa forticornis* Reuter, 1876 (monobasic)

RHINACLOA 1876 Reuter, Ofv. K. Vet. Akad. Forh. 32 (9):88 (n. gen.)

- 1890 Atkinson, Jour. Asiatic Soc. Bengal 58 (2):169 (cat.)
- 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:124 (cat.)
- 1909 Reuter, Acta Soc. Sci. Fenn. 36 (2):81 (note)
- 1910 Reuter, Acta Soc. Sci. Fenn. 37 (3):147 (cat.)
- 1916 Van Duzee, Univ. Cal. Pub. Ent. 1:216; 2:418 (cat.)
- 1926 Knight, Bul. Brook. Ent. Soc. 20:226 (note)
- 1926 Blatchley, Het. E. N. Amer.: 962 (descr.)
- 1941 Knight, Ill. Nat. Hist. Surv. Bul. 22 (1):22, 50 (key)
- 1948 Carvalho, Bol. Mus. Nac. Zool. 85:5 (descr.)
- 1952 Carvalho, An. Acad. Brasil. Ci. 24 (1):65 ,cat.)
- 1955 Carvalho, Bol. Mus. Goeldi 11 (2):44 (key)

* **PLESIODEMIDEA** 1908 Reuter, Ann. Nat. Hofmus. Wien 22:177 (n. gen.); — type:
fusciceps Reuter, 1909 (monobasic) (syn. by Carvalho, An. Acad. Brasil. Ci.
24 (1):65, 1952)

——— 1909 Reuter, Acta Soc. Sci. Fenn. 37 (3):146 (cat.)

* **ORIZABA** 1908 Reuter, Ann. Nat. Hofmus. Wien 22:176 (n. gen.); — type: *luridipennis*
Reuter, 1909 (monobasic) — (syn. by Carvalho, An. Acad. Brasil. Ci. 24 (1):102,
1952)

——— 1910 Reuter, Acta Soc. Sci. Fenn. 37 (3):146 (cat.)

antennalis Reuter

- 1905 *Sthenarus antennalis* Reuter, Ofv. F. Vet. Soc. Forh. 47 (19):36 (n. sp.)
- 1909 *Rhicaloer antennalis* Reuter, Acta Soc. Sci. Fenn. 36 (2):82 (mention)

Brazil
Bahia
Venezuela

apicalis Reuter

- 1905 *Sthenarus apicalis* Reuter, Ofv. F. Vet. Soc. Forh. 47 (19):36 (n. sp.)
- 1909 *Rhinacloa apicalis* Reuter, Acta Soc. Sci. Fenn. 36 (2):82 (mention)

Venezuela

araguaiana Carvalho

- 1948 *Rhinacloa araguaiana* Carvalho, Bol. Mus. Nac. Zool. 85:11, figs. (n. sp.)

Brazil:
Goiás
M. Grosso
Chile
Peru

aricana Carvalho

- 1948 *Rhinacloa aricana* Carvalho, Bol. Mus. Nac. Zool. 85:9, figs. (n. sp.)

carmelitana Carvalho see *Orthotylellus* Knight

castanea Carvalho

- 1948 *Rhinacloa castanea* Carvalho, Bol. Mus. Nac. Zool. 85:10, figs. (n. sp.)

Brazil:
Sta. Catarina