

Genus OMPHALONOTUS Reuter

Type *Capsus quadriguttatus* Kirschbaum, 1855 (monobasic)

OMPHALONOTUS 1876 Reuter, Pet. Nouv. Ent. 2:(145):26 (n. gen.)

- 1891 Reuter, Hem. Gymn. Eur. 4:135, 174 (descr., key)
 — 1902 Hueber, Syn. Blindw. 1:412, 416 (key, descr.)
 — 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:133 (cat.)
 — 1910 Oshanin, Verz. Pal. Hem.: 820 (cat.)
 — 1910 Reuter, Acta Soc. Sci. Fenn. 37(3):151 (cat.)
 — 1933 Stichel, Illus. Best. Deut. Wanz. 8:216 (key)
 — 1935 Hedicke, Tierw. Mittel. Het. 4(3):52 (key)
 — 1945 Wagner, in Gulde, Wanz. Mitteleur. 10:316 (key)
 — 1952 Wagner, Tierw. Deut. 41, Blindw.: 139, 142 (key, descr.)
 — 1952 Carvalho, An. Acad. Brasil. Ci. 24(1):70 (cat.)
 — 1955 Carvalho, Bol. Mus. Goeldi 11(2):65 (key)

anomphalus Reuter

- 1900 *Omphalonotus anomphalus* Reuter, Ofv. F. Vet. Soc. Forh. 42:155 (n. sp.)
 1910 ————— Oshanin, Verz. Pal. Hem.: 820 (ca.)

Egypt

* *motelayi* Lambertie see *quadriguttatus* (Kirschbaum)*quadriguttatus* Kirschbaum

- 1855 *Capsus quadriguttatus* Kirschbaum, Rhync. Wiesb.: 205, 286 (n. sp.)
 1876 *Omphalonotus quadriguttatus* Reuter, Pet. Nouv. Ent. 2(145):26 (descr.)
 1890 *Eroticoris quadriguttatus* Atkinson, Jour. Asiatic Soc. Bengal 58(2):116 (cat.)
 1891 *Omphalonotus quadriguttatus* Reuter, Hem. Gymn. Eur. 4:136 (descr., key)
 1902 ————— Hueber, Syn. Blindw. 1:417 (descr.)
 * 1906 *Systellonotus motelayi* Lambertie, Acta Soc. Linn. Bourdeaux 61:27 (n. sp.)
 (syn. by Reuter, Ofv. F. Vet. Soc. Forh. 54A(7):48, 1912)
 1909 ————— Reuter, Acta Soc. Sci. Fenn. 36(1):78 (host)
 1910 ————— Oshanin, Verz. Pal. Hem.: 824 (cat.)
 1910 *Omphalonotus quadriguttatus* Oshanin, Verz. Pal. Hem.: 820 (cat.)
 1910 ————— Reuter, Horae Soc. Ent. Ross. 39:80 (list)
 1933 ————— Stichel, Illus. Best. Deut. Wanz. 8:217 (key)
 1935 ————— Hedicke, Tierw. Mittel. Het. 4(3):52 (key)
 1951 ————— Kiritschenko, Het. Eur. USSR.: 171, figs. 180,
 232 (key)
 1952 ————— Wagner, Tierw. Deut. 41, Blindw.: 142, fig.
 86, 88 (descr.)
 1952 ————— Carvalho, An. Acad. Brasil. Ci. 24(1):70 (cat.)

Austria

Czechoslovakia

France

Hungary

Illyria

Russia

Switzerland

Turkestan

Genus ORECTODERUS Uhler

Type *Orectoderus obliquus* Uhler, 1876 (monobasic)

ORECTODERUS 1876 Uhler, Bul. U. S. Geol. Geog. Surv. 1:319 (n. gen.)

- 1890 Atkinson, Jour. Asiatic Soc. Bengal 58(2):175 (cat.)
 — 1906 Kirkaldy, Trans. Amer. Ent. Soc. Bul. 22(1):22, 52 (key)
 — 1909 Reuter, Acta Soc. Sci. Fenn. 36(2):65 (descr.)
 — 1910 Reuter, Acta Soc. Sci. Fenn. 37(3):151 (cat.)
 — 1916 Van Duzee, Univ. Cal. Pub. Ent. 1:210 (key); 2:368 (1917, cat.)
 — 1922 Knight, Bul. Brook. Ent. Soc. 17:67 (note)
 — 1923 Knight, Conn. Nat. Hist. Surv. Buul. 34:474 (key) 475
 — 1926 Blatchley, Het. E. N. Amer.: 916 (descr.)
 — 1941 Knight, Ill. Nat. Hist. Surv. Bul. 22(1):22, 52 (key)
 — 1952 Carvalho, An. Acad. Brasil. Ci. 24(1):70 (cat.)
 — 1955 Carvalho, Bol. Mus. Goeldi 11(2):61 (key)

amoenus Uhler see *Coquillettia* Uhler*arcuatus* Knight

- 1927 *Orectoderus arcuatus* Knight, Ent. News 38:302 (n. sp.)

N. America

Wash.

longicollis Uhler

- 1895 *Orectoderus longicollis* Uhler, Bul. Colo. Exp. Sta. 31:47 (n. sp.)
 1917 ————— Van Duzee, Univ. Cal. Pub. Ent. 2:368 (cat.)

N. America

Colo.