

egregius Fieber

- 1864 *Alloeonotus egregius* Fieber, Wien Ent. Monat. 8:326 (n.sp.)
 1873 *Phytocoris egregius* Walker, Cat. Het. 6:60 (list)
 1890 *Alloeonotus egregius* Atkinson, Jour. Asiatic Soc. Bengal 58 (2):70 (cat.)
 1896 *Alloeonotus distinguendus* Reuter nec Herrich-Schaeffer, Hem. Gymn. Eur. 5: pl. 8, fig. 6
 1896 ————— *egregius* Reuter, Hem. Gymn. Eur. 5:159, 371 (descr., key)
 1899 ————— Hueber, Syn. Blindw. 1:151 (descr.)
 1910 ————— Oshanin, Verz. Pal. Hem.: 702 (cat.)
 1930 ————— Stichel, Illus. Best. Deut. Wanz. 6:174 (key)
 1935 ————— Hedicke, Tierw. Mittel. Het. 4 (3):45 (key)
 1943 ————— Wagner, in Gulde, Wanz. Mitteleur. 9:113, fig. 31 (key, descr.)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 144, fig. 147 (key)
 1952 ————— Wagner, Tierw. Deut. 41, Blindw.: 45, fig. 31 (key, descr.)

Alps
 Amasia
 Asia Minor
 Austria
 Balkans
 Bulgaria
 Crimea
 Russia
 Tauria
 Yugoslavia

fulvipes Scopoli

- 1763 *Cimex fulvipes* Scopoli, Ent. Carn.: 134 (n.sp.)
 *1788 ————— *avellanae* Gmelin, Syst. Nat. ed. 13:2183 (n.sp.) (syn. by Reuter, Rev. Syn. Het.: 622, 1888)
 *1837 *Capsus distinguendus* Herrich-Schaeffer, Wanz. Ins. 4:33, fig. 384 (n.sp.) (syn. by Reuter, Rev. Syn. Het.: 622, 1888)
 1861 *Alloeonotus distinguendus* Fieber, Eur. Hem.: 262 (descr.)
 1873 *Phytocoris distinguendus* Walker, Cat. Het. 6:60 (list)
 1875 *Capsus distinguendus* Vollenhoven, Tijdschr. Ent. 18:176, figs. (descr.)
 1878 ————— Vollenhoven, Hem. Het. Neerl.: 166, pl. 12, fig. 5 (descr.)
 *1884 *Alloeonotus caspicus* Horvath, Term. Fuzetek 8:316 (syn. by Reuter, Hem. Gymn. Eur. 5:158, 1896)
 1888 ————— *fulvipes* Reuter, Acta Soc. Sci. Fenn. 15 (1):252 (synonymy)
 1888 ————— var. *separandus* Horvath, Rev. d'Ent.: 179 (n.var.)
 1890 ————— *distinguendus* Atkinson, Jour. Asiatic Soc. Bengal 58 (2):70 (cat.)
 1890 ————— *fulvipes* Atkinson, Jour. Asiatic Soc. Bengal 58 (2):70 (cat.)
 1896 ————— Reuter, Hem. Gymn. Eur. 5:158, 370, pl. 8, figs. 4-5 var. *caspicus*, *separandas* l.c. (descr., key)
 1899 ————— Hueber, Syn. Blindw. 1:149 (descr.) var. *caspicus* l.c.
 1910 ————— Oshanin, Verz. Pal. Hem.: 701 (cat.)
 1918 ————— var. *macedonica* Schumacher S. B. Ges. Naturf. Fr. Berl.: 93 (var. *paganetti* l.c.)
 1930 ————— Stichel, Illus. Best. Deut. Wanz. 6:174, fig. 445, 446 (key)
 1935 ————— Hedicke, Tierw. Mittel. Het. 4 (3):45 (key)
 1943 ————— Wagner, in Gulde, Wanz. Mitteleur. 9:115, fig. 31 (descr. key) var. *caspicus*, *separandus*, *paganetti*, *macedonicus* (key)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 144, fig. 144, 146 (key)
 1952 ————— Wagner, Tierw. Deut. 41, Blindw.: 46, fig. 31 (key, descr.)
 1952 ————— *distinguendus* Carvalho, An. Acad. Brasil. Ci. 24 (1):86 (as type)

Asia Minor
 Austria
 Bosnia
 Caucasus
 Croatia
 s. Europe
 Germany
 Greece
 Italy
 Macedonia
 Netherlands
 Persia
 Rumania
 Russia
 Tauria
 Turkey

spectabilis Kiritshenko

- 1952 *Alloeonotus spectabilis* Kiritschenko, Akad. Nauk. USSR Mosc. 42:144, fig. 158 (n.sp.)

Russia

Genus ALLORHINOCORIS Reuter

Type *Allorhinocoris flavus* Reuter, 1876 (monobasic)

- ALLORHINOCORIS 1876 Reuter, Pet. Nouv. Ent. 2:33 (n.gen.)
 ——— 1890 Atkinson, Jour. Asiatic Soc. Bengal 58 (2):53 (cat.)
 ——— 1896 Reuter, Hem. Gymn. Eur. 5:322, 356 (descr., key)
 ——— 1896 Reuter, Ofv. F. Vet. Soc. Forh. 38:171 (key)
 ——— 1898 Hueber, Syn. Blindw. 1:90 (key)
 ——— 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:136 (cat.)
 ——— 1910 Oshanin, Verz. Pal. Hem.: 650 (cat.)
 ——— 1910 Reuter, Acta Soc. Sci. Fenn. 37 (3):157 (cat.)
 ——— 1916 Van Duce, Univ. Cal. Pub. Ent. 1:207; 2:321 (1917)
 ——— 1933 Stichel, Illus. Best. Deut. Wan. 6:150 (key)