

W. Deer Lake, 18. VIII. 49, 1 ind. (L).

Distribution: Nearctic species. Newfoundland, Nova Scotia, Quebec, Manitoba, Saskatchewan, Alberta, British Columbia. In the northern and central States.

L. (Neolygus) canadensis Kngt

Lygus (Neolygus) canadensis Kngt, Corn. Univ. Agri. Expt. St. Bull. 391, 1917, 634.

— Bl. 770. — Mo. 19. — Kelton, Can. Ent. LXXXVII, 547.

C. Gander, 2. VI. 49, 1 ind. (L).

Ecolology: On cultivated locality.

Distribution: Newfoundland, Quebec, Ontario, Manitoba. In the northern States. Nearctic species with northern distribution.

Pinalitus Kelton

P. approximatus (Stål.)

Devaecoris approximatus Stål, Stett. Ent. Zeit. XIX, 1858, 185. — *Lygus a.* v. D. 344.

— Bl. 760. — Mo. 18. — Strickl. 201. — *Pinalites a.* Kelton, Can. Ent. LXXXVII, 1955, 540.

N.W. Cow Head, 7. VIII. 49, 1 ind. (L).

Ecolology: On wet locality on high herbaceous plants.

Distribution: Nearctic species with northern distribution. Newfoundland, Nova Scotia, Quebec, Ontario, Alberta, British Columbia, Northwest Territories, Alaska.

Liocoris Fieb.

L. rubrosignatus Kngt

Lygus pratensis var. *rubrosignatus* Kngt, Connect. Geol. Nat. Hist. Surv. Bull. XXXIV, 1923, 576. — *Lygus rubrosignatus* Strickl. 201. — *Liocoris r.* Kelt. Can. Ent. LXXXVII, 1955, 550.

W. Woody Point, Bonne Bay, 17. VII. 49, 1 ind. (P).

Distribution: Newfoundland, Western Canada; Massachusetts.

L. lineolaris (Beauv.)

Coreus (?) *lineolaris* de Beauvais, Ins. rec. Afr. Amer. 1805, 187. — *Lygus lineolaris* Strickl. 201. — *Liocoris l.* Kelt. Can. Ent. LXXXVII, 552.

Nova Scotia: Truro, 22. V. 51, 1 ind. (L).

S. Rencontre West, 17—18. VI. 49, 1 ind. (L). — *W.* South Branch, 3. VII. 49, 1 ind. (L); Deer Lake, 24. VII. 51, 1 ind. (L). — *N.W.* Cow Head, 11. VIII. 49, 1 ind. (P). — *N.E.* Paquet, 18. VI. 51, 1 ind. (L). — *E.* Gambo, 26. VIII. 49, 2 ind. (L); Shoal Harbour, 29. VII. 51, 2 ind. (L); Goobies, 15. VIII. 51, 1 ind. (L). — *C.* Gander, 1. IX. 49, 2 ind. (L); Millertown Junction, 21. VIII. 49, 1 ind. (K).

Ecolology: On swamps with *Myrica*, *Carices*, *Sanguisorba*, *Picea*, *Larix*. Also on cultivated land.

Distribution: From Newfoundland across Canada to British Columbia; northern States.

L. varius Kngt

Lygus varius Kngt, Iowa State Coll. J. Sci. XVIII, 1944, 473. — *Lygus varius* Strickl. 202. — *Liocoris v.* Kelt. Can. Ent. LXXXVII, 1955, 553.

Nova Scotia: Truro, Riversdale, 22. V. 51, 1 ind. (L).

S.E. Waterford Bridge, 5. VI. 49, 2 ind. (P); Holyrood, 11. VI. 49, 2 ind. (K). — S. Rencontre West, 17—20. VI. 49, 5 ind. (L). — *W.* Spruce Brook, 8—9. VII. 49, 1 ind.