

- Taedia colon* (Say)
 Distribution. — Preston
 Seasonal Range. — 18 Aug.
- Taedia gleditsiae* (Knight)
 Distribution. — Berkeley
 Seasonal Range. — 31 May
 WV Host. — *Gleditsia triacanthos*
- **Taedia heidemanni* (Reuter)
 Distribution. — Grant, Monongalia,
 Preston, Tucker
 Seasonal Range. — 17 July to 22
 Aug.
 WV Host. — *Hypericum densi-
 florum*
- Taedia multesignata* (Reuter)
 Distribution. — Kanawha
 Seasonal Range. — 23 June
- Taedia scrupea* (Say)
 Distribution. — Berkeley, Wyoming
 Seasonal Range. — 4-18 July
- Tropidosteptes amoenus* Reuter
 Distribution. — Marshall, Monon-
 galia, Ritchie
 Seasonal Range. — 11 July to 3 Sept.
 WV Host. — *Fraxinus* sp.
- Tropidosteptes cardinalis* Uhler
 Distribution. — Berkeley, Monon-
 galia
 Seasonal Range. — 31 May to 7 June
 WV Host. — *Fraxinus americana*
- Tropidosteptes geminus* (Say)
 Distribution. — Hancock, Monon-
 galia, Summers
 Seasonal Range. — 25 May to 25
 June
 WV Host. — *Fraxinus americana*
- Tropidosteptes palmeri* (Reuter)
 Distribution. — Berkeley
 Seasonal Range. — 2 June
- Tropidosteptes pubescens* (Knight)
 Distribution. — Nicholas
 Seasonal Range. — 24 June
 WV Host. — *Fraxinus americana*

Tribe Stenodemini

- **Collaria milleurii* Provancher
 Distribution. — Grant, Monongalia,
 Preston, Tucker
 Seasonal Range. — 25 June to 12
 Aug.
 WV Host. — *Panicum* sp.
- Collaria oculata* (Reuter)
 Distribution. — Boone, Fayette,
 Grant, Jefferson, Kanawha,
 Monongalia, Preston, Wayne
 Seasonal Range. — 14 June to 6
 Sept.
 WV Host. — *Panicum* sp.
- Leptopterna dolabrata* (L.)
 Distribution. — 23 counties; prob-
 ably occurs statewide
 Seasonal Range. — 9 May to 5 Aug.
 WV Hosts. — grasses
- Megaloceroea recticornis* (Geoffroy)
 Distribution. — Berkeley, Lewis,
 Morgan, Pocahontas, Tucker
 Seasonal Range. — 31 May to 17
 July
 WV Hosts. — grasses
- Stenodema trispinosa* Reuter
 Distribution. — Clay, Fayette, Kana-
 wha, Monongalia, Morgan, Pres-
 ton, Tucker, Wood
 Seasonal Range. — 12 May to 20
 Aug.
 WV Hosts. — grasses