short, not covering more than half the abdomen, which is nearly orbicular, and a little acuminated at the apex: posterior legs a little the longest.

## 1. Pselaphiformis. Curt.

Black, shining: head ferruginous, red at the base: 2d joint of antennæ ochreous at the middle: thorax, scutellum, and elytra dull, sparingly clothed with short yellowish pubescence, the latter with the margins suffused, dirty testaceous: legs ochreous, thighs black, except at the tips. (Length \* of a line.)

Taken by Mr. Booth, near Halifax, Yorkshire, and presented to me by Mr. A. H. Davis.

## GEN. 1120.—CHLAMYDATUS. Curt.

Subovate: head rather large and trigonate: eyes projecting beyond the thorax: antennæ inserted before the eyes, shorter than the body, filiform and 4-jointed, basal joint the shortest, and a little the stoutest, 2d the longest, 3d and 4th a little shorter and slenderer, of equal length: rostrum nearly as long as the antennæ, and very slender: thorax nearly semiorbicular: scutellum triangular: abdomen large, flat, and ovate: the superior wings not covering much more than half, ovate, and not lapping over at the apex: posterior legs long, the thighs incrassated, tibiæ very long, tarsi long and thin, triarticulate, basal joint short, truncated obliquely, 2d and 3d nearly of equal length.

## 1. Marginatus. Curt. Grylloides. Guide.

Pitchy, sprinkled with yellowish pubescence: posterior margin of head and eyes ferruginous: superior wings ochreous, with a large patch of piceous in the centre, leaving a sinuated pale margin all round, broadest at the base: legs dull ferruginous, thighs black, except at the tips. (Length 1 line.)

## GEN. 1123.—HEBRUS. Curt.

Somewhat elliptical: head oblong, the nasus produced and quadrate: eyes not very prominent: antennæ shorter than the body, subfiliform: inserted near the apex of the head, 5-jointed, basal joint the stoutest, and as long as the 3d and 5th; the 2d and 4th rather shorter, terminal joint subfusiform: rostrum as long as the thorax, attenuated and acute: thorax somewhat trapezoid, gibbose, concave before, very much rounded behind, forming 2 large obtuse angles: scutellum triangular obtuse: abdomen semielliptical: superior wings somewhat elongate-spatulate, with a