

- Genus 36.—**Charitocoris** Reuter, 1904, Ann. Mus. Zool. Peterb., ix, 6 (sep. ?).  
**pallidus** Reuter.
- Genus 37.—**Adelphocoris** Reuter, 1896, Ofv. Finsk. Vet. Förh., xxxviii, 168  
(type fig. in Saunders, Hem. Het. Brit., pl. 22, f. 4). Type **seti-**  
**cornis** (Fabr.), Reuter.
- Genus 38.—**Poecilnotus** Reuter, 1896, op. c., 167 (type fig. in Reuter, Hem.  
Gymn. Eur., v, pl. 6, f. 5†). Type **picturatus** Reuter.
- Genus 39.—**Trichophoroneus** Reuter, 1896, op. c., 168 (type fig. in Reuter,  
Hem. Gymn. Eur., v, pl. 2, f. 12). Type **albonotatus** (Yakov.),  
Reuter.
- Genus 40.—**Callodemus** Uhler, 1895, Bull. Colo. Exp. Sta., 31, 33. Type  
**laevis** Uhler.
- Genus 41.—**Calondas** Distant, 1883, B. C. A. Het., i, 268. Type **superbus**  
Distant, pl. 22, f. 22.\*†
- Genus 42.—**Pachypterna** Fieber, 1858, Wien. Ent. Mon., ii, 304 (type fig. in  
Reuter, Hem. Gymn. Eur., v, pl. 5, f. 9). Type **fieberi** Fieber.
- Genus 43.—**Umslopogas** Kirkaldy, 1902, T. E. S. London, 254. Type  
**nigroquadristriatus** Kirk., pl. 5, f. 11.†
- Genus 44.—**Creontiades** Distant, 1883, B. C. A. Het., i, 237. Type **rubri-**  
**nerve** (Stål), Dist., pl. 23, f. 12.
- Genus 45.—**Megacoelum** Fieber, 1858, Wien. Ent. Mon., ii, 305 (type fig. in  
Reuter, Hem. Gymn. Eur., v, pl. 6, f. 1) = *Megacaelum* Atkinson, J.  
A. S. Bengal, lviii, pt. 2, suppl., 80. Type **infusus** (H. S.), Fieber.
- Genus 46.—**Indoelum** n. g. := *Megacoelum* div. b. Distant, 1904, Faun. Brit.  
Ind. Rh., ii, 429. Type **rubricatum** (Distant).\*
- Genus 47.—**Tancredus** Distant, op. c., 430. Type **sandaracatus** Dist.,  
f. 275.†
- Genus 48.—**Ishnias** Berg, 1892, An. Soc. Cient. Arg., xxxiv, 193. Type **sal-**  
**tensis** Berg.
- Genus 49.—**Reuterista** Kirkaldy, 1904, Entom., xxxvii, 280 = || *Brachybasis*  
Reut., 1900, Ofv. Finsk. Vet. Förh., xlii, 253. Type **desertorum**  
Reuter.
- Genus 50.—**Volumnus** Stål, 1865, Hem. Afr., iii, 19. Type **straminicolor**  
(Stål), Stål.
- Genus 51.—**Hypercides** Kirkaldy, 1903, Wien. Ent. Zeit., xxii, 14 = ||  
*Melinna* Uhler, 1887, Ent. Amer., iii, 68. Type **modesta** (Uhler),  
Kirkaldy.
- Genus 52.—**Proba** Distant, 1883, B. C. A. Het., i, 270. Type **gracilis** Dist-  
ant, pl. 25, f. 5.
- Genus 53.—**Paraproba** Distant, l. c. Type **fasciata** Distant, pl. 26, f. 4.\*
- Genus 54.—**Pandanus** Distant, 1883, op. c., 271. Type **praeclara** Distant,  
pl. 26, f. 8.
- Genus 55.—**Pycnopterna** Fieber, 1858, Wien. Ent. Mon., ii, 307 (type fig. in  
Saunders, Hem. Het. Brit., pl. 22, f. 6) = || *Cyllocoris* Kolenati, 1845,  
Mel. Ent., ii, 103. Type **striatus** (L.), Reuter, 1888.
- Genus 56.—**Actinonotus** Reuter, 1896, Ofv. Finsk. Vet. Förh., 164. Type  
**pulcher** (H. S., Wanz. Ins., iii, f. 293), Reuter.
- Genus 57.—**Proboscidocoris** Reuter, 1884, Ofv. Finsk. Vet. Förh., xxv, 30  
(*seti* fig. in Kirkaldy, T. E. S. London, 1902, pl. 6, f. 12). Type  
**fuliginosus** Reuter.