

**Dicyphinae****\**Cyrtopeltis kristenseni* (Poppius)**

*Engytatus kristenseni* Poppius, 1914:21.

Material: Yemen: San'a, 1 ex. (LC).

Range: Known from the Kassala Province in the Sudan and from Eritrea.

***Cyrtopeltis alkannae* Linnavuori**

*Cyrtopeltis brunneicollis alkannae* Linnavuori, 1975a:14 (Linnavuori 1986).

Material: Yemen: 15 miles N of San'a, alt. ca 9000 ft, 1.II.1938, Scott & Britton, holotype and some paratypes (BM, LC).

Biology: On *Alkanna orientalis*.

Range: Endemic.

**Mirinae****\**Trigonotylus pallidicornis* Reuter**

*Trigonotylus pallidicornis* Reuter, 1900:161.

Material: Yemen: San'a, 2-9.X.1937, 1 ex.; Wadi Jaira tributary of Wadi Siham, 10.III.1938, Scott & Britton, 2 ex. (BM).

Range: Eremian.

**\**Creontiades pallidus* (Rambur)**

*Phytocoris pallidus* Rambur, 1842:159.

Material: Yemen: several exx. from Ertil near San'a, 24.II.1938; San'a, 1-7.III.1938; Usaifira near Ta'izz, 13.XII.1937, Scott & Britton; — South Yemen: Dhala, 25.IX.1937, Scott & Britton, 1 ex. (BM, LC).

Range: Eremian with a wide range in tropical Africa.

**\**Creontiades tellinii* (Reuter)**

*Pantiliodes tellinii* Reuter, 1905:3.

Material: South Yemen: Jebel Jihaf, 29.IX.1937, Scott & Britton, some exx. (BM, LC); near Lahej, 9-15.VII.1963, Linnavuori, 1 ex. (LC).

Range: East African.

**\**Megacoelum pellucens* Puton**

*Megacoelum pellucens* Puton, 1881:125.

*Megacoelum persimile* Reuter, 1903:4.

Material: South Yemen: Jebel Jihaf, IX.1937, 1 ex.; Wadi Tiban NW of Jebel Jihaf, 21.X.1937, Scott & Britton, 1 ex.; Wadi Kebir near Lahej, 6-15.VII.1963, Linnavuori, 1 ex. (BM, LC).

Biology: On *Calligonum comosum*.

Range: Eremian.

**\**Megacoelum oculare* Wagner**

*Megacoelum oculare* Wagner, 1957:84.

Material: South Yemen: near Lahej, 13-14.VII.1963, Linnavuori, 3 exx. (LC).

Range: Eremian with an eastern distribution from Somalia to Iran.

***Megacoelum rubrolineatum* Linnavuori**

*Megacoelum rubrolineatum* Linnavuori, 1975a:23-24.

Material: Yemen: Usaifira near Ta'izz, 13.XII.1937, Scott & Britton, some exx. (BM, LC).

Biology: On *Indigofera oblongifolia*.

Range: Endemic.

**\**Megacoelum apicale* Reuter**

*Megacoelum apicale* Reuter, 1882:30.

Material: Yemen: Usaifira near Ta'izz, 13.XII.1937, Scott & Britton, 2 exx. (BM, LC).

Range: Holosudanese.

**\**Eurystylus bellevoeyi* (Reuter)**

*Eurycyrtus bellevoeyi* Reuter, 1879:34.

Material: Yemen: Ertil near San'a, 24.II.1938, 1 ex.; Red Sea Coast near Hodeida, 12-14.III.1938, Scott & Britton, 2 exx.; San'a, 10-15.X.1937, Rathjens, 1 ex.; — South Yemen: Al Huseini near Lahej, 29.XI.1937, Scott & Britton, 1 ex.; Shuqra, 22.XII.1939, Petrie, 1 ex. (BM, LC).

Range: Eremian with a wide range in tropical Africa too and also known from Ceylon.

**\**Stenotus rufescens* Poppius**

*Stenotus rufescens* Poppius, 1910b:36.

Material: South Yemen: Jebel Jihaf, 29.IX.1937, Scott & Britton, some exx. (BM, LC).

Range: East African.

**\**Stenotus brevior* Poppius**

*Stenotus brevior* Poppius, 1910b:35.

Material: South Yemen: Dhala, 14.IX.1937, Scott & Britton, 2 exx. (BM, LC).

Range: East African. Also known from Saudi Arabia.

***Taylorilygus simonyi* (Reuter)**

*Lygus simonyi* Reuter, 1903:11.

Material: Yemen: San'a, 1-7.III.1938, Scott & Britton, 1 ex.; — South Yemen: several exx. from Jebel Harir, 31.X.1937; Jebel Jihaf, 7-12.X.1937; Wadi Dareija SW of Dhala, 8.XI.1937; Wadi Natid, Kirsh, 8.XII.1937, Scott & Britton (BM, LC).