

FEMALE. Similar to male, antennal segment II slightly shorter and very slightly incrassate towards apex.

DISTRIBUTION. Galápagos Archipelago: (Santa Cruz, Darwin, Isabela, San Cristóbal, Floreana, Fernandina, Pinta).

SPECIMENS STUDIED. SANTA CRUZ: 2 ♀♀, Tortuga Bay, II-10-1964 (Usinger); 11 ♂♂, 7 ♀♀, Academy Bay, Darwin Research Station, I-21-1964 (Cavagnaro & Schuster), sweeping coastal plants; same locality, 4 ♂♂, I-25-1964; same locality, 2 ♂♂, II-20-1964; 1 ♂, same locality, II-22-1964 (Ashlock) at light; 2 ♂♂, same locality, I-25-1964 (Kuschel); same locality, E. slope, 160 m., IV-16-1964 (Cavagnaro), Table Mountain, 440 m., 4 ♂♂, 1 ♀. DARWIN: 3 ♂♂, 5 ♀♀, I-29-1964 (Cavagnaro); 6 ♂♂, 3 ♀♀, I-29-1964, *Alternanthera* species (Ashlock); 1 ♂, 2 ♀♀, II-7-1964, *Scalesia* species (Ashlock). ISABELA: 2 ♀♀, Tagus Cove, I-30-1964 (Usinger). SAN CRISTÓBAL: 1 ♀, Wreck Bay, II-24-1964, lowland dry forest (Usinger). FLOREANA: 2 ♂♂, 4 ♀♀, Wittmer Farm, II-15-1964 (Usinger), 1 ♂, 2 ♀♀, II-18-1964 (Usinger).

ADDITIONAL SPECIMENS. SANTA CRUZ: 1 ♂, 1 ♀, Academy Bay, Darwin Research Station, I-25-1964, at light (Cavagnaro & Schuster); 1 ♂, same data, I-24-1964; 3 ♂♂, 2 ♀♀, same data, I-27-1964; 1 ♀, same data (Kuschel); 7 ♂♂, 3 ♀♀, same locality, II-4-1964, at light (Schuster); 3 ♂♂, 3 ♀♀, same data, II-6-1964; 1 ♀, same data, II-7-1964; 1 ♂, 1 ♀, Tortuga Bay, II-10-1964 (Usinger); 1 ♂, Academy Bay, Darwin Research Station, II-10-1964, at light (Cavagnaro & Schuster); 1 ♂, same locality, II-18-1964 (Schuster); 5 ♂♂, 1 ♀, same locality, II-20-1964, at light (Cavagnaro); 1 ♂, 12 ♀♀, same locality, II-24-1964 (Cavagnaro & Schuster); 1 ♂, 1 ♀, Horneman Farm, 220 m., III-10-1964 (Cavagnaro); 5 ♂♂, 1 ♀, same data, III-18-1964; 1 ♂, 2 ♀♀, same data, IV-5-1964; 4 ♂♂, 6 ♀♀, E. slope, 160 m., IV-16-1964 (Cavagnaro); 14 ♂♂, 7 ♀♀, Table Mountain, 440 m., same dates and collector. DARWIN: 20 ♂♂, 15 ♀♀, I-29-1964 (Cavagnaro). FERNANDINA: 1 ♀, W. side, 1100 feet, II-5-1964 (Cavagnaro); 2 ♂♂, 1 ♀, Punta Espinosa, I-29-1964 (Usinger). FLOREANA: 1 ♂, Wittmer Farm, II-15-1964 (Usinger); 1 ♀, II-18-1964 (Usinger). SAN CRISTÓBAL: 1 ♀, Wreck Bay, II-24-1964 (Usinger). PINTA: 2 ♂♂, S. coast, V-25-1964 (Cavagnaro).

This species is very near *P. usingeri* but differs by the color of the body and the number of spots on the posterior femora.

#### Genus *Rhinacloa* Reuter

#### 8. *Rhinacloa rubescens* Carvalho, new species.

(Figures 15, 16.)

Characterized by its color and dimensions.

MALE. Length 2.2 mm., width 1.1 mm. *Head*: Length 0.1 mm., width 0.6 mm., vertex 0.25 mm. *Antennae*: Segment I, 0.1 mm.; II, 0.7 mm., III, 0.3 mm.; IV, broken. *Pronotum*: Length 0.3 mm.; width at base 0.9 mm.