

Distribution.—Western United States.

Hosts.—*Artemisia californica*; *Artemisia tridentata* (Asteraceae).

Notes.—In his original description, Uhler said that “Specimens [of *stigmosa*] were collected at American Fork, June 22.” We located three specimens in the USNM which bear these data. One of these, a female, bears an identification label which appears to have been written by Uhler as well as a “lectotype” label affixed by H. G. Barber, although we can find no evidence that Barber ever published this designation. The other two, both males, were in the collection of H. H. Knight and bear his identification labels, but there is no direct evidence that they are part of the material examined by Uhler. We have not designated a lectotype, but neither do we consider the identity of *stigmosa* to be in question.

Europiella umbrina Reuter

Europiella umbrina Reuter 1909: 85 (n. sp., desc.).

Europiella similis Knight 1969: 81 (n. sp., desc., host). **NEW SYNONYMY.**

Europiella stigmosa: Knight 1968: 43 (misidentification).

Distribution.—Western United States.

Hosts.—*Artemisia californica*, *A. nova*, *A. tridentata* (Asteraceae).

Notes.—Henry and Wheeler (1988) listed *umbrina* Reuter as a synonym of *stigmosa*. Comparison of the types of *stigmosa*, *umbrina*, and *similis* Knight, and the male genitalia of these nominal species, indicates that *umbrina* is distinct from *stigmosa*, but that *similis* is synonymous with *umbrina*.

Europiella unipuncta Knight

Europiella unipuncta Knight 1968: 44 (n. sp., desc., host).

Distribution.—Interior western United States.

Host.—*Artemisia tridentata* (Asteraceae).

Species transferred from *Europiella* to *Megalopsallus* Knight 1927

albibescens Knight 1968 (*Europiella*), **NEW COMBINATION**

arizonae Knight 1968 (*Europiella*), **NEW COMBINATION**

balli Knight 1968 (*Europiella*), **NEW COMBINATION**

brevicornis Knight 1968 (*Europiella*), **NEW COMBINATION**

franseriae Knight 1969 (*Europiella*), **NEW COMBINATION**

grayiae Knight 1968 (*Europiella*), **NEW COMBINATION**

humeralis Van Duzee 1923 (*Sthenarus*), **NEW COMBINATION**

knowltoni Knight 1970 (*Europiella*), **NEW COMBINATION**

lycii Knight 1968 (*Europiella*), **NEW COMBINATION**

montanae Knight 1968 (*Europiella*), **NEW COMBINATION**

monticola Knight 1968 (*Europiella*), **NEW COMBINATION**

multipunctipes Knight 1970 (*Europiella*), **NEW COMBINATION**

nicholi Knight 1968 (*Europiella*), **NEW COMBINATION**

nigrofemoratus Knight 1968 (*Europiella*), **NEW COMBINATION**

punctipes Knight 1968 (*Europiella*), **NEW COMBINATION**

rubicornis Knight 1968 (*Europiella*), **NEW COMBINATION**

rufiventris Knight 1968 (*Europiella*), **NEW COMBINATION**

sarcobati Knight 1969 (*Europiella*), **NEW COMBINATION**

sparsus Knight 1969 (*Europiella*), **NEW COMBINATION**

stitti Knight 1968 (*Europiella*), **NEW COMBINATION**

viridiventris Knight 1968 (*Europiella*), **NEW COMBINATION**

PALEARCTIC SPECIES

Europiella albipennis (Fallén), see above.