

et al. , pp. 1486 – 1487

Science 25 May 2001:

Vol. 292, no. 5521, pp. 1486 – 1487

DOI: 10.1126/science.292.5521.1486b

LETTERS

The Identity of Plant Glutamate Receptors

Ion channels are important in the perception and transduction of environmental signals in essentially all organisms. Plants are no exception. Completion of the *Arabidopsis* genome-sequencing project has revealed that among the 600 *Arabidopsis* genes predicted to encode membrane transport proteins of one sort or another are 20 apparent homologs of animal ionotropic glutamate receptors (GLRs). In animals, these ligand-gated ion channels conduct cations across nerve cell membranes after being activated by glutamate and related neurotransmitters. The plant and animal genes share an overall secondary structure and six domains of functional importance (1), but they are sufficiently divergent that their function cannot be deduced from sequence alone. The evidence obtained to date indicates that they participate in light signal transduction and Ca²⁺ homeostasis (2). Here, we would like to propose the adoption of a naming convention that is based on the phylogenetic relationship of the group.

ADVERTISEMENT

ADVERTISEMENT

Drug DISCOVERY & DEVELOPMENT of Innovative THERAPEUTICS

Expediting Drug Development from Discovery through Clinical POC

THE ATGLRS FAMILY

	cDNA		Genomic (BAC)			
	Full-length					Protein ID
I	<i>AtGLR1.1</i> ^{*†}	AF079998	AC016829	T6K12.27	At3g04110	AAF26802.1
	<i>AtGLR1.2</i> [*]		AB020745	MJE7.3	At5g48400	BAA96960.1
	<i>AtGLR1.3</i> [*]		AB020745	MJE7.4	At5g48410	BAA96961.2
	<i>AtGLR1.4</i> [*]		AC009853	F2103.23	At3g07520	AAF02156.1
II	<i>AtGLR2.1</i> ^{*‡}		AF007271	T21B4.10	At5g27100	AAB61068.1

**August 4-7, 2008
Boston, MA**

[To Advertise](#) [Find Products](#)

ADVERTISEMENT

FEATURED JOBS

- ▶ AQUATIC BIOGEOCHEMIST
University of Montana
Montana
- ▶ Institute for Diabetes,
Obesity and
Metabolism/Department of
Radiology
University of Pennsylvania
Pennsylvania
- ▶ Appointment of Executive
Director
National University of
Singapore
Singapore
- ▶ Director
University of Wyoming
Laramie, WY
- ▶ POSTDOCTORAL POSITION
University of Pittsburgh
Cancer Institute
Pittsburgh, PA
- ▶ Research Specialist
Johns Hopkins University
School of Medicine
Baltimore, MD
- ▶ Research Associate
Manchester Metropolitan
University
Manchester, United
Kingdom
- ▶ [More jobs](#)

	<i>AtGLR2.2</i> [*]		AC007266	F27A10.3	At2g24720	AAD26895.1
	<i>AtGLR2.3</i> [*]		AC007266	F27A10.2	At2g24710	AAD26894.1
	<i>AtGLR2.4</i> [*]		AL031004	F28M20.100	At4g31710	CAA19752.1
	<i>AtGLR2.5</i> [*]		AL360314	F2I11.100	At5g11210	CAB96656.1
	<i>AtGLR2.6</i> [*]		AL360314	F2I11.70	At5g11180	CAB96653.1
	<i>AtGLR2.7</i> [*]		AC005315	T9I4.20	At2g29120	AAC33239.1
	<i>AtGLR2.8</i> [*]	AJ311495	AC005315	T9I4.19	At2g29110	AAC33237.1
	<i>AtGLR2.9</i> [*]		AC005315	T9I4.18	At2g29100	AAC33236.1
III	<i>AtGLR3.1</i> ^{*,<u>II</u>}	AF079999	AC002329	F5J6.2	At2g17260	AAF63223.1
	<i>AtGLR3.2</i> ^{*,<u>I</u>}	AF159498	AL022604	F23E12.150	At4g35290	CAA18740.1
	<i>AtGLR3.3</i> [*]		AC025815	T8D8.1	At1g42540	AAG51316.1
	<i>AtGLR3.4</i> ^{*,<u>#</u>}	AF167355	AC000098	YUP8H12.19	At1g05200	AAB71458.1
	<i>AtGLR3.5</i> [*]		AC005700	T32F6.9	At2g32390	AAC69939.1
	<i>AtGLR3.6</i> [*]		AL133452	F26O13.120	At3g51480	CAB63012.1
	<i>AtGLR3.7</i> ^{*,**}	AF210701	AC005700	T32F6.8	At2g32400	AAC69938.1

^{*}AGI, *Nature*, 408, 796(2000). [†]*AtGLR1.1* was named *AtGLR1* in Lam *et al.* (2). [‡]*AtGLR2.1* was named *AtGLR3* in Chiu *et al.* (1). [§]cDNA was cloned and named *GluR9* (AJ311495). ^{||}*AtGLR3.1* was named *AtGLR2* in Lam *et al.* (2). A cDNA representing a splice variant of *AtGLR3.1* was also cloned (ACL1) and its sequence was submitted to genbank (AF038557). [¶]*AtGLR3.2* was named *AtGluR2* in Kim *et al.* (2). [#]*AtGLR3.4* was named *AtGLR4* in Chiu *et al.* (1). A cDNA was cloned and named *GLUR3* (AF167355). A cDNA representing a splice variant was also cloned and named *GLR4* (AF183932). ^{**}cDNA was cloned and named *GLR5* (AF210701).

In this scheme, the 20 *Arabidopsis* glutamate receptor genes are divided into three phylogenetically distinct clades, on the basis of results from parsimony analysis with bacterial amino acid binding proteins as outgroups (1). Each node is strongly supported by high bootstrap values (91–100). Each clade was assigned a number X, and the genes within a clade were each numbered consecutively with a separate value Y. Our proposal is that each gene be named *AtGLRX.Y*. Splice variants are denoted with lower-case letters (*AtGLR3.1a* and *AtGLR3.1b* for Genbank AF079999 and AF038557, respectively, for example). GLRs from other plant species are also accommodated by this nomenclature. For example, the *Brassica napus* glutamate receptor (Genbank AF109392) belongs to sub-family 2 and thus would be named *BnGLR2.Y*.

Widespread adoption of this nomenclature will eliminate confusion as efforts intensify to learn more about the functions of these plant genes.

Benoit Lacombe,*

Botanik I,
Julius-von-Sachs-Institut,
97082 Würzburg, Germany;

Dirk Becker

Botanik I,
Julius-von-Sachs-Institut,
97082 Würzburg, Germany;

Rainer Hedrich

Botanik I,
Julius-von-Sachs-Institut,
97082 Würzburg, Germany

Rob DeSalle

American Museum of Natural History,
Department of Entomology,
New York, NY 10024, USA;

Michael Hollmann,

Department of Biochemistry I,
Ruhr University Bochum,
44780 Bochum, Germany;

June M. Kwak,

Division of Biology,
University of California, San Diego,
La Jolla, CA 92093, USA;

Julian I. Schroeder,

Division of Biology,
University of California, San Diego,
La Jolla, CA 92093, USA;

Nicolas Le Novère

Department of Zoology,
University of Cambridge,
Cambridge CB2 3EJ, UK;

Hong Gil Nam

Molecular Life Sciences,
Pohang University, Korea;

Edgar P. Spalding

, Botany Department,
University of Wisconsin-Madison,
Madison, WI 53706, USA;

Mark Tester,

Department of Plant Sciences,
University of Cambridge,
Cambridge CB2 3EA, UK;

Frank J. Turano

Department of Biological Sciences,
The George Washington University,
Washington, DC 20052, USA;

Joanna Chiu,
Department of Biology,
New York University,
New York, NY 10003, USA

Gloria Coruzzi,
Department of Biology,
New York University,
New York, NY 10003, USA

*To whom correspondence should be addressed. E-mail: lacombe@botanik.uni-wuerzburg.de

References and Notes

1. J. Chiu *et al.*, *Mol. Biol. Evol.* **16**, 826 (1999).
 2. H. M. Lam *et al.*, *Nature* **396**, 125 (1998); E. R. Brenner *et al.*, *Plant Physiol.* **124**, 1615 (2000); S. A. Kim *et al.*, *Plant Cell Physiol.* **42**, 74 (2001); K. L. Dennison, E. P. Spalding, *Plant Physiol.* **124**, 1511 (2000).
 3. K. Q. Chen *et al.*, *Nature* **402**, 817 (1999).
-

Science. ISSN 0036-8075 (print), 1095-9203 (online)

[Magazine](#) | [News](#) | [Signaling](#) | [Careers](#) | [Multimedia](#) | [Collections](#) | [Help](#) | [Site Map](#) | [RSS](#)

[Subscribe](#) | [Feedback](#) | [Privacy / Legal](#) | [About Us](#) | [Advertise With Us](#) | [Contact Us](#)

© 2001 American Association for the Advancement of Science. All Rights Reserved.
AAAS is a partner of HINARI, AGORA, PatientInform, CrossRef, and COUNTER.