

- 1892 Saunders, Hem. Het. Brit. Is.: 262 (key, descr.)  
 — 1896 Reuter, Hem. Gymn. Eur. 5:6 (descr.)  
 — 1896 Reuter, Ofv. F. Vet. Soc. Forh. 38:156 (key)  
 — 1902 Hueber, Syn. Blindw. 1:74, 408 (key, descr.)  
 — 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:141 (cat.)  
 — 1910 Oshanin, Verz. Pal. Hem.: 76 (cat.)  
 — 1910 Reuter, Acta Soc. Sci. Fenn. 37(3):155 (cat.)  
 — 1917 Van Duzee, Univ. Cal. Pub. Ent. 2:820 (cat.)  
 — 1920 Bergroth, Ann. Soc. Ent. Belg. 60:69 (cat.)  
 — 1926 Blatchley, Het. E. N. Amer.: 88 (descr.)  
 — 1933 Knight, Ent. News 44:132 (note)  
 — 1941 Knight, Ill. Nat. Hist. Surv. Bul. 22(1):64 (key)  
 — 1943 China, Gen. Names Brit. Ins. 8, Hem.: 262 (cat.)  
 — 1952 Carvalho, An. Acad. Brasil. Ci. 24(1):50 (cat.)  
 — 1952 Wagner, Tierw. Deut. 41, Blindw.: 10 (key, descr.)  
 — 1952 Carvalho & Leston, Ent. Mo. Mag. 88:240, fig. 31  
 — 1953 Carvalho, Florida Ent. 36(4):161 (key to spp.)  
 — 1955 Carvalho, Bol. Mus. Goeldi 11(2):23 (key)

- \* **NEOBOTHYNOTUS** 1917 Wirtner, Ent. News. 28:33 (n. gen.); — type: *modestus* Wirtner, 1917 (monobasic) — (syn. by Knight, Can. Ent. 49:25, 1917)  
 \* **TRICHYMENUS** 1875 Reuter, Not. Faun. Fl. Fenn. 14:7 (n. gen.); — type: *pilosus* (Boheman, 1852) (monobasic) — (syn. by Reuter, Bih. K. Vet. Handl. 3(1):21, 1875)

- albonotatus* Carvalho Mexico  
 1953 *Bothynotus albonotatus* Carvalho, Rev. Brasil. Biol. 13(3):268, fig. (n. sp.)
- albus* Carvalho North America  
 1953 *Bothynotus albus* Carvalho, Florida Ent. 36(4):161, fig. (n. sp.) Florida
- barberi* Knight North America  
 1933 *Bothynotus barberi* Knight, Ent. News. 44:133 (n. sp.) Ariz.
- castaneus* Carvalho Mexico  
 1953 *Bothynotus castaneus* Carvalho, Rev. Brasil. Biol. 13(3):269, fig. (key)
- \**fairmairei* Signoret see *pilosus* (Boheman)  
 \**horridus* Mulsant & Rey see *pilosus* (Boheman)
- johnstoni* Knight North America  
 1933 *Bothynotus johnstoni* Knight, Ent. News 44:135 (n. sp.) Miss.
- kiritschenkoi* Lindberg Amuria  
 1934 *Bothynotus kiritschenkoi* Lindberg, Not. Ent. 14:20 (n. sp.) (Suchan)
- \**minki* Fieber see *pilosus* (Boheman) North America  
 Fla.  
 Ia.  
 Ill.  
 Kans.  
 Md.  
 Ohio  
 Penn.
- modestus* Wirtner  
 1917 *Neobothynotus modestus* Wirtner, Ent. News 28:34 (n. sp.)  
 1917 ————— Van Duzee, Univ. Cal. Pub. Ent. 2:820 (cat.)  
 1917 ————— Knight, Can. Ent. 49:25 (note)  
 1920 *Bothynotus modestus* Bergroth, Ann. Soc. Ent. Belg. 60:69 (cat.)  
 1922 ————— Knight, Can. Ent. 33:281 (synonymy)  
 1926 ————— Blatchley, Het. E. N. Amer.: 882 (descr.)  
 1941 ————— Knight, Ill. Nat. Hist. Surv. Bul. 22(1):23, 64 (descr.)  
 fig. 71, 103  
 1949 ————— Froeschner, Amer. Mid. Nat. 42(1):164, 177, fig. 107  
 (key note)  
 1950 ————— Slater, Proc. Iowa Acad. Sci.:520 (note)
- pilosus* Boheman Austria  
 1852 *Phytocoris pilosus* Boheman, Ofv. K. Vet. Akad. Forh. 9(4):62 (n. sp.)  
 \*1852 *Capsus fairmairei* Signoret, Ann. Soc. Ent. Fr. (2)10:542, pl. 16, fig. 4  
 (n. sp.) — (syn. by Reuter, Not. Sallsk. F. Fl. Fenn. Forh. 14:8, 1873)  
 \*1852 *Capsus horridus* Mulsant & Rey, Ann. Soc. Linn. Lyon: 151 (♀) (n. sp.)  
 — (syn. by Reuter, Hem. Gymn. Eur. V:7, 1896)  
 1855 *Capsus pilosus* Kirschbaum, Rhynch. Wiesb.: 213 (descr.)  
 \*1864 *Bothynotus Minki* Fieber, Wien. Ent. Monat. 8:77, pl. 2, fig. 7 (n. sp.)  
 — (syn. by Puton, Ann. Soc. Ent. Fr. (5)3:24, 1873)  
 1866 *Bothynotus minki* Douglas & Scott, Ent. Mo. Mag. 2:275 (descr.) Hungary