

- 1875 *Lygus roseri* Vollenhoven, Ent. Tijdschr. 19:93, fig. (descr.)
 1878 ————— Vollenhoven, Hem. Het. Neel.: 203, pl. 14, fig. 6 (descr.)
 1878 *Sthenarus roseri* Reuter, Hem. Gymn. Eur. 1:47; 3:508 (1883) var. E. N. (descr., key)
 1890 ————— Reuter, Rev. d'Ent. 9:252 (note)
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58(2):177 (cat.)
 1890 *Chlamydatus vittatus* Atkinson, Jour. Asiatic Soc. Bengal 58(2):174 (cat.)
 1892 *Sthenarus roseri* Saunders, Hem. Het. Brit. Is.: 319, pl. 30, fig. 4
 1910 *Chlamydatus vittatus* Oshanin, Verz. Pal. Hem.: 940 (cat.)
 1913 ————— Hueber, Syn. Blindw. 2:537, 545 (key, descr.)
 1923 ————— Butler, Biol. Brit. Hem.: 537 (biology)
 1934 ————— Stichel, Illus. Best. Deut. Wanz. 10:285, var. *albo-punctata, nigra, antennaria, marginata, immaculata*, l. c. (key)
 1935 ————— Hedicke, Tierw. Mittel. Het. 4(3):70 (key)
 1943 ————— China, Gen. Names Brit. Ins. 8, Hem.: 273 (list)
 1943 ————— Kullenberg, Ark. Zool. 34A(15):6, fig. (egg)
 1944 ————— Kullenberg, Zool. Bidr. Uppsala 23:313, fig. (biology)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 221, fig. 311 (key)
 1952 ————— (*Phoenicocoris*) *roseri* Wagner, Tierw. Deut. 41, Blindw.: 208, fig. 123 (key, descr., key var. *immaculatus, vittatus, marginatus, niger*)
- rotermundi* Scholtz
 1846 *Capsus rotermundi* Scholtz Arb. Ver. Schles. Ges.: 131 (n. sp.)
 1860 ————— Flor, Rhync. Livl. 1:594 (key, (descr.)
 1861 *Sthenarus rotermundi* Fieber, Eur. Hem.: 310 (descr.)
 1865 ————— *Rotermundi* Douglas & Scott, Brit. Hem.: 422 (descr.)
 1873 *Eurymerochoris rotermundi* Walker, Cat. Het. 6:154 (list)
 1875 *Psallus rotermundi* Saunders, Trans. Ent. Soc. London: 303 (key, descr.)
 1878 *Sthenarus Rotermundi* Reuter, Hem. Gymn. Eur. 1:50, pl. 3, fig. 1; 3:446, 508 (1883) (descr., key)
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58(2):177 (cat.)
 1892 *Psallus rotermudi* Saunders, Hem. Het. Brit. Is.: 311, 314, pl. 30, fig. 1 (key, descr.)
 1910 *Sthenarus rotermundi* Oshanin, Verz. Pal. Hem.: 942 (cat.)
 1913 ————— Hueber, Syn. Blindw. 2:537, 549 (key, descr.)
 1917 ————— Van Duzee, Univ. Cal. Pub. Ent. 2:407 (as type)
 1923 ————— Butler, Biology, Brit. Hem.: 538 (biology)
 1934 ————— Stichel, Illus. Best. Deut. Wanz. 10:286, fig. 671 (key)
 1935 ————— Hedicke, Tierw. Mittel. Het. 4(3):70 (key)
 1943 ————— China, Gen. Names Brit. Ins. 8, Hem.: 273 (as type, list)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 222, fig. 216 (key)
 1952 ————— Wagner, Tierw. Deut. 41, Blindw.: 286, fig. 671 (key)
 1952 ————— Carvalho, An. Acad. Brasil. Ci. 24(1):66 (as type)
- rubidus* Uhler see *Lepidopsallus* Knight
- saliceticola* Stål see *roseri* (Herrich-Schaeffer)
- syriacus* Reuter
 1883 *Sthenarus syriacus* Reuter, Hem. Gymn. Eur. 3:445 (n. sp.)
 1884 ————— Ferrari, Ann. Mus. Civ. Gen. (2)1:445, 508 (list)
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58(2):177 (cat.)
 1910 ————— Oshanin, Verz. Pal. Hem.: 939 (cat.)
- vestitus* Poppius
 1914 *Sthenarus vestitus* Poppius, Acta Soc. Sci. Fenn. 44(3):93, 94 (key, n. sp.)
- vidali* Lindberg
 1940 *Sthenarus vidali* Lindberg, Soc. Sci. Fenn. Comm. Biol. 7(14):52 (n. sp.)
- visci* Puton see *Hypseloecus* Reuter
- viticola* Johnston
 1935 *Sthenarus viticola* Johnston, Bul. Brook. Ent. Soc. 30:16 (n. sp.)
- * *vittatus* Fieber see *roseri* (Herrich-Schaeffer)
- wagneri* Carvalho
 * 1852 *Capsus bicolor* Mulsant & Rey, Ann. Soc. Linn. Lyon: 130 (n. sp.) (n. preoc. by *Capsus bicolor* Lepeletier & Serville, 1825)
- Algeria
 Austria
 Belgium
 Corfu
 m. s. Europe
 France
 Germany
 G. Britain
 Greece
 Hungary
 Italy
 Netherlands
 Rumania
 Russia
 Spain
 Switzerland
 Yugoslavia
- Syria
 Yugoslavia
- e. Africa
 Nyassa
- Morocco
- N. America
 Miss.
- n. Africa
 s. France
 Spain