

- rubescens* Distant (n. comb.)  
 1884 *Neoproba rubescens* Distant, Biol. Cent. Amer. Rhync. 1:270, pl. 26, fig. 6 (n. sp.)  
 1890 ——— Atkinson, Jour. Asiatic Soc. Bengal 58 (2):81 (cat.)  
 1947 *Cyrtopeltis rubescens* Carvalho, Bol. Mus. Nac. Zool. 77:17 (descr.)  
 1952 *Neoproba rubescens* China & Carvalho, Ann. Ma. Nat. Hist. (12)5:159, 166 (note)  
 1954 *Cyrtopeltis (Engytatus) rubescens* Carvalho, Rev. Chil. Ent. 4:222 (note)
- similaris* Carvalho  
 1947 *Cyrtopeltis similaris* Carvalho, Bol. Mus. Nac. Zool. 77:18, figs. (n. sp.)  
 1952 ——— (*Engytatus*) *similaris* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:160, 165 (list)
- varians* Distant  
 1884 *Neoproba varians* Distant, Biol. Cent. Amer. Rhync. 1:271, pl. 26, fig. 7 (n. sp.)  
 1890 ——— Atkinson, Jour. Asiatic Soc. Bengal 58 (2):81 (cat.)  
 1952 *Cyrtopeltis (Engytatus) varians* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:160, 166, list
- Subgenus NESIDIOCORIS Kirkaldy
- NESIDIOCORIS 1902 Kirkaldy, Trans. Ent. Soc. London: 247 (n. gen.); — type: *volucer*.  
 Kirkaldy, 1902 (monobasic)  
 ——— 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:129 (cat.)  
 ——— 1910 Reuter, Acta Soc. Sci. Fenn. 37 (3):152, 164 (cat.)  
 ——— 1952 China & Carvalho, Ann. Mag. Nat. Hist. (12)5:159, 160 (kty)
- \* GALLOBELICUS 1904 Distant, Fauna Brit. Ind. Rhync. 2:477 (n. gen.); — type: *crassicornis* Distant, 1904 (monobasic) — (syn. by Reuter, Acta Soc. Sci. Fenn. 37 (3):166, 1910)  
 ——— 1946 Usinger, Bul. Bishop Mus. 186:75 (note)
- atricornis* Distant  
 1913 *Cyrtopeltis atricornis* Distant, Trans. Linn. Soc. London 1b:180, pl. 13, fig. 13 (n. sp.)  
 1952 ——— (*Nesidiocoris*) *atricornis* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:162, 165 (list)
- caesar* Ballard  
 1927 *Cyrtopeltis caesar* Ballard, Mem. Dept. Agr. Ind. Ent. 10:67 (n. sp.)  
 1952 ——— (*Nesidiocoris*) *caesar* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:162, 165 (list)
- \* *crassicornis* Distant see *tenuis* Reuter
- cruentatus* Ballard  
 1927 *Cyrtopeltis cruentatus* Ballard, Mem. Dept. Agr. Ind. Ent. 10:67, fig. 10 (n. sp.)  
 1952 ——— (*Nesidiocoris*) *cruentatus* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:162, 165 (list)
- \* *javanus* Poppius see *tenuis* Reuter
- kristenseni* Poppius  
 1914 *Engytatus kristenseni* Poppius, Acta Soc. Sci. Fenn. 44 (3):20 (n. sp.)  
 1952 *Cyrtopeltis (Nesidiocoris) kristenseni* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:162, 165 (list)
- macfieii* Poppius  
 1914 *Engytatus macfieii* Poppius, Acta Soc. Sci. Fenn. 44 (3):18, 21 (n. sp.)  
 1952 *Cyrtopeltis (Nesidiocoris) macfieii* China & Carvalho, Ann. Mag. Nat. Hist. (12)5:162, 165 (list)
- \* *nocivus* Fulmek see *tenuis* Reuter
- obscuricornis* Poppius  
 1915 *Engytatus obscuricornis* Poppius, Arch. Naturges. 80A (8):62 (n. sp.)  
 1952 *Cyrtopeltis (Nesidiocoris) obscuricornis* China & Carvalho, Ann. Mag. Nat. Hist. (12):162, 165 (list)

Guatemala

Brazil  
Rio de Janeiro

Guatemala

Seychelles

s. India

s. India

Eritrea

Nigeria

Formosa