

separatus Uhler see *Macrolophus* Fieber

stachydis Reuter

- | | | |
|--------|--|------------------------------------|
| * 1843 | <i>Capsus collaris</i> Meyer, Verz. Schw. Rhync.: 438 (f. brachypt) (syn. by Reuter, Hem. Gymn. Eur. 3:422, 1883) | Algeria
Austria
Boreo-montan |
| * 1875 | <i>Dicyphus errans</i> Reuter, nec Wolff. Rev. Crit. Caps. 2:128 (f. brachypt) (syn. by Reuter, Hem. Gymn. Eur. 3:422, 1883) | Denmark
France
G. Britain |
| 1878 | ———— <i>stachydis</i> Sahlberg, Vet. Akad. Handl. 26(4):29 (note) | Germany |
| 1883 | ———— Reuter, Ent. Mo. Mag. 20:53 (key) | Hungary |
| 1883 | ———— Reuter, Hem. Gymn. Eur. 3:421, 561 (descr., key) | Rumania |
| 1888 | ———— Reuter, Ent. Meddel. 1(3):111 (as n. sp. by midstake) | Russia |
| 1890 | ———— Atkinson, Jour. Asiatic Soc. Bengal 58(2):129 (cat.) | Siberia |
| 1892 | ———— Saunders, Hem. Het. Brit. Is.: 272, 274 (key, descr.) | Sweden |
| 1907 | ———— Hueber, Syn. Blindw. 2:88 (key, descr.) | Switzerland |
| 1910 | ———— Oshanin, Verz. Verz. Pal. Hem.: 813 (cat.) | Yugoslavia |
| 1923 | ———— Butler, Biol. Brit. Hem.: 457 (biology) | |
| 1933 | ———— Stichel, Illus. Best. Deut. Wanz. 8:214 (key) | |
| 1935 | ———— Hedicke, Tier, Mittel. Het. 4(3):52 (key) | |
| 1945 | ———— Wagner, in Gulde, Wanz. Mitteleur. 10:298, 305, fig. (key, descr.) | |
| 1951 | ———— Kiritshenko, Het. Eur. USSR.: 168 (key) | |
| 1951 | ———— Wagner, Soc. Sci. Fenn. Comm. Biol. 12(6):22, 28, figs. (genitalia) | |
| 1952 | ———— Wagner, Tierw. 41, Blindw.: 91, fig. 59 (key, descr.) | |

* *stotti* China see *pallicornis* (Fieber)

tabaci Froggatt see *Cyrtopeltis* Fieber

tamaninii Wagner

- | | | |
|------|---|---|
| 1951 | <i>Dicyphus tamaninii</i> Wagner, Soc. Sci. Fenn. Comm. Biol. 12(6):16, figs. n. sp.) | Dalmatia
Italy
Palestine
Tunisia |
| 1952 | ———— Linnavuori, Ann. Ent. Fenn. 18:190 (list) | |

tamaricis Puton

- | | | |
|------|--|--------------------|
| 1886 | <i>Dicyphus tamaricis</i> Puton, Exp. Sci. Tunis.: 19 (n. sp.) | Algeria
Tunisia |
| 1890 | ———— Atkinson, Jour. Asiatic Soc. Bengal 58(2):129 (cat.) | |
| 1910 | ———— Oshanin, Verz. Pal. Hem.: 813 (cat.) | |

tinctus Knight

- | | | |
|------|---|---------------------|
| 1943 | <i>Dicyphus tinctus</i> Knight, Pan-Pac. Ent. 19(2):55 (n. sp.) | N. America
Wash. |
|------|---|---------------------|

usingeri Knight

- | | | |
|------|---|--------------------|
| 1943 | <i>Dicyphus tinctus</i> Knight, Pan-Pac. Ent. 19(2):55 (n. sp.) | N. America
Cal. |
|------|---|--------------------|

vestitus Uhler

- | | | |
|--------|---|--------------------|
| 1895 | <i>Dicyphus vestitus</i> Uhler, Hem. Colo.: 46 (n. sp.) | N. America
Cal. |
| 1906 | ———— Slosson, Ent. News 17:326 | Colo. |
| 1914 | ———— Van Duzee, Trans. S. Diego Soc. Nat. Hist. 2:25 (list) | Ia. |
| 1916 | ———— Van Duzee, Univ. Cal. Pub. Ent. 1:240; 2:371 (1917) (cat.) | Ill. |
| 1917 | ———— Van Duzee, Proc. Cal. Acad. Sci. (4)7:270 (list) | Ind. |
| * 1922 | ———— <i>notatus</i> Parshley, S. Dakota State Coll. Tech. Bul. 2:16 (n. sp.) (syn. by Knight, Bul. Brook. Ent. Soc. 22:104, 1927) | Minn.
N.H. |
| 1926 | Blatchley, Het. E. N. Amer.: 909 (descr.) | N.M. |
| 1926 | ———— <i>vestitus</i> Blatchley, Het. E.N. Amer.: 910 (descr.) | N.Y. |
| 1927 | ———— Knight, Can. Ent. 59:37 (hibernation) | Ohio |
| 1928 | ———— Walley, Can. Ent. 60: 110 (key) | S D. |
| 1928 | ———— <i>notatus</i> Blatchley, Bul. Brook. Ent. Soc. 23:17 (note) | |
| 1929 | ———— <i>vtstitus</i> Knight, Bul. Brook. Ent. Soc. 24:146 (synonymy) | |
| 1941 | ———— Knight, Ill. Nat. Hist. Surv. Bul. 22(1):4, 23, 53, 54 (key, descr.) | |

Subgenus MESODICYPHUS Wagner

MESODICYPHUS 1951 Wagner, Soc. Sci. Fenn. Comm. Biol. 12(6):7 (n. subgen.) — type: *Dicyphus testaceus* Reuter, 1879 (monobasic)

testaceus Reuter

- | | | |
|------|---|-----------|
| 1879 | <i>Dicyphus testaceus</i> Reuter, Ofv. F. Vet. Soc. Forh. 21:204 (n. sp.) | Turkestan |
| 1883 | ———— Reuter, Hem. Gymn. Eur. 3:425, 562 (descr., key) | |
| 1887 | ———— Reuter, Fedstch. Turk.: 20 (descr.) | |