

- 1879 ————— Reuter ncc Scopoli, Ent. Mo. Mag. 15:66 (note) Siberia
 1880 ————— *salicicola* Reuter, Medd. Soc. Faun. Flor. Fenn. Forh. 5:171 (n. sp.) n. Sweden
 1880 ————— Reuter, Ent. Mo. Mag. 17:13 (n. sp.)
 1883 ————— Reuter, Hem. Gymn. Eur. 3:392, 556, pl. 5, fig. 21
 (desc., key)
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58 (2):133 (cat.)
 1902 ————— Reuter, Ofv. F. Vet. Soc. Forh. 44:176 (descr.)
 1907 ————— Hueber, Syn. Blindw. 2:126, 132 (key, descr.)
 1910 ————— Oshanin, Verz. Pal. Hem.: 831 (cat.)
 1933 ————— Stichel, Illus. Best. Deut. Wanz. 8:225 (key)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 174, fig. 237 (key)
 1952 ————— (*Kelidocoris salicicola* Wagner, Tierw. Deut. 41, Blindw.: 132 (key, descr.)

* *selectus* Fieber see *flavomaculatus* (Fabricius)

sibiricus Carvalho nom. nov. for *Globiceps gracilis* Jakovlev

- 1893 *Globiceps gracilis* Jakovlev, Hor. Soc. Ent. Ross. 27:306 (n. sp.) — n. preoc. Siberia (Irkutsk)
 by *Globiceps gracilis* Sahlberg, 1848)
 1902 ————— Reuter, Ofv. F. Vet. Soc. Forh. 44:177 (list)
 1910 ————— Oshanin, Verz. Pal. Hem.: 833 (cat.)

sordidus Reuter

- 1876 *Globiceps sordidus* Reuter, Pet. Nouv. Ent. 2 (144):21 (n. sp.) Austria
 1883 ————— Reuter, Hem. Gymn. Eur. 3:390, 556, pl. 5, fig. 23 (descr., key) France
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58 (2):133 (cat.) Greece
 1908 ————— Hueber, Syn. Blindw. 2:126, 130 (key, descr.) Hungary
 1910 ————— Oshanin, Verz. Pal. Hem.: 831 (cat.) Russia
 1933 ————— Stichel, Illus. Best. Deut. Wanz. 8:224 (key)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 174 (key)
 1952 ————— (*Kelidocoris sordidus* Wagner, Tierw. Deut. 41, Blindw.: 132 (key)

sphaegiformis Rossi

- 1790 *Cimex sphaegiformis* Rossi, Faun. Etrusc. 2:250 (n. sp.) Algeria
 * 1825 *Globiceps capito* Le Peletier & Serville, Enc. Meth. 10: 326 (syn. by Fieber, n. Africa
 Eur. Hem.: 283, 1861) Austria
 * 1835 *Capsus bifasciatus* Herrich-Schaeffer, Nomen. Ent.: 48 (key) (syn. by Reuter, Caucasus
 Ent. Mo. Mag. 14:244, 1878) m.s. Europe
 1836 ————— Herrich-Schaeffer, Wanz. Ins. 3:48, fig. 255 (descr.) France
 1843 *Globiceps capito* Amyot & Serville, Hem.: 282, pl. 6, fig. 1 (descr.) Germany
 * 1843 *Capsus decoratus* Meyer, Verz. Schw. Rhync.: 88 (n. sp.) (syn. by Fieber, Greece
 Eur. Hem.: 283, 1861) Hungary
 1845 *Phytocoris sphaegiformis* Kolenati, Melent, Ent. 2:110 (descr.) Italy
 1855 *Capsus decoratus* Kirschbaum, Rhync. Wiesb.: 206 (descr.) Netherlands
 1860 ————— Flor, Rhync. Livl. 1:474 (key, descr.) Portugal
 1861 *Globiceps sphaegiformis* Fieber, Eur. Hem.: 283 (descr.) Rumania
 1873 *Cyllocoris sphaegiformis* Walker, Cat. Het. 6:62 (list) Russia
 1875 *Globiceps sphaegiformis* Reuter, Bih. K. Sv. Vet. Akad. Handl. 3 (1):28 (key) Sardinia
 1883 ————— Reuter, Hem. Gymn. Eur. 3:387, 555, pl. 5, fig. 5, Switzerland
 fig. 30 (descr., key) Yugoslavia
 1888 ————— Reuter, Acta Soc. Sci. Fenn. 15 (1):298, no. 277 (syn.)
 1890 ————— Atkinson, Jour. Asiatic Soc. Bengal 58 (2):133 (cat.)
 1908 ————— Hueber, Syn. Blindw. 2:125, 127 (key, descr.)
 1910 ————— Oshanin, Verz. Pal. Hem.: 830 (cat.)
 1917 ————— Van Duzce, Univ. Cal. Pub. Ent. 2:388 (as type)
 1933 ————— Stichel, Illus. Best. Deut. Wanz. 8:224, fig. 583 (key)
 1935 ————— *sphaegiformis* Hedicke, Tierw. Mittel. Het. 4 (3):56 (key)
 1943 ————— China, Gen. Names Brit. Ins. 8, Hem.: 265 (as type)
 1951 ————— Kiritshenko, Het. Eur. USSR.: 173, fig. 236 (key)
 1952 ————— Wagner, Tierw. Deut. 41, Blindw.: 130 (descr.)
 1952 ————— *capito* Carvalho, An. Acad. Brasil. Ci. 24 (1):76 (as type)

* *subalpinus* Strobl see *dispar* (Boheman)

* *suturalis* Reuter see *cruciatus* Reuter

* *variegatus* Reed see *Sericophanes* Reuter

variegatus Costa see *Myrmicomimus* Reuter