

- * **LITOCORIS** 1860 Fieber, Eur. Hem. 70; 287, 1861 (n. gen.); — type: *ericetorum* (Fallen, 1807) (monobasic) (n.n. for *Tichorhinus* Fieber) — (syn. by Reuter, Hem. Gymn. Eur. 3:342, 1883)
 — 1875 Reuter, Rev. Crit. Caps. 1:92 (subgen. key)
 — 1952 Wagner, Tierw. Deut. 41, Blindw.: 116, 120 (key, descr. as subgen.)
- * **LITOSOMA** 1865 Douglas & Scott, Brit. Hem.: 334 (n. gen.); — type: *marginalis* Reuter, 1883 (fixed by Kirkaldy, Trans. Amer. Ent. Soc. 32:127, 1906) — (syn. by Reuter, Hem. Gymn. Eur. 3:342, 1883)
- * **TICHORHINUS** 1858 Fieber nec *Tichorhinus* Brandt, 1849 (Mammalia), Wien. Ent. Monat. 2:314 (n. gen., key); — type: *nassatus* (Fabricius, 1787) fixed by Kirkaldy, 1906 — (syn. by Reuter, Hem. Gymn. Eur. 3:342, 1883)
 — 1908 Kirkaldy, Proc. Hawaii, Ent. Soc. 1:197 (descr.)
 — 1910 Reuter, Acta Soc. Sci. Fenn. 37(3):150 (cat.)
- * **TICHORINUS** 1906 Kirkaldy, Trans. Amer. Ent. Soc. 32:127 (error pro *Tichorhinus* Fieber, 1858)
- * **TICHORRHINUS** 1912 Oshanin, Kat. Pal. Hem.: 73 (error pro *Tichorhinus* Fieber, 1858)

aceris Lindberg1940 *Orthotylus aceris* Lindberg, Soc. Sci. Fenn. Comm. Biol. 7(14):39, figs. (n. sp.)

Morocco

adenocarpi Perris1857 *Capsus adenocarpi* Perris, Ann. Soc. Linn. Lyon 4:165 (n. sp.)* 1861 *Orthotylus obsoletus* Fieber, Eur. Hem.: 289 (n. sp.) (syn. by Wagner, Beitr. Ent. 4(5-6):671, 1955)1873 *Leptomerochoris obsoletus* Walker, Cat. Het. 6:132 (list)* 1874 *Orthotylus douglasi* Saunders, Ent. Mo. Mag. 11:63 (n. sp.) (syn. by Reuter, Ent. Mo. Mag. 14:129, 1877)1875 ————— *obsoletus* Reuter, Bih. K. Sv. Vet. Akad. Handl. 3(1):35 (key)1875 ————— *douglasi* Saunders, Trans. Ent. Soc. London: 290 (key, descr.)1883 ————— *adenocarpi* Reuter, Hem. Gymn. Eur. 3:367, 553 (descr., key)1883 ————— *obsoletus* Reuter, Hem. Gymn. Eur. 3:365, 553, pl. 5, fig. 18 (descr., key)1887 ————— *douglasi* Reuter, Ent. Mo. Mag. 14:1291890 ————— *obsoletus* Atkinson, Jour. Asiatic Soc. Bengal 58(2):138 (cat.)1890 ————— *adenocarpi* Atkinson, Jour. Asiatic Soc. Bengal 58(2):136 (cat.)

1892 ————— Saunders, Hem. Het. Brit. Is.: 285, 290, pl. 27, fig. 2 (key, descr.)

1908 ————— Hueber, Syn. Blindw. 2:161, 198 (key, descr.)

1908 ————— *obsoletus* Hueber, Syn. Blindw. 2:160 (key)

1910 ————— Oshanin, Verz. Pal. Hem.: 844 (cat.)

1910 ————— *adenocarpi* Oshanin, Verz. Pal. Hem.: 845 (cat.)

1923 ————— Butler, Biol. Brit. Hem.: 490 (biology)

1933 ————— Stichel, Illus. Best. Deut. Wanz. 8:231 (key)

1935 ————— Hedicke, Tierw. Mittel. Het. 4(3):57 (key)

1943 ————— China, Gen. Names Brit. Ins. 8, Hem.: 266 (list)

1952 *Melanotrichus adenocarpi* Wagner, Tierw. Deut. 41, Blindw.: 119 (key, descr.)1953 *Orthotylus adenocarpi* Southwood, Trans. R. Ent. Soc. London 104(11):433, figs. (key)

France

Germany

G. Britain

Morocco

Netherlands

Spain

affinis Van Duzee1916 *Orthotylus affinis* Van Duzee, Proc. Cal. Acad. Sci. (4)6:114 (n. sp.) fig. 18

1916 ————— Van Duzee, Univ. Cal. Pub. Ent. 1:241; 2:393 (cat.)

1917 ————— Van Duzee, Proc. Cal. Acad. Sci. (4)7:275 (list)

N. America

Cal.

alaiensis Reuter see *Melanotrichus* Reuter**albocostatus** Van Duzee see *Melanotrichus* Reuter**albovittatus** Reuter1901 *Orthotylus albovittatus* Reuter, Ofv. F. Vet. Soc. Forh. 43:203 (n. sp.)

1910 ————— Oshanin, Verz. Pal. Hem.: 847 (cat.)

Algeria