

short, rather strongly and smoothly curved, broad basally; parempodia hair-like, parallel; pulvilli minute.

FEMALE GENITALIA: Posterior wall a simple sclerotized plate.

MACROPTEROUS MALE: Very similar to female.

MALE GENITALIA: Figures 258–260. Typical of Phylini, showing no particularly close relationship to other known genera.

TYPE SPECIES: *Lasiolabopella capeneri*, new species.

This genus is named for its resemblance to *Lasiolabops* Poppius.

Lasiolabopella can be recognized by its very small size, flattened body, substylate eyes, and covering of black and sericeous scale-like hairs. *Eminoculus*, the only genus in South Africa with a similar head structure, is shining black and lacks scale-like hairs. *Lasiolabops*, from East and West Africa, differs from *Lasiolabopella* by being much larger, not having a flattened body, and having a much shorter head.

***Lasiolabopella capeneri*, new species**

Figures 68, 258–260

MACROPTEROUS FEMALE: Head, anterior three-fourths of pronotum, scutellum, clavus adjacent to scutellum, corium (except as noted below), cuneus, membrane except veins, mesothoracic and metathoracic pleura and sterna (except ostiolar peritreme), abdomen, all coxae, all femora (apices sometimes light), and labium dark brown; posterior fourth of pronotum, most of clavus, extreme base and apex of corium, veins of membrane, and prosternum white; antennae, tibiae, tarsi (and sometimes femora distally), and ostiolar peritreme very light yellow white.

Scutellum and anterior two-thirds of clavus densely covered with appressed, scale-like, sericeous hairs; posterior third of pronotum, anterior two-thirds of corium, and clavus with a few black, scale-like hairs; posterior third of cuneus densely covered with black, scale-like hairs; abdominal venter thickly covered with generally black-appearing scale-like hairs; eyes with very short hairs.

Posterior margin of vertex with low rounded carina medially; labium just attaining trochanteral joint of mesocoxae; pronotum with anterior margins sinuate, lateral margins straight, posterior margin shallowly excavated; cuneal incisure shallow; abdomen almost attaining apex of cuneus; metatarsal segment 1 about one-half length of segment 2, segments 2 and 3 subequal in length.

MEASUREMENTS: Total length 3.20, maximum width 1.20, length head .44, width head .88, interocular space .44, length pronotum .44, width pronotum 1.00, length scutellum .40, width scu-