

- Capsus basalis*, Walk. Cat. Het. vi. p. 108 (1873), belongs to gen. *Resthenia*, Spin.
 — *tibialis*, Walk. loc. cit. p. 109, belongs to gen. *Sysinas*, Dist.
 — *atrohuteus*, Walk. loc. cit., „ *Resthenia*, Spin.
 — *xanthophilus*, Walk. loc. cit. p. 110, „ *Monalonion*, Herr.-Schäff.
 — *squalidus*, Walk. loc. cit., „ *Horcias*, Dist. ?
 — *incertus*, Walk. loc. cit. p. 111, „ *Megacelum*, Fieb.
 — *obumbratus*, Walk. loc. cit., „ *Horcias*, Dist.
 — *alternus*, Walk. loc. cit., „ *Fundanius*, Dist.
 — *leprosus*, Walk. loc. cit., „ *Paracalocoris*, Dist.
 — *spoliatus*, Walk. loc. cit. p. 112, „ *Daybertus*, g. n.
 — *quadrinotatus*, Walk. loc. cit. p. 113, „ *Daybertus*, g. n.
 — *sobrius*, Walk. loc. cit. p. 115, „ *Paracalocoris*, Dist.
 — *illepides*, Walk. loc. cit., „ *Lygus*, Hahn.
 — *solitus*, Walk. loc. cit. p. 116, „ *Pæciloscytus*, Fieb.
 — *pallidulus*, Walk. loc. cit., „ *Lygus*, Hahn.
 — *conspersus*, Walk. loc. cit., „ *Lygus*, Hahn ?
 — *suffusus*, Walk. loc. cit. p. 117, „ *Lygus*, Hahn.
 — *sericeus*, Walk. loc. cit., „ *Paracalocoris*, Dist.
 — *partitus*, Walk. loc. cit. p. 119, „ *Liocoris*, Fieb.
 — *stramineus*, Walk. loc. cit. p. 120, „ *Megacelum*, Fieb.
 — *patulus*, Walk. loc. cit., „ *Deræocoris*, Kirschb.
 — *sinicus*, Walk. loc. cit., „ *Megacelum*, Fieb.
 — *vicarius*, Walk. loc. cit. p. 121, „ *Rhinomiris*, Kirk.
 — *incisuratus*, Walk. loc. cit., „ *Argenis*, g. n.
 — *fasciatus*, Walk. loc. cit. p. 122, „ *Disphinctus*, Stål.
 — *discoidalis*, Walk. loc. cit., „ *Malacopeplus*, Kirk.
 — *apicifer*, Walk. loc. cit. p. 124, „ *Sabellius*, g. n.
 — *lucidus*, Walk. loc. cit., „ *Kosmiomiris*, Kirk.
 — *simulans*, Walk. loc. cit. p. 125, „ *Bothriomiris*, Kirk.
 — *tristis*, Walk. loc. cit., „ *Saturniomiris*, Kirk.
 — *angulifer*, Walk. loc. cit. p. 126, „ *Megacelum*, Fieb.
 — *pictulifer*, Walk. loc. cit., „ *Zanessa*, Kirk.
 — *laticinctus*, Walk. loc. cit. p. 127, „ *Calocoris*, Fieb.
Leptomerocoris mauricus, Walk. loc. cit. p. 146, belongs to gen. *Lygus*, Hahn.
Monalonion politum, Walk. loc. cit. p. 163, belongs to gen. *Disphinctus*, Stål.
 — *divisum*, Walk. loc. cit., belongs to gen. ? (type headless).

Species treated as synonymic.

- Capsus xanthomelas*, Walk. Cat. Het. vi. p. 92 (1873), = *Resthenia insitiva*, Say.
 — *hirsutulus*, Walk. loc. cit. p. 95, = *Neurocolpus nubilus*, Say.
 — *contiguus*, Walk. loc. cit., = *Calocoris norvegicus*, Gmel.
 — *stramineus*, Walk. loc. cit. p. 96, = *Calocoris norvegicus*, Gmel.
 — *decoratus*, Walk. loc. cit. p. 100, = *Pæcilocapsus ornatulus*, Stål.
 — *bicinctus*, Walk. loc. cit., = *Resthenia ornaticollis*, Stål.
 — *cinctipes*, Walk. loc. cit. p. 109, = *Horcias Signoreti*, Stål.
 — *innotatus*, Walk. loc. cit. p. 116, = *Lygus australis*, Dist., nom. n.
 — *limbatus*, Walk. loc. cit. p. 117, = *Lygus æthiops*, Dist., nom. n.
 — *canescens*, Walk. loc. cit. p. 121, = *Rhinomiris vicarius*, Walk.
 — *lineifer*, Walk. loc. cit. p. 122, = *Hyalopeplus vitripennis*, Stål.
 — *ustulatus*, Walk. loc. cit. p. 128, = *Calocoris laticinctus*, Walk.