

- Tribe 13.—**CYLAPINI** (= *Cylaparia* Kirkaldy, 1903 = *Eucrocoraria* Kirkaldy, 1902 = *Monalonionaria* Reuter, 1892 = *Valdasaria* Distant, 1883).
- Genus 1.—**Cylapus** Say, 1832, Desc. Het. Hem. N. Am. (New Harmony), p. ? (p. 347, LeConte ed., vol. 1), (type fig. in Heidemann, P. E. S. Wash., ii, 69, tf. 4) = *Valdasus* Stål (1860 ?), K. Svensk. Vet. Ak. Handl., (2), vii, 56. Type **schonherri** Stål.
- Genus 2.—**Jobertus** Distant, 1893, B. C. A. Het., i, 421. Type **chryselectus** Distant, pl. xxxvi, f. 16.†
- Genus 3.—**Piasus** Distant, 1883, op. c., 242. Type **illuminatus** Distant, pl. 24, f. 17.†
- Genus 4.—**Vannius** Distant, 1883, o. c., 245. Type **rubrovittatus** Dist., pl. 24, f. 11.†
- Genus 5.—**Eucrocoris** Westwood, 1837, T. E. S. London, ii, 21. Type **nigriceps** Westwood, pl. 2, f. 7.†
- Genus 6. **Monalonion** Herr. Schöff., 1850, Wanz. Ins., ix, 168. Type **parviventre** H. S., f. 958.†
- Genus 7.—**Sinervus** Stål (1860 ?), K. Svensk. Vet. Ak. Handl. (2), vii, 56. Type **bärensprungi** Stål.
- Genus 8.—**Arculanus** Distant, 1904, Ann. Mag. H. H. (7), xiii, 198. Type **marshalli** Distant.
- Genus 9.—**Disphinctus** Stål., 1870, O. V. A. F., xxvii, 668. Type **sahlbergi** Stål, Kirkaldy, 1902.¹²
- Genus 10.—**Pachypeltis** Signoret, 1858, A. S. E. F. (3), viii, 501. Type **chinensis** Signoret.
- Genus 11.—**Helopeltis** Signoret, op. c., 502 = † *Aspicelus* Costa, 1865, Ann. Mus. Zool. Nap., ii, 147. Type *podagricus* Costa, pl. 2, f. 6.† Type **antonii** Signoret, pl. 12, pt. 2, f. 2.†
- Genus 12.—**Felisacus** Distant, 1904, Faun. Brit. Ind., ii, 438 = || *Liocoris* Motschulsky, 1863, Bull. Soc. Imp. N. Moscou, xxxvi, pt. 2, 87. Type **glabratus** (Motsch., pl. 2, f. 20). Dist.†
- Genus 13.—**Hyalosecytus** Reuter, 1904, Ofv. Finsk. Vet. Förh., xlvii, No. 5, p. 1 (sep. ?). Type **elegantulus** Reuter, pl. ? , f. 1.†
- Genus 14.—**Guisardus** Distant, 1904, Faun. Brit. Ind. Rh., ii, 436. Type **pellucidus** Distant, f. 281.†
- Genus 15.—? **Chamius** Distant, 1904, Ann. Mag. Nat. Hist. (7), xiii, 197. Type **wealei** Distant.
- Genus 16.—**Angerianus** Distant, 1904, Faun. Brit. Ind. Rh., ii, 437. Type **fractus** Distant, f. 283.†
- Genus 17.—**Volkelius** Distant, 1904, Ann. Mag. N. H. (7), xiii, 271. Type **sulcatus** Distant.
- Genus 18.—**Sahlbergella** Haglund, 1895, O. V. A. F. 468 (type fig. in Kirkaldy, 1903, Wien. Ent. Zeit., xxii, p. 13, f. 1). N. B.—This genus remains undescribed. Type **singularis** Haglund.
- Genus 19.—**Odoniella** Haglund, op. c., 469. This genus is also undescribed. Type **reuteri** Haglund.
- Genus 20.—**Platyngomiris** Kirkaldy, 1902, T. E. S. London, 258. Type **coreoides** Kirkaldy, pl. 5, f. 7.†

¹² Distant, incorrectly cites *falleni* Stål, as the type (Faun. Brit. Ind. Rh., ii, 443.