Holotype: δ , July 20, 1917, Texas Pass, Arizona (H. H. Knight), at trap light; author's collection. *Allotype*: taken with type; Cornell University collection. *Paratypes*: 2φ , taken with types; 3δ , July 15, 1917, Bowie, Arizona (H. H. Knight).

Eustictus claripennis n. sp.

Nearest to *pusillus* Uhl., but differs in the black pronotum and scutellum, and in the translucent hemelytra.

8. Length 5.1 mm., width 2 mm. Head: width 1.06 mm., vertex .33 mm., pale, front and vertex fuscous. Rostrum, length 2.5 mm., reaching to near posterior margins of hind coxae, yellowish, apex brownish. Antennae: segment I, length .74 mm., thickness .17 mm., rather indistinctly transversely marked with fuscous; II, 2 mm., cylindrical (.13 mm. thick), pale with sprinkling of fuscous, clothed with very fine, short, recumbent pubescence, and intermixed with short but more erect fuscous pubescent hairs, base slightly constricted and glabrous; III, 1.10 mm., cylindrical, slightly more slender than II; IV, .88 mm., last two segments colored and clothed with pubescence as on segment II. Pronotum: length 1.14 mm., width at base 1.83 mm., disk black, slender basal margin and lateral carinate margins pale; propleura except for fuscous dorsal margin, pale yellowish translucent like the sternum and pleura of meso- and metathorax, ostiolar peritreme whitish. Scutellum strongly convex, black, mesoscutum brownish at sides. Hemelytra: glabrous, shining, pale translucent, apex of corium narrowly, and tip of cuneus, fuscous, apex of embolium with reddish and black; membrane practically clear, or with only a tinge of fumate, veins pale brownish. Legs: pale, hind femora becoming fuscous on apical half; hind tibiae brownish black, front and middle tibiae with a longitudinal reddish brown line on dorsal aspect; hind femora with a few dark spines on posterior aspect which are similar to the tibial spines, length of spines about equal to thickness of tibia. Venter pale to reddish, genital segment fuscous.

Holotype: 3, July 1, 1917, Helotes, Texas (H. H. Knight); author's collection. Paratypes: 3, taken with type; Cornell University collection.

Eustictus claripennis clarus n. var.

9. Length 5.1 mm., width 2 mm. *Head*: width 1 mm., vertex .43 mm. Rostrum, length 2.51 mm., slightly surpassing posterior margins of hind coxae. *Antennae*: segment I,