

*Paratypes:* ♂, May 5; ♂, May 9, 1918, Gainesville, Florida (C. J. Drake). 3 ♀, June 1, 1926, Sanford, Florida (E. D. Ball), collected on live oak.

*Ceratocapsus uniformis* new species.

This species runs to *incisus* Kngt., in my key (Hem. Conn., 1923, p. 525), but differs in the shorter antennal segment III, which is not equal to width of vertex plus dorsal width of an eye, in the shorter and more ovate form, uniformly dark brown color, fuscous membrane, and the differently formed genital claspers.

♂. Length 3 mm., width 1.5 mm. Head: width .70 mm., vertex .27 mm. Rostrum, length 1 mm., reaching upon middle of hind coxæ. Antennæ: segment I, length .23 mm.; II, .80 mm.; III, .43 mm.; IV, .37 mm.; yellowish, segment IV brownish, and segment I with red mark at base as in *rufistigmus*. Pronotum: length .60 mm., width at base 1.26 mm.

Dorsum more sparsely clothed with yellowish simple pubescence than in *pumilus* Uhler, and intermixed with fine scale-like pubescence; punctuation slightly stronger and more distinct. Coloration uniformly dark reddish brown, darker on anterior half of pronotum and somewhat paler on basal margin. Membrane uniformly fuscous brown. Legs yellowish, hind femora more brownish on apical half. Genital structures very suggestive of *pumilus*, but differs in the much smaller and margined tubercle above base of left clasper; the middle prong of left clasper lying flat against the large apical prong; the middle prong of the right clasper flat and blade-like.

♀. Length 3 mm., width 1.5 mm. Head: width .70 mm., vertex .31 mm. Antennæ: segment I, length .23 mm.; II, .86 mm.; III, .43 mm.; IV, .37 mm. Pronotum: length .60 mm., width at base 1.28 mm. Similar to the male in punctuation, pubescence, and coloration.

*Holotype:* ♂, July 18, 1915, Springfield, Missouri (H. H. Knight); author's collection.

*Allotype:* July 22, 1915, Hollister, Missouri (H. H. Knight).

*Paratypes:* DISTRICT OF COLUMBIA—♂ ♀, July 30, Aug. 18, 1907; Washington (W. L. McAtee). ILLINOIS—♂, July 20, 1909, Fountain Bluff. MARYLAND—♀, Aug. 14, Beltsville; ♂, July 12, Odenton; ♀, July 19, ♀, Aug. 2, 1914, Plummers Island (W. L. McAtee); ♀, July 9, 1905, Marshall Hall (J. G. Sanders). MISSISSIPPI—♀, July 24, Columbus; ♀, July 9, 1921, Corinth (C. J. Drake). VIRGINIA—6 ♀, July 27, 1898, Paris (O. Heidemann); ♂, Aug. 1, 1915, Mount Vernon (W. L. McAtee). WEST VIRGINIA—2 ♀, Aug. 20, 1891, Berkeley (O. Heidemann).