

- 1914b. Einige neue Miriden-Gattungen und Arten aus Nord-Amerika und Cuba. Annales de la Société Entomologique de Belgique **58**:255-61.
- Provancher, Abbé Léon**
1872. Descriptions de plusieurs Hémiptères nouveaux. Nat. Can. **4**(3):73-9, (4):103-8, (10):319-20, (11):350-2, (12):376-9.
- 1886-90. Petite faune entomologique du Canada. Vol. 3, Les Hémiptères. Québec. 354 pp., 5 pls.
- Reuter, Odo Morannal**
- Hemiptera gymnocerata Scandinaviae et Fenniae dispositus et descriptis. Pars 1. Cimicidae (Capsina). Acta Societatis pro Fauna et Flora Fennicae **1**. 206 pp.
1876. Capsinae ex America boreali in Museo Holmiensi asservatae, descriptae. Ofversigt af Kongliga Svenska Vetenskaps-Akademis Förhandlingar **32**(9):59-92. (1875.)
1878. Hemiptera Gymnocerata Europae. Pt. 1. Helsingfors. 187 pp., 8 pls.
1904. Uebersicht der paläarktischen Stenodem-aarten. Ofversigt af Finska Vetenskaps-Societetens Förhandlingar **46**(15):1-21.
1907. Capsidae novae in insula Jamaica mense Aprilis 1906 a D. E. P. Van Duzee collectae. Ofversigt af Finska Vetenskaps-Societetens Förhandlingar **49**(5):1-27.
1908. *Neoborus* (*Xenoborus*, n. subg.) *commisuralis* n. sp. Can. Ent. **40**(4): 112.
1909. Bemerkungen über nearktische Capsiden nebst Beschreibung neuer Arten. Acta Societatis Scientiarum Fennicae **36**(2). i+86+iii pp.
- 1912a. Hemipterologische miscellen. Ofversigt af Finska Vetenskaps-Societetens Förhandlingar **54**, A(7):1-76.
- 1912b. Zur Kenntnis der Ternatophyliden. Ofversigt af Finska Vetenskaps-Societetens Förhandlingar **56**, A(1): 1-17.
- Sahlberg, John Reinhold**
1871. Hemiptera Heteroptera samlade under en resa i ryska Karelen sommaren 1869. Notiser ur Färhandlingar Sällskapets pro Fauna et Flora Fennicae **11**:277-307.
- Sahlberg, Reinhold Ferdinand**
1842. Nova species generis *Phytocoris* (Fallen), ex ordine Hemipterorum descripta. Acta Societatis Scientiarum Fennicae **1**: 411-2.
- Say, Thomas**
1832. Descriptions of new species of Heteropterous Hemiptera of North America. New Harmony. 39 pp.
1858. Same, reprinted. N. Y. State Ag. Soc. Trans. **17**:755-812.
1859. Same, reprinted. Le Conte edition. 1:310-71.
- Shull, W. E.**
1933. An investigation of the *Lygus* species which are pests of beans (Hemiptera, Miridae). Idaho Ag. Exp. Sta. Res. Bul. **11**. 42 pp.
- Stål, Carl**
1858. Beitrag zur Hemipteren-Fauna Sibiriens und des russischen Nord-Amerika. Entomologische Zeitung herausgegeben von dem entomologischen Vereine zu Stettin **19**(4-6): 175-98. 1 pl.
1862. Hemiptera Mexicana enumeravit speciesque novas descriptis. Entomologische Zeitung herausgegeben von dem entomologischen Vereine zu Stettin **23**(1-3):81-118; (4-6):273-81; (7-9):289-325; (10-12):437-62.
- Uhler, Philip Reese**
1861. Descriptions of a few new species of Hemiptera, and observations upon some already described. Ent. Soc. Philadelphia Proc. **1**:21-4.
1872. Notices of the Hemiptera in the western territories of the United States, chiefly from the surveys of Dr. F. V. Hayden. In Hayden, U. S. Geol. Surv. Mont. Prelim. Rep., pp. 392-423.
1876. List of Hemiptera of the region west of the Mississippi River. U. S. Geol. Geog. Surv. Terr. Bul. **1**:269-361.
1877. Report upon the insects collected by P. R. Uhler during the explorations of 1875, including monographs of the families Cydnidae and Saldidae, and the Hemiptera collected by A. S. Packard, Jr. U. S. Geol. Geog. Surv. Terr. Md. Bul. **3**:355-475, 765-801, pls. 27-8.
1878. Notices of the Hemiptera Heteroptera in the collection of the late T. W. Harris, M.D. Boston Soc. Nat. Hist. Proc. **19**:365-446.
- 1887a. Observations on some North American Capsidae. Ent. Am. **2**(12):229-31.
- 1887b. Observations on some Capsidae with descriptions of a few new species. No. 2. Ent. Am. **3**(2):29-35.
- 1887c. Observations on North American Capsidae with descriptions of new species. No. 3. Ent. Am. **3**(4):67-72.
- 1887d. Observations on Capsidae with descriptions of new species. No. 4. Ent. Am. **3**(8):149-51.
1890. Observations on North American Capsidae, with descriptions of new species. No. 5. Md. Acad. Sci. Trans. **1**:73-88.
1891. Observations on some remarkable

- forms of Capsidae. Ent. Soc. Wash. Proc. 2:119-23.
1894. On the Hemiptera-Heteroptera of the island of Grenada, West Indies. Zoological Society of London Proceedings 1894(11):167-224.
1895. Descriptions of new Hemiptera *in* Gillette and Baker. A preliminary list of the Hemiptera of Colorado. Colo. Ag. Exp. Sta. Bul. 31, Tech. Ser. No. 1. 137 pp.
1899. A new destructive Capsid. Ent. News 10(3):59.
1904. List of Hemiptera-Heteroptera of Las Vegas Hot Springs, New Mexico. U. S. Natl. Mus. Proc. 27(1360): 349-64.
- Van Duzee, Edward Payson**
1910. Descriptions of some new or unfamiliar North American Hemiptera. Am. Ent. Soc. Trans. 36(1-2):73-9.
1912. Hemipterological Gleanings. Buffalo Soc. Nat. Sci. Bul. 10(2):477-512.
1914. A preliminary list of the Hemiptera of San Diego County, California. San Diego Soc. Nat. Hist. Trans. 2(1):1-57.
1915. New genera and species of North American Hemiptera. Pomona Jour. Ent. Zool. 7(2):109-21.
- 1916a. Check list of the Hemiptera (excluding the Aphididae, Aleurodidae and Coccidae) of America, north of Mexico. New York (N. Y. Ent. Soc.). xi+111 pp.
- 1916b. Monograph of the North American species of *Orthotylus* (Hemiptera). Calif. Acad. Sci. Proc., ser. 4, 6:87-128. 1 fig.
- 1916c. Notes on some Hemiptera taken near Lake Tahoe, California. Calif. Univ. Ag. Exp. Sta. Tech. Bul. 1:229-49.
1917. Catalogue of the Hemiptera of America north of Mexico excepting the Aphididae, Coccidae and Aleurodidae. Calif. Univ. Pubs. Ent. 2. xiv+902 pp.
1918. New species of Hemiptera, chiefly from California. Calif. Acad. Sci. Proc., ser. 4, 8:271-308.
1920. New Hemipterous insects of the genera *Aradus*, *Phytocoris* and *Campylorrhynchus*. Calif. Acad. Sci. Proc., ser. 4, 9:331-56.
1921. Characters of some new species of North American Hemipterous insects, with one new genus. Calif. Acad. Sci. Proc., ser. 4, 11:111-34.

Walker, Francis

1873. Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. London. Part 6. 210 pp.

Wirtner, P. Modeste

1917. A new genus of Bothynotinae, Miridae (Heteroptera). Ent. News 28(1):33-4.

Wolff, Johann Friedrich

1804. Icones Cimicum descriptionibus illustratae. Pt. 4, pp. 127-66, pls. 13-16.

INDEX

- Adelphocoris*, 137, 174
 lineolatus, 4, 15, 174, 175
 rapidus, 15, 174
 superbus, 174
affinis, *Horcius dislocatus*, 173
Agaliastes associatus, 25
 signatus, 45
 suavis, 26
agilis, *Dicyphus*, 19, 53
agilis, *Idolocoris*, 53
ainsliei, *Labopidea*, 105
albatus, *Plagiognathus*, 36, 37
 albatrus, 28
 similis, 37
 vitticollis, 29, 37, 38
albatus, *Psallus*, 36
albfacies, *Phytocoris*, 185, 186
albfacies, *Plagiognathus*, 23, 27, 35
albigulus, *Deraeocoris*, 68, 72, 73
albigulus, *Paracalocoris pallidulus*, 176, 178
albocuneatus, *Plagiognathus obscurus*, 28, 33
albofasciata, *Leucopocila*, 50
albonotatus, *Plagiognathus*, 31, 32
 albonotatus, 28
 compar, 29, 31
 tinctus, 31
alboradialis, *Plagiognathus*, 28, 31
Alepidia, 118, 119
 gracilis, 119
 squamosa, 119
Alepidiella, 118, 119
 heidemanni, 119
allii, *Labopidea*, 4, 14, 105
alni, *Lygus*, 157
alni, *Neolygus*, 154, 157, 158
alnicenatus, *Psallus*, 43, 44
alnicola, *Deraeocoris*, 68, 70
alnicola, *Psallus*, 43, 44
althaeae, *Melanotrichus*, 14, 15, 95, 96
althaeae, *Orthotylus*, 96
Amblytylus, 24, 51
 nasutus, 51
 sexguttatus, 51
ambrosiae, *Strongylocoris*, 78, 80, 81
amoena, *Coquilletta*, 17, 52
amoenus, *Macrotylus*, 23, 51
amoenus, *Neoborus*, 4, 13, 140, 141
 amoenus, 139
 atriscutis, 140
 palmeri, 141
 scutellaris, 139, 140
 signatus, 140
amoenus, *Orectoderus*, 52
amoenus, *Pilophorus*, 120, 122
amoenus, *Tropidosteptes*, 140
amorphae, *Lopidea*, 85, 86, 87, 90
amorphae, *Psallus*, 43, 44
 ancorifer, *Apocremnus*, 46
 ancorifer, *Psallus*, 21, 44, 46
 angusticollis, *Platytyllus insitivus*, 132, 134
 angustifrons, *Phytocoris*, 200, 201
 angustulus, *Phytocoris*, 191, 193, 195, 197
 annulatus, *Plagiognathus*, 33, 34
 annulatus, 27
 cuneatus, 34
 nigrofemoratus, 27, 34
 antennalis, *Phytocoris*, 184, 185
 aphidiphagus, *Deraeocoris*, 4, 68, 70, 71
 apicalis, *Barberiella*, 21, 209
 apicalis, *Lygus*, 148, 149, 154
 apicatus, *Plagiognathus repletus*, 29, 38
 Apocremnus ancorifer, 46
 aptera, *Cicada*, 77
 apterus, *Halticus*, 77
 ardens, *Paracalocoris scrupulus*, 177
 areolatus, *Sixeonotus*, 59, 60
 arundinicola, *Phytocoris*, 191, 192, 195, 198
 associatus, *Agaliastes*, 25
 associatus, *Chlamydatus*, 21, 25, 26
 astericola, *Psallus*, 43, 45
 ater, *Capsus*, 138
 semiflavus, 138
 tyrannus, 138
 ater, *Cimex*, 138
 Atomoscelis seriatus, 45
 Atractotomus, 15, 17, 22, 51
 crataegi, 51
 magnicornis, 24
 atricolor, *Lepidopsallus rubidus*, 47
 atricornis, *Plagiognathus*, 28, 35
 atrinotatus, *Lygus*, 162
 atrinotatus, *Neolygus*, 156, 158, 162
 atriscutis, *Neoborus amoenus*, 140
 atritibialis, *Lygus*, 148, 149, 152
 atritibialis, *Strongylocoris*, 78, 80
 atritylus, *Lygus*, 157
 atritylus, *Neolygus*, 155, 157, 158
 aurantiacus, *Miris dolabratus*, 127
 bakeri, *Chlamydatus*, 45
 bakeri, *Psallus*, 43, 45
 Barberiella, 19, 209
 apicalis, 21, 209
 formicoides, 209
 basalis, *Poeciloscytus*, 167
 basalis, *Polymerus*, 167
 basalis, 166
 fuscatus, 166, 167
 basicornis, *Orthotylus*, 97, 99, 102, 105
 belfragii, *Lygus*, 162
 belfragii, *Neolygus*, 155, 158, 161, 162
 betulae, *Deraeocoris*, 68, 69, 70
 bidens, *Paracalocoris scrupulus*, 177
 bifurcata, *Reuteria*, 93, 94
 binotatus, *Lygaeus*, 175
 binotatus, *Neolygus canadensis*, 156, 164
 binotatus, *Stenotus*, 175
 blatchleyi, *Plagiognathus*, 24, 35
 blatchleyi, 27
 nubilus, 27, 36
 bohemanni, *Microsynamma*, 21, 24, 42
 bohemanni, *Phytocoris*, 42
 borealis, *Campトbrochys*, 71
 borealis, *Deraeocoris*, 68, 69, 70, 71
 borealis, *Platytyllus*, 132, 136
 Bothynotus, 64
 modestus, 23, 64
 bracteatus, *Cylapus*, 77
 bracteatus, *Halticus*, 4, 13, 14, 15, 21, 77
 breviusculus, *Strongylocoris*, 78, 79, 80
 brevicornis, *Macrolophus*, 55
 brevifurcatus, *Phytocoris*, 191, 192, 194, 195

brevipes, *Trigonotylus*, 129
 brevirostris, *Plagiognathus*, 27, 28, 33
 brevirostris, *Polymerus*, 167, 170
 brevis, *Hyaliodes*, 56, 58
 breviusculus, *Phytocoris*, 184, 190
 brunneata, *Euryclyptopterella*, 73, 74
 brunneus, *Fulvius*, 21, 23, 61
 brunneus, *Lygus*, 61
 brunneus, *Pilophorus*, 120, 123
 Bryocorinae, 17, 22, 58
buenoi, *Phytocoris*, 191, 192, 195, 197, 198

 caesar, *Lopidea*, 91
Callicapsus histrio, 69
Callimiris tarsalis, 129
Calocoris, 137
 norvegicus, 137
camelus, *Ceratocapsus*, 108, 110, 114
campestris, *Cimex*, 154
campestris, *Lygus*, 4, 148, 149, 154
Camptobrochis, 4, 66
 grandis, 71
 nebulosus, 67
 nitens, 72
 poecilus, 67
Camptobrochys borealis, 71
Campylomma, 24, 25
 verbasci, 25
canadensis, *Lygus*, 164
canadensis, *Neoborus*, 140, 141, 143
canadensis, *Neolygus*, 158, 163, 164
 binotatus, 156, 164
 canadensis, 155, 156
canadensis, *Phytocoris*, 189, 191, 192, 193, 194, 195, 196
canadensis, *Tropidosteptes*, 141
candidatus, *Orthotylus*, 98, 99, 102
capitata, *Diaphnidia*, 91, 92
Capsinae, 17, 18, 19, 20, 131
Capsini, 131, 136
Capsus, 15, 17, 136, 138
 ater, 138
 semiflavus, 138
 tyrannus, 138
chlorionis, 98
circumcinctus, 135
colon, 180
confluentus, 87
dislocatus, 173
filicornis, 66
fusiformis, 181
geminus, 140
imbecilis, 61
insignis, 135
insitivus, 133
invitus, 157
irroratus, 93
medius, 89
nubilus, 182
oblineatus, 148
rapidus, 174
robiniae, 89
scruepus, 177
simulans, 138
stygicus, 79
submarginatus, 103
 verbasci, 25
vitripennis, 56
cardinalis, *Tropidosteptes*, 4, 139
caricis, *Cyrtorhinus*, 95
Carolinae, *Lygus*, 154
carpini, *Neolygus*, 155, 158, 164

caryae, *Lygus*, 161
caryae, *Neolygus*, 15, 158, 161
 caryae, 156
 subfuscus, 156, 162, 163
caryae, *Phytocoris*, 202, 204, 207
caryae, *Plagiognathus*, 29, 38
castus, *Deraeocoris fasciolus*, 70
castus, *Paracalocoris*, 176, 178
castus, *Paracalocoris colon*, 178
catulus, *Melanotrichus*, 96, 97
catulus, *Orthotylus*, 97
celtidis, *Paracalocoris*, 176, 179
Ceratocapsini, 75, 107
Ceratocapsus, 15, 17, 107, 108
 camelus, 108, 110, 114
complicatus, 108, 110, 114
decurvatus, 109, 110, 116
digitulus, 109, 110, 115
fasciatus, 108, 109, 110
fuscinus, 109, 110, 115
husseyi, 108, 110, 113
incisus, 109, 110, 113
lutescens, 108, 109, 111
luteus, 108, 110, 111
modestus, 21, 108, 110, 111
nigellus, 108, 110, 111
nigrocephalus, 108, 111
pilosulus, 108, 109, 110
pilosus, 109
pumilus, 109, 110, 112, 113, 114, 115, 116
quadrispiculus, 109, 110, 114
rubricornis, 108, 109, 110
sericus, 108, 110, 113
setosus, 108, 110, 115
taxodii, 7, 10, 108, 110, 111
uniformis, 109, 110, 113, 114
vicus, 108, 110, 112
Chlamydatus, 24, 25
associatus, 21, 25, 26
bakeri, 45
pulicarius, 25, 26
suavis, 25, 26
chlorionis, *Capsus*, 98
chlorionis, *Orthotylus*, 97, 98, 99, 100
chrysanthemi, *Miris*, 31
chrysanthemi, *Plagiognathus*, 28, 31, 35
chrysopsis, *Polymerus*, 167, 171
Cicada aptera, 77
Cimex ater, 138
 campestris, 154
clavatus, 124
dolabratus, 127
filicis, 58
lineolatus, 175
pabulinus, 153
ruficornis, 130
circumcinctus, *Capsus*, 135
circumcinctus, *Platytylus*, 132, 135
citri, *Rhinacloa*, 77
clandestina, *Opistheuria*, 131
 dorsalis, 131
 ventralis, 131
claricornis, *Lepidopsallus*, 46, 47
clavatus, *Cimex*, 124
clavatus, *Pilophorus*, 120, 124
clavigenitalis, *Lygus*, 163
clavigenitalis, *Neolygus*, 155, 156, 158, 161, 163
Clivinema, 64
 villosa, 64
Clivineminae, 17, 63
Clivinemini, 20, 63, 64
coccineus, *Horcius dislocatus*, 173

- Coccobaphes, 137, 138
sanguinareus, 138
- Collaria, 20, 125, 126
meilleurii, 126
oculata, 126, 127
- colon, Capsus, 180
- colon, Paracalocoris, 3, 177, 180
castus, 178
- commissuralis, Xenoborus, 143, 144
- communis, Lygus, 159
- communis, Neolygus, 3, 4, 13, 156, 157, 158, 159
novascotiensis, 14, 160
- compar, Paracalocoris scrupulus, 177
- compar, Plagiognathus albonotatus, 29, 31
- complicatus, Ceratocapsus, 108, 110, 114
- confluens, Phytocoris, 201, 204, 205
- confluens, Phytocoris puella, 205
- confuenta, Lopidea, 82, 85, 86, 87, 90, 91
- confuentus, Capsus, 87
- confraternus, Platytylellus, 134
- conspersipes, Phytocoris, 200, 201
- conspurcatus, Phytocoris, 184, 185, 188, 189
- convexicollis, Pycnoderes, 60
- Coquilletta, 15, 17, 22, 52
amoena, 17, 52
mimetica, 21
- cornicola, Plagiognathus, 27, 29, 38
- corticevivens, Phytocoris, 185, 186, 189
- cortitector, Phytocoris, 191, 193, 195, 196
- costalis, Deraeocoris sayi, 73
- crataegi, Atractotomus, 51
- crataegi, Plagiognathus dispar, 28, 40
- Criocoris, 22, 49
saliens, 21, 49
- cunealis, Paracalocoris scrupulus, 177
- cuneata, Lopidea, 85, 86, 87, 88, 89
- cuneatus, Deraeocoris, 67
- cuneatus, Neocapsus, 147
- cuneatus, Plagiognathus, 26, 27, 34
- cuneatus, Plagiognathus annulatus, 34
- curtulus, Mesomiris, 131
- Cylapinae, 4, 17, 61
- Cylapini, 19, 61
- Cylapus, 61
bracteatus, 77
tenuicornis, 4, 19, 21, 61
- Cyrtopeltis, 52, 53
tenuis, 53
varians, 53
- Cyrtopeltocoris, 19, 116, 117
illini, 117
- Cyrtorhinus, 82, 95
caricis 95
- davisi, Deraeocoris, 68, 70, 72
- davisi, Largidea, 19, 63
- davisi, Lopidea, 4, 14, 85, 86, 87, 88
- davisi, Pamillia, 108
- davisi, Phytocoris, 185, 187
- davisi, Plagiognathus, 28, 38
- davisi, Teleorhinus, 19
- debilis, Plagiognathus tinctus, 28, 32
- decolor, Lopus, 21, 51
- decurvatus, Ceratocapsus, 109, 110, 116
- delicatus, Orthotylus, 96
- delicatus, Plagiognathus, 29, 36, 37
- delicatus, Psallus, 37, 96
- delta, Paracalocoris scrupulus, 177
- depallens, Plagiognathus salicicola, 29, 36
- depictus, Phytocoris, 202, 204, 208
- Deraeocorinae, 17, 20, 64
- Deraeocoris, 4, 17, 65, 66
albigulus, 68, 72, 73
alnicola, 68, 70
aphidiphagus, 4, 68, 70, 71
betulac, 68, 69, 70, 71
borealis, 68, 69, 70, 71
cuneatus, 67
davisi, 68, 70, 72
fasciolus, 68, 70
castus, 70
fasciolus, 69
grandis, 68, 69, 71
histrio, 4, 66, 68, 69
laricicola, 5, 68, 72, 73
nebulosus, 4, 21, 67, 68
nigritulus, 68, 72, 73
nitenatus, 4, 68, 70, 71, 72
nubilus, 4, 7, 23, 67, 68, 69
ornatus, 67, 68
pinicola, 4, 6, 21, 68, 72, 73
poecilus, 4, 67, 68
quericola, 68, 71, 72
pallens, 70, 71
quericola, 70
ruber, 21
sayi, 68, 73
costalis, 73
frontalis, 73
marginata, 73
sayi, 73
unicolor, 73
simulans, 138
- Diaphnidia, 82, 91
capitata, 91, 92
pellucida, 19, 91, 92
provancheri, 91, 92
- Dichrooscytus, 137, 165
elegans, 165
rufipennis, 165, 166
suspectus, 165, 166
tinctipennis, 165
viridicans, 165
- Dicyphinae, 17, 20, 22, 52
- Dicyphus, 53
agilis, 19, 53
discrepans, 4, 21, 53, 54
famelicus, 21, 53, 54
gracilentus, 10, 53, 54
minimus, 53, 54
notatus, 53
separatus, 55
vestitus, 4, 23, 53, 54
- digitulus, Ceratocapsus, 109, 110, 115
- dilatatus, Pycnoderes, 21, 60, 61
- discifer, Platytylellus fraternus, 132, 135
- discoidalis, Hyaliodes vitripennis, 56
- discolor, Teratocoris, 12, 128
- discrepans, Dicyphus, 4, 21, 53, 54
- dislocatus, Capsus, 173
- dislocatus, Horcias, 172, 173
affinis, 173
coccineus, 173
flavidus, 172, 173
goniphorus, 173
gradus, 173
limbatellus, 173
marginalis, 173
nigriclavus, 173
nigritus, 173
palipes, 173
residuus, 173
rubellus, 173

scutatus, 173
 dispar, *Plagiognathus*, 39
 _{crataegi}, 28, 40
 _{dispar}, 28
 dispar, *Plagiognathus punctatipes*, 39
 diversus, *Phytocoris*, 7, 200
 divisa, *Ilnacora*, 83
 dolabratus, *Cimex*, 127
 dolabratus, *Miris*, 12, 15, 23, 127
 _{aurantiacus}, 127
 dorsalis, *Lybus*, 100
 dorsalis, *Opistheuria clandestina*, 131
 dorsalis, *Orthotylus*, 98, 99, 100, 105
 drakei, *Psallus*, 44, 46
 drakei, *Pycnoderes*, 60, 61
 elegans, *Dichrooscytus*, 165
 elisus, *Lybus*, 15, 148, 149, 152
 _{hesperus}, 151
 elisus, *Lybus pratensis*, 152
 elongatus, *Microphylellus*, 41, 42
 Episcopus ornatus, 48
 erectus, *Phytocoris*, 9, 191, 192, 195, 199
 Euarmosus, 66, 73
 _{sayi}, 73
Eucerocoris guttulatus, 209
Euryclyopterella, 65, 73
 _{brunneata}, 73, 74
 _{luridula}, 21, 73, 74
Eustictus, 64, 65
 _{flicornis}, 65, 66
 _{necopinus}, 65, 66
 _{salicicola}, 65
 _{venatorius}, 21, 65, 66
evonymi, *Paracalocoris*, 176, 178
exemplus, *Phytocoris*, 199, 200, 201
eximus, *Phytocoris*, 189, 193, 194
 fagi, *Lybus*, 161
 fagi, *Neolybus*, 155, 158, 161, 163
 fallax, *Horcius*, 172, 173
famelicus, *Dicyphus*, 21, 53, 54
famelicus, *Idolocoris*, 54
fasciatum, *Megacoelum*, 109
fasciatum, *Ceratocapsus*, 108, 109, 110
fasciolus, *Deraeocoris*, 68, 70
 _{castus}, 70
 _{fasciolus}, 69
ferrugatus, *Miris*, 127
Fiebrigella silvestri, 209
filicis, *Cimex*, 58
filicis, *Monalocoris*, 19, 23, 58
filicornis, *Capsus*, 66
filicornis, *Eustictus*, 65, 66
flaveolus, *Plagiognathus politus*, 26, 29
flavicornis, *Plagiognathus*, 28, 30, 31
flavidus, *Horcius dislocatus*, 172, 173
flavostatus, *Polymerus*, 167, 168
flavoscutellatus, *Plagiognathus*, 26, 32
flavosparsus, *Melanotrichus*, 96
flavosparsus, *Orthotylus*, 21
flavosparsus, *Phytocoris*, 96
formicooides, *Barberella*, 209
forticornis, *Rhinacloa*, 24, 50
fraterculus, *Platytyrellus*, 133, 136
fraterculus, *Platytyrellus insignis*, 136
fraternus, *Plagiognathus obscurus*, 26, 33, 44
fraternus, *Platytyrellus*, 131, 134
 _{discifer}, 132, 135
 _{fraternus}, 132
 _{regalis}, 132, 135
 _{rubromarginatus}, 132, 135

frisoni, *Lybus*, 148, 151
 frontalis, *Deraeocoris sayi*, 73
 fulvidus, *Plagiognathus*, 27, 37
Fulviini, 20, 61
fulvipes, *Polymerus*, 167, 170
Fulvius, 4, 61
 _{brunneus}, 21, 23, 61
 _{imbecilis}, 61
fulvotinctus, *Plagiognathus negundinii*, 33
fulvis, *Phytocoris*, 199, 200, 201
fumatus, *Phytocoris*, 185, 188, 189, 190
fumidus, *Noctuocoris*, 105
fuscatus, *Polymerus basalis*, 166, 167
fuscatus, *Psallus*, 43, 44
fuscatus, *Psallus parshleyi*, 44
fuscicornis, *Microphylellus maculipennis*, 40, 41
fuscicornis, *Orthotylus*, 102
fuscicornis, *Reuteria*, 93, 94
fuscinus, *Ceratocapsus*, 109, 110, 115
fusiformis, *Capsus*, 181
fusiformis, *Garganus*, 181
 Garganus, 137, 181
 _{fusiformis}, 181
geminus, *Capsus*, 140
geminus, *Neoborus*, 139, 140
geminus, *Neolybus*, 155, 158, 163
geminus, *Pilophorus*, 120, 122
geneseensis, *Lybus*, 159
geneseensis, *Neolybus*, 156, 158, 159
gerhardi, *Polymerus*, 167, 171
gilvipes, *Mecomma*, 82, 95
glaber, *Neoborus*, 139, 140
gleditsiae, *Paracalocoris*, 176, 179, 180
gleditsiae, *Plagiognathus*, 11, 26, 27, 37
goniphorus, *Horcius dislocatus*, 173
gracilentus, *Dicyphus*, 10, 53, 54
gracilis, *Alepidia*, 119
 _{squamosa}, 119
gracilis, *Mimoceps insignis*, 126
gracilis, *Pilophorus*, 119
gradus, *Horcius dislocatus*, 173
grandis, *Camptobrochis*, 71
grandis, *Deraeocoris*, 68, 69, 71
grossa, *Largidea*, 23, 63
grossum, *Megacoelum*, 66
guttulatus, *Eucerocoris*, 209
guttulatus, *Paraxenetus*, 209
guttulosus, *Plagiognathus*, 28, 40
guttulosus, *Psallus*, 40
 Hadronema, 81, 84
 _{militare}, 82, 84
Halticini, 75
Halticus, 17, 75, 77
 _{apterus}, 77
 _{bracteatus}, 4, 13, 14, 15, 21, 77
 _{intermedius}, 21, 77
harti, *Hyaliodes*, 56, 57
hawleyi, *Paracalocoris*, 4, 15, 176, 178
 _{pallidulus}, 178
heidemanni, *Alepidiella*, 119
heidemanni, *Hesperophylum*, 19, 74
heidemanni, *Lopidea*, 85, 86, 87, 88, 90
heidemanni, *Sericophanes*, 15, 116
Hesperophylum, 20, 64, 74
 _{heidemanni}, 19, 74
hesperus, *Lybus*, 15, 148, 149, 151, 152
hesperus, *Lybus elisus*, 151
Heterocordylus, 82, 107
 _{malinus}, 2, 3, 4, 5, 21, 107
hirticulus, *Lybus*, 163

- hirticulus, *Neolygus*, 155, 156, 158, 163, 164
 hirtum, *Semium*, 19, 75
 hirtus, *Labops*, 19, 21, 81
 hirtus, *Strongylocoris*, 78, 80, 81
 histrio, *Callicapsus*, 69
 histrio, *Deraeocoris*, 4, 66, 68, 69
Horcias, 137, 172
 dislocatus, 172, 173
 affinis, 173
 coccineus, 173
 flavidus, 172, 173
 goniphorus, 173
 gradus, 173
 limbatus, 173
 marginalis, 173
 nigriclavus, 173
 nigrinus, 173
 pallipes, 173
 residuus, 173
 rubellus, 173
 scutatus, 173
 fallax, 172, 173
illini, vi, 172
husseyi, *Ceratocapsus*, 108, 110, 113
husseyi, *Peritropis*, 62
husseyi, *Phytocoris*, 191, 192, 195, 199
Hyaliodes, 20, 52, 56
 brevis, 56, 58
 harti, 56, 57
 vitripennis, 21, 56, 57, 58
 discoidalis, 56
 vitripennis, 56
- Idolocoris agilis*, 53
 famelicus, 54
illini, *Cyrtopeltocoris*, 117
illini, *Horcias*, vi, 172
illini, *Ilacora*, 83
illini, *Polymerus*, 166, 168
Ilacora, 82
 divisa, 83
illini, 83
 malina, 21, 83
 stali, 12, 82, 83, 84
- imbecilis*, *Capsus*, 61
imbecilis, *Fulvius*, 61
immaculatus, *Orthotylus modestus*, 97, 104
incisus, *Ceratocapsus*, 109, 110, 113
inconspicuus, *Lygus*, 161
inconspicuus, *Neolygus*, 155, 158, 161
incurva, *Lopidea*, 85, 86, 87, 88
incurvus, *Pycnoderes*, 60
infuscatus, *Phytocoris*, 202, 204
insignis, *Capsus*, 135
insignis, *Mimoceps*, 12, 125
 gracilis, 126
insignis, *Platytyrellus*, 133, 135
 fraterculus, 136
insignis, *Sixeonotus*, 21, 59
insitivus, *Capsus*, 133
insitivus, *Platytyrellus*, 21, 133
 angusticollis, 132, 134
insitivus, 132
instabilis, *Lomatopleura*, 91
instabilis, *Lopidea*, 84, 85, 86, 91
intermedius, *Halticus*, 21, 77
invitus, *Capsus*, 157
invitus, *Neolygus*, 155, 157, 158, 159, 161
irrorata, *Reuteria*, 93, 94, 95
irroratus, *Capsus*, 93
- jessiae*, *Neurocolpus*, 182, 183
- johnsoni, *Lygus*, 162
 johnsoni, *Neolygus*, 4, 156, 158, 162
 juniperi, *Parthenicus*, 76
 juniperi, *Pilophorus*, 120, 121, 123
 juniperi, *Psallus*, 76
 junipericola, *Phytocoris*, 199, 200, 201
- knighti*, *Orthotylus*, 98, 99, 102, 105
- Labopidea*, 82, 105
 ainsliei, 105
 allii, 4, 14, 105
 planifrons, 105
- Labopini*, 19, 74, 81
- Labops*, 81
 hirtus, 19, 21, 81
- lacunosus*, *Phytocoris*, 191, 193, 195, 197
- laetus*, *Pilophorus*, 120, 121, 123
- Largidea*, 63
 davisi, 19, 63
 grossa, 23, 63
- Largideini*, 20, 63
- laricicola*, *Deraeocoris*, 5, 68, 72, 73
- laricicola*, *Plagiognathus*, 5, 27, 39
- lasiomerus*, *Phytocoris*, 21, 184, 185
- lateralis*, *Orthotylus*, 98, 99, 104
- lateralis*, *Polymerus unifasciatus*, 166, 168
- lathyræ*, *Lopidea*, 91
- lathyri*, *Lopidea*, 85, 86, 87, 91
- Lepidopsallus*, 22, 46
 claricornis, 46, 47
 miniatus, 47, 48
 minusculus, 47
 nyssae, 11, 47, 48
 rostratus, 46, 47
 rubidus, 47
 atricolor, 47
 rubidus, 47
- Leucopoecila*, 24, 50
 albofasciata, 50
- limbatellus*, *Horcias dislocatus*, 173
- limbus*, *Paracalocoris*, 176, 178
- lineatus*, *Lygaeus*, 172
- lineatus*, *Poecilocapsus*, 13, 172
- lineolatus*, *Adelphocoris*, 4, 15, 174, 175
- lineolatus*, *Cimex*, 175
- Lomatopleura instabilis*, 91
- longirostris*, *Microphyllus*, 41, 42
- Lopidea*, 17, 81, 84
 amorphae, 85, 86, 87, 90
 caesar, 91
 confluenta, 82, 85, 86, 87, 90, 91
 cuneata, 85, 86, 87, 88, 89
 davi, 4, 14, 85, 86, 87, 88
 incurva, 85, 86, 87, 88
 instabilis, 84, 85, 86, 91
 heidemanni, 85, 86, 87, 88, 90
 lathyrae, 91
 lathyri, 85, 86, 87, 91
 media, 84, 85, 86, 88, 89
 minor, 85, 86, 87, 88
 reuteri, 85, 86, 90, 91
 robiniae, 84, 85, 86, 89, 90
 salicis, 85, 86, 88, 89
 staphyleae, 4, 84, 85, 86, 90
 sanguinea, 90
- Lopus*, 24, 51
 decolor, 21, 51
- lucidus*, *Paracalocoris scrupus*, 177
- lurida*, *Lygidea rubecula*, 147
- luridula*, *Eurychilopterella*, 21, 73, 74
- luridus*, *Platylgus*, 147

- luteolus, *Phytocoris*, 201, 204, 209
 lutescens, *Ceratocapsus*, 108, 109, 111
 luteus, *Ceratocapsus*, 108, 110, 111
Lygaeus binotatus, 175
 lineatus, 172
 pulicarius, 26
 rufipennis, 166
 unifasciatus, 167
Lygidea, 137, 145
 mendax, 3, 4, 5, 13, 145, 146
 obscura, 145
 rosacea, 145
 rubecula, 145
 lurida, 147
 obscura, 145
 rosacea, 145
 salicis, 145, 146
 viburni, 145
Lygus, 17, 137, 148
 alni, 157
 apicalis, 148, 149, 154
 atrinotatus, 162
 atritibialis, 148, 149, 152
 atritylus, 157
 belfragi, 162
 brunneus, 61
 campestris, 4, 148, 149, 154
 canadensis, 164
 Carolinae, 154
 caryae, 161
 clavigenitalis, 163
 communis, 159
 dorsalis, 100
 elisus, 15, 148, 149, 152
 hesperus, 151
 fagi, 161
 frisoni, 148, 151
 geneseensis, 159
 hesperus, 15, 148, 149, 151, 152
 hirticulus, 163
 inconspicuus, 161
 johnsoni, 162
 neglectus, 162
 nyssae, 164
 oblineatus, 2, 4, 10, 12, 14, 131, 148, 149,
 151, 153
 strigulatus, 149
 omnivagus, 163
 ostryae, 164
 pabulinus, 4, 148, 149, 153
 plagiatus, 4, 148, 149, 153
 pratensis, 148, 149
 elisus, 152
 quercalbae, 160
 rubicundus, 4, 148, 149, 153
 semivittatus, 163
 tenellus, 163
 tiliae, 161
 univittatus, 160
 vanduzeei, 4, 16, 21, 148, 149, 150, 151
 viburni, 159
 vitticollis, 162
- Macrolophus*, 53, 55
 brevicornis, 55
 separatus, 21, 53, 55, 56
 tenuicornis, 23, 55, 56
Macrotylus, 22, 51
 amoenus, 23, 51
 sexguttatus, 21, 51
 maculipennis, *Microphyllus*, 41
 fuscicornis, 40, 41
- maculipennis, 40
maerkelii, *Pithanus*, 19, 125
magnicornis, *Atractotomus*, 24
Malacocoris provancheri, 92
malina, *Ilnacora*, 21, 83
malina, *Sthenarops*, 83
malinus, *Heterocordylus*, 2, 3, 4, 5, 21, 107
marginalis, *Horcius dislocatus*, 173
marginata, *Deraeocoris sayi*, 73
Mecomma, 82, 95
 gilvipes, 82, 95
media, *Lopidea*, 84, 85, 86, 88, 89
medius, *Capsus*, 89
medius, *Pycnoderes*, 60
Megacoelum fasciatum, 109
 grossum, 66
Megaloceroea, 125
 recticornis, 125
meilleurii, *Collaria*, 126
Melanotrichus, 82, 95
 althaeae, 14, 15, 95, 96
 catulus, 96, 97
 flavosparsus, 96
Melinna modesta, 111
 pumila, 112
mendax, *Lygidea*, 3, 4, 5, 13, 145, 146
Mesomiris, 125, 131
 curtulus, 131
Microphyllus, 25, 40
 elongatus, 41, 42
 longirostris, 41, 42
 maculipennis, 41
 fuscicornis, 40, 41
 maculipennis, 40
 modestus, 21, 24, 41, 42
 nigricornis, 40, 41
 tsugae, 41, 42
 tumidifrons, 41, 42
Microsynamma, 24, 42
 bohemanni, 21, 24, 42
militare, *Hadroneura*, 82, 84
mimetica, *Coquilletta*, 21
Mimoceps, 125
 insignis, 12, 125
 gracilis, 126
miniatus, *Lepidopsallus*, 47, 48
minimus, *Dicyphus*, 53, 54
minor, *Lopidea*, 85, 86, 87, 88
minusculus, *Lepidopsallus*, 47
minutulus, *Phytocoris*, 185, 187, 188
Mirinae, 12, 17, 18, 20, 23, 124
Miris, 125, 127
 chrysanthemi, 31
 dolabratus, 12, 15, 23, 127
 aurantiacus, 127
 ferrugatus, 127
 vicinus, 130
modesta, *Melinna*, 111
modestus, *Bothynotus*, 23, 64
modestus, *Ceratocapsus*, 21, 108, 110, 111
modestus, *Microphyllus*, 21, 24, 41, 42
modestus, *Neobothynotus*, 64
modestus, *Orthotylus*, 99, 104
 immaculatus, 97, 104
 modestus, 98
mohri, *Strongylocoris*, 78, 81
Monalocoris, 22, 58
 filicis, 19, 23, 58
morrisoni, *Psallus*, 43, 45
multisignatus, *Paracalocoris*, 176, 180
mundus, *Phytocoris*, 199, 200, 201
mutabilis, *Orthocephalus*, 81

- Myrmecorini, 131, 209
- nasutus, *Amblytylus*, 51
- nebulosus, *Camptobrochis*, 67
- nebulosus, *Deraeocoris*, 4, 21, 67, 68
- necopinus, *Eustictus*, 65, 66
- necopinus, *Orthotylus*, 98, 99, 103
- neglectus, *Lygus*, 162
- neglectus, *Neolygus*, 154, 158, 162
- neglectus, *Orthotylus*, 98, 99, 105
- neglectus, *Phytocoris*, 191, 192, 194, 195, 196
- neglectus, *Xenoborus*, 144
- nigundinis, *Plagiognathus*, 27, 33
- fulvotinctus, 33
- Neoborus, 17, 136, 139
- amoenus, 4, 13, 140, 141
- amoenus, 139
- atriscutis, 140
- palmeri, 141
- scutellaris, 139, 140
- signatus, 140
- canadensis, 140, 141, 143
- geminus, 139, 140
- glaber, 139, 140
- palmeri, 139, 141
- populi, 140, 142
- pubescens, 140, 141, 142
- rufusculus, 140, 143
- tricolor, 140, 143
- vittiscutis, 140, 142
- Neobothynotus modestus*, 64
- Neocapsus, 137, 147
- cuncatus, 147
- Neolygus*, 17, 137, 154
- almi, 154, 157, 158
- atrinotatus, 156, 158, 162
- attritus, 155, 157, 158
- belfragii, 155, 158, 161, 162
- canadensis, 158, 163, 164
- binotatus, 156, 164
- canadensis, 155, 156
- carpini, 155, 158, 164
- caryae, 15, 158, 161
- caryae, 156
- subfuscus, 156, 162, 163
- clavigenitalis, 155, 156, 158, 161, 163
- communis, 3, 4, 13, 156, 157, 158, 159
- novascotiensis, 14, 160
- fagi, 155, 158, 161, 163
- geminus, 155, 158, 163
- geneseensis, 156, 158, 159
- hirticulus, 155, 156, 158, 163, 164
- inconspicuus, 155, 158, 161
- invitus, 155, 157, 158, 159, 161
- johnsoni, 4, 156, 158, 162
- neglectus, 154, 158, 162
- nyssae, 155, 158, 164
- omnivagus, 156, 158, 159, 160, 162, 163, 164
- ostryae, 156, 158, 164
- quercalebae, 156, 158, 160, 163, 164
- semivittatus, 156, 158, 160, 163
- tiliae, 155, 156, 158, 161
- tinctus, 155, 157, 158
- univittatus, 156, 158, 160
- viburni, 155, 158, 159
- vitticollis, 157, 158, 162
- Neurocolpus*, 17, 137, 181
- jessiae, 182, 183
- nubilus, 181, 182
- rubidus, 182, 183
- tiliae, 181, 182
- nigellus, *Ceratocapsus*, 108, 110, 111
- nigrellus, *Parthenicus*, 76, 77
- nigriclavus, *Horcias dislocatus*, 173
- nigricollis, *Platytyllenus*, 132, 133
- nigricollis, *Phytocoris*, 191, 192, 195, 197
- nigricollis, *Resthenia*, 133
- nigricornis, *Microphylellus*, 40, 41
- nigritulus, *Deraeocoris*, 68, 72, 73
- nigritus, *Horcias dislocatus*, 173
- nigritus, *Plagiognathus*, 27, 34
- nigritus, *Polymerus*, 168
- nigrocephalus, *Ceratocapsus*, 108, 111
- nigrofemoratus, *Plagiognathus annulatus*, 27, 34
- nigrolineatus, *Plagiognathus*, 26, 34
- nigronitens, *Plagiognathus*, 27, 30
- nigropallidus, *Polymerus*, 166, 167
- nigroscutellatus, *Platytyllenus*, 132, 134
- nitenatus, *Deraeocoris*, 4, 68, 70, 71, 72
- nitens, *Camptobrochis*, 72
- noctuans, *Sericophanes*, 116
- Noctuocoris, 82, 105
- fumidus, 105
- norvegicus, *Calocoris*, 137
- notabilis, *Orthotylus*, 97, 98, 100
- notatus, *Dicyphus*, 53
- novascotiensis, *Neolygus communis*, 14, 160
- nubilipes, *Polymerus*, 166, 170
- nubilus, *Capsus*, 182
- nubilus, *Deraeocoris*, 4, 7, 23, 67, 68, 69
- nubilus, *Neurocolpus*, 181, 182
- nubilus, *Paracalocoris scrupulus*, 177
- nubilus, *Plagiognathus blatchleyi*, 27, 36
- nyctalis, *Orthotylus*, 98, 99, 104
- nyssae, *Lepidopsallus*, 11, 47, 48
- nyssae, *Lygus*, 164
- nyssae, *Neolygus*, 155, 158, 164
- oblineatus, *Capsus*, 148
- oblineatus, *Lygus*, 2, 4, 10, 12, 14, 131, 148
- 149, 151, 153
- strigulatus, 149
- obliquus, *Orectoderus*, 21, 23, 24, 52
- obscura, *Lygidea*, 145
- obscura, *Lygidea rubecula*, 145
- obscurus, *Plagiognathus*, 32
- albocuneatus, 28, 33
- fraternus, 26, 33, 44
- obscurus, 26
- obtectus, *Phytocoris*, 191, 193, 195, 199
- ocellatus, *Sericophanes*, 116
- oculata, *Collaria*, 126, 127
- oculatus, *Trachelomiris*, 127
- olseni, *Phytocoris*, 202, 204, 205
- omnivagus, *Lygus*, 163
- omnivagus, *Neolygus*, 156, 158, 159, 160, 162, 163, 164
- onustus, *Phytocoris*, 191, 192, 194, 195
- opuscus, *Polymerus*, 167, 170
- Opistheuria, 131
- clandestina, 131
- dorsalis, 131
- ventralis, 131
- Orectoderus, 22, 52
- amoenus, 52
- obliquus, 21, 23, 24, 52
- ornatus, *Deraeocoris*, 67, 68
- ornatus, *Episcopus*, 48
- ornatus, *Orthotylus*, 98, 99, 103
- ornatus, *Reuteroscopus*, 21, 48
- Orthocephalus, 75, 81
- mutabilis, 81
- Orthotylinae, 17, 18, 19, 20, 74

- Orthotylini, 75, 81
Orthotylus, 17, 82, 97
 althacae, 96
 basicornis, 97, 99, 102, 105
 candidatus, 98, 99, 102
 catulus, 97
 chlorionis, 97, 98, 99, 100
 delicatus, 96
 dorsalis, 98, 99, 100, 105
 flavosparsus, 21
 fuscicornis, 102
 knighti, 98, 99, 102, 105
 lateralis, 98, 99, 104
 modestus, 99, 104
 immaculatus, 97, 104
 modestus, 98
 necopinus, 98, 99, 103
 neglectus, 98, 99, 105
 notabilis, 97, 98, 100
 nyctalis, 98, 99, 104
 ornatus, 98, 99, 103
 ramus, 97, 99, 100
 robiniae, 97, 99, 100, 101
 rossi, 97, 99, 102
 serus, 98, 99, 102
 submarginatus, 98, 99, 103
 taxodii, 7, 97, 99, 101
 ulmi, 97, 100
 viridis, 97, 99, 101, 102
ostryae, *Lygus*, 164
ostryae, *Neolygus*, 156, 158, 164
- pabulinus*, *Cimex*, 153
pabulinus, *Lygus*, 4, 148, 149, 153
pallens, *Deraeocoris quercicola*, 70, 71
pallidicornis, *Phytocoris*, 184, 185
pallidicornis, *Plagiognathus*, 28, 30
pallidicornis, *Plagiognathus politus*, 30
pallidulus, *Paracalocoris*, 3, 178
 albigulus, 176, 178
 pallidulus, 176
pallidulus, *Paracalocoris hawleyi*, 178
pallipes, *Horcius dislocatus*, 173
pallipes, *Strongylocoris*, 78, 79, 80
palmeri, *Neoborus*, 139, 141
palmeri, *Neoborus amoenus*, 141
paludum, *Teratocoris*, 128
Pamillia, 107, 108
 davisi, 108
par, *Paracalocoris scruepus*, 177
Paracalocoris, 17, 137, 176
 castus, 176, 178
 celtidis, 176, 179
 colon, 3, 177, 180
 castus, 178
 evonymi, 176, 178
gleditiae, 176, 179, 180
hawleyi, 4, 15, 176, 178
 pallidulus, 178
limbus, 176, 178
multisignatus, 176, 180
pallidulus, 3, 178
 albigulus, 176, 178
 pallidulus, 176
salicis, 176, 177
scruepus, 176, 177
 ardens, 177
 bidens, 177
 compar, 177
 cunealis, 177
 delta, 177
 lucidus, 177
- nubilus*, 177
par, 177
percursus, 177
rubidus, 177
sordidus, 177
triops, 177
varius, 177
trivittatus, 178
trivittis, 176, 178
Paraxenetus, 209
 guttulatus, 209
parshleyi, *Psallus*, 43, 44
 fuscatus, 44
Parthenicus, 75, 76
 juniperi, 76
 nigrellus, 76, 77
 taxodii, 7, 76
 vaccini, 21
pellucida, *Diaphnidia*, 19, 91, 92
penipecten, *Phytocoris*, 191, 192, 195, 199
percursus, *Paracalocoris scruepus*, 177
Peritropis, 4, 15, 61, 62
 husseyi, 62
 saldiformis, 62, 63
 saldiformis, 62
perplexus, *Pilophorus*, 4, 120, 121
pettiti, *Tropidosteptes*, 145
pettiti, *Xenoborus*, 144, 145
Phylinae, 17, 18, 20, 22
Phytocoris, 4, 17, 137, 184
 albifacies, 185, 186
 angustifrons, 200, 201
 angustulus, 191, 193, 195, 197
 antennalis, 184, 185
 arundinicola, 191, 192, 195, 198
 bohemanni, 42
 brevifurcatus, 191, 192, 194, 195
 breviusculus, 184, 190
 buenoi, 191, 192, 195, 197, 198
 canadensis, 189, 191, 192, 193, 194, 195, 196
 caryae, 202, 204, 207
 confluens, 201, 204, 205
 conspersipes, 200, 201
 conspurcatus, 184, 185, 188, 189
 corticevivens, 185, 186, 189
 cortitectus, 191, 193, 195, 196
 davisi, 185, 187
 depictus, 202, 204, 208
 diversus, 7, 200
 erectus, 9, 191, 192, 195, 199
 exemplus, 199, 200, 201
 eximus, 189, 193, 194
 flavosparsus, 96
 fulvus, 199, 200, 201
 fumatus, 185, 188, 189, 190
 husseyi, 191, 192, 195, 199
 infuscatus, 202, 204
 junipericola, 199, 200, 201
 lacunosus, 191, 193, 195, 197
 lasiomerus, 21, 184, 185
 luteolus, 201, 204, 209
 minutulus, 185, 187, 188
 mundus, 199, 200, 201
 neglectus, 191, 192, 194, 195, 196
 nigricollis, 191, 192, 195, 197
 obtectus, 191, 193, 195, 199
 olseni, 202, 204, 205
 onustus, 191, 192, 194, 195
 pallidicornis, 184, 185
 penipecten, 191, 192, 195, 199
 pinicola, 200, 201
 puella, 202, 204, 207, 208

- confluens, 205
 purvus, 185, 187
querxicola, 184, 188, 201, 202, 204
rubellus, 202, 204
rubicundus, 153
rufus, 203
salicis, 191, 192, 195, 196, 197, 198
schotti, 191, 192, 195, 197, 198
spicatus, 191, 192, 195, 196
sulcatus, 185, 189, 190
taxodii, 7, 201, 203, 204
tibialis, 202, 204, 205
tuberculatus, 185, 187, 189
uniformis, 199, 200, 201
venustus, 202, 204, 206
vittatus, 185, 190
piceicola, *Psallus*, 43, 44
Pilophorini, 74, 118
Pilophorus, 15, 118, 119
 amoenus, 120, 122
 brunneus, 120, 123
 clavatus, 120, 124
 geminus, 120, 122
 gracilis, 119
Juniperi, 120, 121, 123
laetus, 120, 121, 123
perplexus, 4, 120, 121
setiger, 120, 124
strobicola, 7, 120, 122
taxodii, 7, 120, 121
uhleri, 5, 7, 120, 122
vanduzeei, 120, 122
walshii, 120, 123
pilosulus, *Ceratocapsus*, 108, 109, 110
pilosus, *Ceratocapsus*, 109
pinicola, *Deraeocoris*, 4, 6, 21, 68, 72, 73
pinicola, *Phytocoris*, 200, 201
Pithanus, 124, 125
 maerkelii, 19, 125
plagiatus, *Lygus*, 4, 148, 149, 153
plagifer, *Tropidosteptes*, 144
plagifer, *Xenoborus*, 144
Plagiognathus, 25, 26
 albatus, 36, 37
 albatus, 28
 similis, 37
 vittiscutis, 29, 37, 38
albifacies, 23, 27, 35
albonotatus, 31, 32
 albonotatus, 28
 compar, 29, 31
 tinctus, 31
alboradialis, 28, 31
annulatus, 33, 34
 annulatus, 27
 cuneatus, 34
 nigrofemoratus, 27, 34
atricornis, 28, 35
blatchleyi, 24, 35
 blatchleyi, 27
 nubilus, 27, 36
brevirostris, 27, 28, 33
caryae, 29, 38
chrysanthemi, 28, 31, 35
cornicola, 27, 29, 38
cuneatus, 26, 27, 34
davisi, 28, 38
delicatus, 29, 36, 37
dispar, 39
 crataegi, 28, 40
 dispar, 28
flavicornis, 28, 30, 31
flavoscutellatus, 26, 32
fulvidus, 27, 37
gleditsiae, 11, 26, 27, 37
guttulosus, 28, 40
laricicola, 5, 27, 39
negundinis, 27, 33
fulvitinctus, 33
nigritus, 27, 34
nigrolineatus, 26, 34
nigronitens, 27, 30
obscurus, 32
 albocuneatus, 28, 33
 fraternus, 26, 33, 44
obscurus, 26
pallidicornis, 28, 30
politus, 29, 30, 31
 flaveolus, 26, 29
 pallidicornis, 30
politus, 27
punctatipes, 28, 39
dispar, 39
repetitus, 27, 40
repletus, 38
 apicatus, 29, 38
 repletus, 29
rosicola, 28, 36
salicicola, 36
 depallens, 29, 36
 salicicola, 29
sericeus, 26, 34
similis, 29, 37
suffusipennis, 28, 40
syrticolae, 6, 28, 31
tiliae, 34
tinctus, 31
 debilis, 28, 32
 tinctus, 28
viridulus, 31
planifrons, *Labopidea*, 105
platani, *Reuteria*, 92, 95
Platylygus, 137, 147
luridus, 147
Platytyrellus, 131, 132
borealis, 132, 136
circumcinctus, 132, 135
confraternus, 134
fraterculus, 133, 136
fraternus, 131, 134
 discifer, 132, 135
 fraternus, 132
 regalis, 132, 135
rubromarginatus, 132, 135
insignis, 133, 135
fraterculus, 136
insitivus, 21, 133
 angusticollis, 132, 134
 insitivus, 132
nigricollis, 132, 133
nigroscutellatus, 132, 134
rubelllicollis, 132, 136
rubrovittatus, 132, 133
zonatus, 132, 133
Poecilocapsus, 137, 172
lineatus, 13, 172
Poecilocythus basalis, 167
venaticus, 169
poecilus, *Camptobrochis*, 67
poecilus, *Deraeocoris*, 4, 67, 68
politus, *Plagiognathus*, 29, 30, 31
 flaveolus, 26, 29
 pallidicornis, 30
politus, 27

- pollicaris, Reuteria, 93, 95
Polymerus, 17, 137, 166
 basalis, 167
 basalis, 166
 fuscatus, 166, 167
 brevirostris, 167, 170
 chrysopsis, 167, 171
 flavostatus, 167, 168
 fulvipes, 167, 170
 gerhardi, 167, 171
 illini, 166, 168
 nigritus, 168
 nigropallidus, 166, 167
 nubilipes, 166, 170
 opacus, 167, 170
 proximus, 166, 168
 punctipes, 166, 168, 169
 severini, 167, 170
 unifasciatus, 167
 lateralis, 166, 168
 venaticus, 167, 169
 venustus, 166, 170
populi, *Neoborus*, 140, 142
pratensis, *Lygus*, 148, 149
 elisus, 152
provancheri, *Diaphnidia*, 91, 92
provancheri, *Malacocoris*, 92
proximus, *Polymerus*, 166, 168
Psallus, 24, 25, 43
 albatus, 36
 alnicenatus, 43, 44
 alnicola, 43, 44
 amorphae, 43, 44
 ancorifer, 21, 44, 46
 astericola, 43, 45
 bakeri, 43, 45
 delicatus, 37, 96
 drakei, 44, 46
 fuscatus, 43, 44
 guttulosus, 40
 juniperi, 76
 morrisoni, 43, 45
 parshleyi, 43, 44
 fuscatus, 44
 piceicola, 43, 44
 seriatus, 4, 13, 43, 45
 sericeus, 34
 strobicola, 43, 45
 sulphureus, 49
Pseudoxenetus, 118
 regalis, 118, 119
 scutellatus, 118, 119
pubescens, *Neoborus*, 140, 141, 142
puella, *Phytocoris*, 202, 204, 207, 208
 confluens, 205
pusillus, *Trigonotylus*, 129
pulcher, *Chlamydatus*, 25, 26
pulicarius, *Lygaeus*, 26
pumila, *Melinna*, 112
pumilus, *Ceratocapsus*, 109, 110, 112, 113, 114,
 115, 116
punctatipes, *Plagiognathus*, 28, 39
 dispar, 39
punctipes, *Polymerus*, 166, 168, 169
purvus, *Phytocoris*, 185, 187
Pycnoderes, 22, 58, 60
 convexicollis, 60
 dilatatus, 21, 60, 61
 drakei, 60, 61
 incurvus, 60
 medius, 60
 quadrivittatus, 60
 quadrivittatus, Pycnoderes, 60
 quadrispiculus, *Ceratocapsus*, 109, 110, 114
 quercalbae, *Lygus*, 160
 quercalbae, *Neolygus*, 156, 158, 160, 163, 164
 querci, Reuteria, 93, 95
 quercicola, *Deraeocoris*, 68, 71, 72
 pallens, 70, 71
 quercicola, 70
 quercicola, *Phytocoris*, 184, 188, 201, 202, 204
 ramus, *Orthotylus*, 97, 99, 100
 rapidus, *Adelphocoris*, 15, 174
 rapidus, *Capsus*, 174
 recticornis, *Megaloceroea*, 125
 regalis, *Platytyllenus fraternus*, 132, 135
 regalis, *Pseudoxenetus*, 118, 119
 regalis, *Xenetus*, 119
 repetitus, *Plagiognathus*, 27, 40
 repletus, *Plagiognathus*, 38
 apicatus, 29, 38
 repletus, 29
 residuus, *Horcias dislocatus*, 173
Resthenia nigricollis, 133
 rubrovittata, 133
Resthenini, 131
reuteri, *Lopidea*, 85, 86, 90, 91
Reuteria, 82, 92
 bifurcata, 93, 94
 fuscicornis, 93, 94
 irrorata, 93, 94, 95
 platani, 92, 95
 pollicaris, 93, 95
 querci, 93, 95
Reuteroscopus, 24, 48
 ornatus, 21, 48
 sulphureus, 12, 48, 49
Rhinacloa, 22, 50
 citra, 77
 forticornis, 24, 50
Rhinocapsus, 25, 40
 vanduzeei, 21, 24, 40
robiniae, *Capsus*, 89
robiniae, *Lopidea*, 84, 85, 86, 89, 90
robiniae, *Orthotylus*, 97, 99, 100, 101
rosacea, *Lygidea*, 145
rosacea, *Lygidea rubecula*, 145
rosicola, *Plagiognathus*, 28, 36
rossi, *Orthotylus*, 97, 99, 102
rostratus, *Lepidopsallus*, 46, 47
rubecula, *Lygidea*, 145
 lurida, 147
 obscura, 145
 rosacea, 145
rubellicollis, *Platytyllenus*, 132, 136
rubellus, *Horcias dislocatus*, 173
rubellus, *Phytocoris*, 202, 204
ruber, *Deraeocoris*, 21
rubicundus, *Lygus*, 4, 148, 149, 153
rubicundus, *Phytocoris*, 153
rubidus, *Lepidopsallus*, 47
 atricolor, 47
 rubidus, 47
rubidus, *Neurocolpus*, 182, 183
rubidus, *Paracalocoris scrupus*, 177
rubidus, *Sthenarus*, 47
rubricornis, *Ceratocapsus*, 108, 109, 110
rubromarginatus, *Platytyllenus fraternus*, 132,
 135
rubrovittata, *Resthenia*, 133
rubrovittatus, *Platytyllenus*, 132, 133
ruficornis, *Cimex*, 130
ruficornis, *Trigonotylus*, 129, 130

- rufipennis, *Dichrooscytus*, 165, 166
rufipennis, *Lygaeus*, 166
rufus, *Phytocoris*, 203
rufusculus, *Neoborus*, 140, 143
- saldaeformis*, *Peritropis*, 62, 63
saldiformis, *Peritropis*, 62
salicicola, *Eustictus*, 65
salicicola, *Plagiognathus*, 36
 depallens, 29, 36
 salicicola, 29
salicis, *Lopidea*, 85, 86, 88, 89
salicis, *Lygidea*, 145, 146
salicis, *Paracalocoris*, 176, 177
salicis, *Phytocoris*, 191, 192, 195, 196, 197, 198
saliens, *Criocoris*, 21, 49
saliens, *Strongylotes*, 49
sanguinareus, *Coccobaphes*, 138
sanguinea, *Lopidea staphyleae*, 90
sayi, *Deraeocoris*, 68, 73
 costalis, 73
 frontalis, 73
 marginata, 73
 sayi, 73
 unicolor, 73
sayi, *Euarmosus*, 73
schotti, *Phytocoris*, 191, 192, 195, 197, 198
scrupus, *Capsus*, 177
scrupus, *Paracalocoris*, 176, 177
 ardens, 177
 bidens, 177
 compar, 177
 cunealis, 177
 delta, 177
 lucidus, 177
 nubilus, 177
 par, 177
 percursus, 177
 rubidus, 177
 sordidus, 177
 triops, 177
 varius, 177
scutatus, *Horcius dislocatus*, 173
scutellaris, *Neoborus amoenus*, 139, 140
scutellatus, *Pseudoxenetus*, 118, 119
scutellatus, *Xenetus*, 118
semiflavus, *Capsus ater*, 138
Semiini, 74, 75
Semium, 19, 75
 hirtum, 19, 75
semivittatus, *Lygus*, 163
semivittatus, *Neolygus*, 156, 158, 160, 163
separatus, *Dicyphus*, 55
separatus, *Macrolophus*, 21, 53, 55, 56
seriatus, *Atomoscelis*, 45
seriatus, *Psallus*, 4, 13, 43, 45
sericeus, *Plagiognathus*, 26, 34
sericeus, *Psallus*, 34
Sericophanes, 15, 17, 116
 heidemanni, 15, 116
 noctuans, 116
 ocellatus, 116
sericus, *Ceratocapsus*, 108, 110, 113
serus, *Orthotylus*, 98, 99, 102
setiger, *Pilophorus*, 120, 124
setosus, *Ceratocapsus*, 108, 110, 115
severini, *Polymerus*, 167, 170
sexguttatus, *Amblytylus*, 51
sexguttatus, *Macrotylus*, 21, 51
signatus, *Agaliastes*, 45
signatus, *Neoborus amoenus*, 140
silvestri, *Fiebrigella*, 209
- similis*, *Plagiognathus*, 29, 37
similis, *Plagiognathus albatus*, 37
simulans, *Capsus*, 138
simulans, *Deraeocoris*, 138
Sixeonotus, 22, 58, 59
 areolatus, 59, 60
 insignis, 21, 59
 unicolor, 59
sordidus, *Paracalocoris scrupus*, 177
spicatus, *Phytocoris*, 191, 192, 195, 196
squamosa, *Alepidia gracilis*, 119
stalii, *Illicora*, 12, 82, 83, 84
staphyleae, *Lopidea*, 4, 84, 85, 86, 90
 sanguinea, 90
Stenodema, 125, 130
 trispinosum, 4, 21, 130
 vicinum, 4, 130
Stenotus, 137, 175
 binotatus, 175
Sthenarops malina, 83
Sthenarus rubidus, 47
strigulatus, *Lygus oblineatus*, 149
strobicola, *Pilophorus*, 7, 120, 122
strobicola, *Psallus*, 43, 45
Strongylocoris, 75, 78
 ambrosiae, 78, 80, 81
 atritibialis, 78, 80
 breviatus, 78, 79, 80
 hirtus, 78, 80, 81
 mohri, 78, 81
 pallipes, 78, 79, 80
 stygicus, 21, 78, 79, 80
Strongylotes saliens, 49
stygicus, *Capsus*, 79
stygicus, *Strongylocoris*, 21, 78, 79, 80
suavis, *Agaliastes*, 26
suavis, *Chlamydatus*, 25, 26
subfuscus, *Neolygus caryae*, 156, 162, 163
submarginatus, *Capsus*, 103
submarginatus, *Orthotylus*, 98, 99, 103
suffuscipennis, *Plagiognathus*, 28, 40
sulcatus, *Phytocoris*, 185, 189, 190
sulphureus, *Psallus*, 49
sulphureus, *Reuterescopus*, 12, 48, 49
superbus, *Adelphocoris*, 174
spectus, *Dichrooscytus*, 165, 166
syrticolae, *Plagiognathus*, 6, 28, 31
Systellonotini, 74, 116
- tarsalis*, *Callimiris*, 129
tarsalis, *Trigonotylus*, 129
taxodii, *Ceratocapsus*, 7, 10, 108, 110, 111
taxodii, *Orthotylus*, 7, 97, 99, 101
taxodii, *Parthenicus*, 7, 76
taxodii, *Phytocoris*, 7, 201, 203, 204
taxodii, *Pilophorus*, 7, 120, 121
Teleorhinus, 15, 17, 22, 52
 davisi, 19
 tephrosicola, 52
tenellus, *Lygus*, 163
tenuicornis, *Cylapus*, 4, 19, 21, 61
tenuicornis, *Macrolophus*, 23, 55, 56
tenuis, *Cyrtopeltis*, 53
tephrosicola, *Teleorhinus*, 52
Teratocoris, 125, 128
 discolor, 12, 128
 paludum, 128
Termatophylidae, 74
tibialis, *Phytocoris*, 202, 204, 205
tiliae, *Lygus*, 161
tiliae, *Neolygus*, 155, 156, 158, 161

tiliae, *Neurocolpus*, 181, 182
 tiliae, *Plagiognathus*, 34
 tinctipennis, *Dichrooscytus*, 165
 tinctus, *Neolygus*, 155, 157, 158
 tinctus, *Plagiognathus*, 31
 debilis, 28, 32
 tinctus, 28
 tinctus, *Plagiognathus albonotatus*, 31
Trachelomiris oculatus, 127
 tricolor, *Neoborus*, 140, 143
 tricolor, *Tropidostepetes*, 143
Trigonotylus, 15, 125, 129
 brevipes, 129
 pulcher, 129
 ruficornis, 129, 130
 tarsalis, 129
triops, *Paracalocoris scruepus*, 177
trispinosum, *Stenodema*, 4, 21, 130
trivittatus, *Paracalocoris*, 178
trivittis, *Paracalocoris*, 176, 178
Tropidostepetes, 136, 139
 amoenus, 140
 canadensis, 141
 cardinalis, 4, 139
 pettiti, 145
 plagifer, 144
 tricolor, 143
tsugae, *Microphylellus*, 41, 42
tuberculatus, *Phytocoris*, 185, 187, 189
tumidifrons, *Microphylellus*, 41, 42
tyrannus, *Capsus ater*, 138

uhleri, *Pilophorus*, 5, 7, 120, 122
ulmi, *Orthotylus*, 97, 100
unicolor, *Deraeocoris sayi*, 73
unicolor, *Sixeonotus*, 59
unifasciatus, *Lygaeus*, 167
unifasciatus, *Polymerus*, 167
 lateralis, 166, 168
uniformis, *Ceratocapsus*, 109, 110, 113, 114
uniformis, *Phytocoris*, 199, 200, 201
univittatus, *Lygus*, 160
univittatus, *Neolygus*, 156, 158, 160

vaccini, *Parthenicus*, 21

vanduzeei, *Lygus*, 4, 16, 21, 148, 149, 150, 151
vanduzeel, *Pilophorus*, 120, 122
vanduzeel, *Rhinocapsus*, 21, 24, 40
varians, *Cyrtopeltis*, 53
varius, *Paracalocoris scruepus*, 177
venaticus, *Poeciloscytus*, 169
venaticus, *Polymerus*, 167, 169
venatorius, *Eustictus*, 21, 65, 66
ventralis, *Opistheuria clandestina*, 131
venustus, *Phytocoris*, 202, 204, 206
venustus, *Polymerus*, 166, 170
verbasci, *Campylomma*, 25
verbasci, *Capsus*, 25
vestitus, *Dicyphus*, 4, 23, 53, 54
viburni, *Lygidea*, 145
viburni, *Lygus*, 159
viburni, *Neolygus*, 155, 158, 159
vicinum, *Stenodema*, 4, 130
vicinus, *Ceratocapsus*, 108, 110, 112
vicinus, *Miris*, 130
villosa, *Clivinema*, 64
viridicans, *Dichrooscytus*, 165
viridis, *Orthotylus*, 97, 99, 101, 102
viridulus, *Plagiognathus*, 31
vitripennis, *Capsus*, 56
vitripennis, *Hyaliodes*, 21, 56, 57, 58
 discoidalis, 56
 vitripennis, 56
vittatus, *Phytocoris*, 185, 190
vitticollis, *Lygus*, 162
vitticollis, *Neolygus*, 157, 158, 162
vittiscutis, *Neoborus*, 140, 142
vittiscutis, *Plagiognathus albatus*, 29, 37, 38

walshii, *Pilophorus*, 120, 123

Xenetus regalis, 119
 scutellatus, 118
Xenoborus, 136, 143
 commissuralis, 143, 144
 neglectus, 144
 pettiti, 144, 145
 plagifer, 144

zonatus, *Platytyrellus*, 132, 133