

ceis, articulo 1 elongato, crasso, 2-do angustiori et triplo, 3-o duplo, 4-o solum $1\frac{1}{2}$ longiori; thorace transverso-trapezoidale, subconvexo, sparsim punctato, transversim ruguloso, ad basin arcuato-ampliato, angulis posticis subrotundatis; scutello triangulari transversim striguloso; hemelytris vix profundo punctatis, appendice indistincto, membrana absque cellulis, basi vena laterali instructa; corpore subtus subopacus, impunctatus; pedibus longiusculis, gracilibus, tibiis parce setulosis.

Long. 2 l. — lat. $\frac{3}{4}$ l.

Des Montagnes de Nura-Ellia.

Deraeocoris piceoniger Motsch.

Figura Der. mutabilis, sed duplo minor, color obscurior; elongato-ovatus, nitidus, piceo-niger, rostellis, femoribus antennisque rufescentibus, his basi nigro, tibiis tarsisque dilute testaceis; capite magno, triangulato, impunctato, postice submarginato, fronte inaequale, oculis ovatis, convexis, distincto granulosis, antennarum articulo 1-o capite duplo brevior, 2-do triplo longiori, valido; thorace valde transverso, trapezoidale, vix convexo, impunctato, postice paulo deflexo, antice capite angustiore, angulis posticis vix rotundatis; mesonoto valde transverso, arcuato, scutello triangulato, impunctato, antice paulo deflecto, hemelytris thoracis latitudine, impunctatis, subparallellis, appendicibus subdistinctis, vena laterali parallela instructa; pedibus validis, tibiis parce setosis.

Long. $\frac{3}{4}$ l. — lat. $\frac{1}{4}$ l.

Des environs de Colombo.