

Genus *Piezostetho* affine.

Nomen a Maori "hapa" (contortus).

Obs. In *Piezostethus*, to which the genus is allied, the males have also unsymmetrical hind bodies—a fact, by the way, that I do not see noticed in any of my books.

6. HAPA CONTORTA, sp. n. (Plate XXXI. fig. 1.)

*H. piceo-nigra*, pilis brunneis vestita; capitibus apice, antennis, pronoti margine postico, elytris, pedibus abdomineque plus minus piceo-brunneis; rostro, antennarum articulis duobus ultimis, cuneo ad basin, trochanteribus, femoribus ad basin, tibiis ad basin apicemque et tarsis plus minus dilutioribus; abdomine obscuriore variegato. Macropteronum clavi disco, corii margine antico basin versus, et macula ad medium basale membranæ paulo dilutioribus; membrana fusco-luteo-brunnea, venis obscurioribus.

♂ ♀. Long. 3–3½, lat. 1½ m. m.

*Hab.* in excelsioribus insulæ, ad "Diana's Peak."

I have seen but a single macropterous specimen, and that rather mutilated.

7. CARDIASTETHUS BICOLOR, sp. n.

*C. niger*, capillis pallidissime brunneis vestitus; antennis, rostri apice, elytris pedibusque luteo-brunneis; capite nitido rufo-brunneo, clypeo dilutiore; rostro (apice excepto), antennarum articulis 2 ultimis, elytrorum suturis, margine interiore lato embolii, margine interiore discoque cunei plus minus fusco-brunneis; membrana luteo-fusca. Capite levi; clypeo sat angusto; pronoto (callo excepto), scutello elytrisque subtiliter punctatis.

Long. circa 2½ m. m.

*Hab.* in intermediis insulæ—"Plantation."

Rather closely allied to *C. testaceus*; but, besides differing in colour, *C. bicolor* is a narrower and more slender insect.

9. MYRMEDOBIA FULIGINEA, sp. n.

*M. atra*; antennis piceis, articulo 1° dilutiore ad basin, articulo 2° ad basin medium apicemque albedo, articulo ultimo ad apicem rufo-piceo; pedibus piceo-nigris, femoribus posticis ad apicem, annulis 2 ad medium tibiarum anticarum intermediarumque, et dimidio basali tarsorum omnium albidis; capite convexo; antennis subtiliter pubescentibus, articulis 2° 3°que subæquilongis; pronoto maxime convexo, annulo male definito, sulco transverso, nullo; elytris margine antico anguste reflexo.

♀. Long. 1 m. m.

*Hab.* locos editiores supra "West Lodge."

10. CALOCORIS (MEGACÆLUM) LUSTRATUS, sp. n.

*C. sordide stramineo-testaceus*, maculis parvis fuscis rufisque remote et obscure notatus, capillis tenuibus adpressis pallido-aureis vestitus; pronoto obsolete punctulato; oculis, maculis parvis