



Fig. 8. *Damioscea komaroffi* (Jakovlev). a: head and pronotum; b–c: head in apical and in lateral view; d: hind leg; e: claw; f: right style; g–h: left style; i: theca; j: apex of vesica.

**Biology:** On *Quercus*.  
**Distribution:** Endemic.

*Psallus (Asthenarius) ninurta* Linnavuori 1984

*Asthenarius ninurta* Linnavuori 1984:50–51.

**Type:** near Dukan, ♂ holotype, 12.VI.1980, Linnavuori, in coll. Linnavuori (AMNH).

**Biology:** On *Quercus aegilops*.  
**Distribution:** Endemic.

*Nanopsallus carduellus* (Horvath, 1888)

**Material:** Several exx from Jebel Sinjar, 8.V.1981; Salahuddin, 12.VI.1980; Sarsang, 26–28.VIII.1980; Sawarah Tuka, 28.VIII.1981, Linnavuori.

**Biology:** On *Cirsium acarna* in hilly habitats.  
**Distribution:** Pontomediterranean.

*Chlorillus pictoides* Wagner, 1964  
 Fig. 6d–j

**Material:** Jebel Sinjar near Sinoni, 8.V.1981, 2 exx; Al Qosh, 6 exx, 10.V.1981, Linnavuori.

**Biology:** In hilly steppes of northern Iraq. In Syria found on *Salvia acetabulosa* (Wagner 1975a:10).

**Distribution:** Syrian, recorded only from Syria.

*Pararagmus annulicornis* (Reuter, 1879)

Recorded from Badawa, Erbil (Hoberlandt 1949:9).

**Distribution:** Irano-Turanian.