

*Auchenocrepis reuteri* Jakovlev, 1878

Material: Several exx from Amara, 23–24.X.1979; Ana, 8.X.1979; Ana-Al Qaim, 5.V.1980; Baghdad, VI–VII.1980; Hilla, 21.IX.1979; Hit, 8.X.1979; Nasiriya, 22.X.1979; Al Qaim, 10.X.1979; Samawa, 21.X.1979; Tharthar lake, 23.VI.1980, Linnavuori; Karagan near Hanekin, Djebel Hamrin, 6.VII.1931 (Hoberlandt 1949:9).

Biology: On *Tamarix*.

Distribution: Pontomediterranean.

*Tuponia (Tuponia) tamaricicola* Lindberg, 1939

Material: Ain Al Tamar, 1♀ probably of this species, 17.VII.1980, Linnavuori.

Biology: On *Tamarix*.

Distribution: Eremian, extending from North Africa to Iran.

*Tuponia (Tuponia) persica* Wagner, 1957

Material: Baghdad, 1 ex, IV–V.1980; Tharthar lake, 2 exx, 23.VIII.1979, Linnavuori.

Biology: On *Tamarix*.

Distribution: Iranian.

*Tuponia (Tuponia) ayasensis* Wagner, 1963

Material: Iraq: many exx from Ana-Al Qaim, 5.V.1980; Baghdad, VI–VII.1980; Nasiriya-Abu Ghar, 5.V.1980, Linnavuori. Palestine: Jericho, 2 exx, 5.V.1962, Eckerlein, in coll. Linnavuori (AMNH).

Biology: On *Tamarix*.

Distribution: Syrio-Anatolian, recorded from Turkey.

*Tuponia (Tuponia) ninhursag* Linnavuori, 1984

Types: Ana-Al Qaim, ♂ holotype, numerous paratypes, 5.V.1980, Linnavuori, in coll. Linnavuori (AMNH).

Biology: On *Tamarix* in a small river valley.

Distribution: Endemic.

*Tuponia (Tuponia) ninlil* Linnavuori, 1984

Types: Nasiriya-Abu Ghar, ♂ holotype, many paratypes, 15.IV.1980; Basra, 1 paratype, 12.IV.1980; Safwan, 3 paratypes, 30.III.1981, Linnavuori, in coll. Linnavuori (AMNH).

Biology: On *Tamarix* in salt marshes.

Distribution: Endemic.

✓ *Tuponia (Tuponia) carayoni vulnerata*  
Linnavuori, 1961

*Tuponia lethierryi vulnerata* Linnavuori 1961:24–25.

*Tuponia vulnerata* Drapolyuk 1980:54–55.

*Tuponia carayoni vulnerata* Linnavuori 1986:183.

Material: Many exx from Ana-Al Qaim, 5.V.1980; Baghdad, VI–VII.1980; Basra, 12.IV.1980; Najaf-Shabakah, 1.V.1980; Rutba-Al Qaim, 4.V.1980; Tharthar lake, 2.VI.1980, Linnavuori.

Biology: On *Tamarix*.

Distribution: Pontomediterranean.

✓ *Tuponia (Chlorotuponia) guttata* Wagner, 1950

*Tuponia guttata* Wagner 1950:147–149.

*Tuponia variegata* Wagner 1958:11 (Linnavuori 1986:186).

Material: Dawra, 6 exx, 15.IV.1979, Linnavuori.

Biology: On *Tamarix*.

Distribution: Eremian (Egypt – Iran).

*Tuponia (Chlorotuponia) shulgi* Linnavuori,  
1984

Types: Baghdad, ♂ holotype, 1 paratype, IX.1979, 1 paratype, VI–VII.1980, Linnavuori, in coll. Linnavuori (AMNH).

Biology: At lamps.

Distribution: Endemic.

✓ *Tuponia (Chlorotuponia) angusta* Wagner, 1957

Material: Ana, 7 exx, 8.X.1979; Hit, 3 exx, 8.X.1979, Linnavuori.

Biology: On *Tamarix*.

Distribution: Iranian, previously recorded from Iran.

✓ *Tuponia (Chlorotuponia) concinna* (Reuter,  
1875)

*Atomoscelis concinnus* Reuter 1875:57.

*Tuponia conspersa* Reuter 1901:193 (Linnavuori 1986:188).

*Tuponia conspersa fezzana* Wagner 1971:120 (Linnavuori 1986:188).

*Tuponia amguela* Wagner 1975b:152–153 (Linnavuori 1986:188).

Material: Numerous exx from Ain Al Tamar, 17.VII.1980; Amara, 23–24.X.1979; Ana-Al Qaim, 8.X.1979, 5.V.1980, 10.IV.1981; Baghdad, VI–VIII.1980; Haditha,