

- amoenus** Uhler, 1887 /Eastern North America/ [Cupressaceae: *Chamaecyparis* sp.; Pinaceae: *Picea abies*, *Pinus banksiana*, *P. clausa*, *P. rigida*, *P. strobus*, *P. sylvestris*, *P. virginiana* (Schuh and Schwartz, 1988)]
- *angustulus** Reuter, 1888 /Mediterranean Europe/ [Fagaceae: *Quercus* spp. (Wagner, 1973)]
- arboreus** Schuh, 1989 /Borneo/ [Dipterocarpaceae: *Shorea johorensis* (Schuh, 1990)]
- *aureus** Zou, 1983 /China: Beijing, Hebei, Henan, Shandong/
- *bakeri** Schuh, 1984 /Philippine Islands/
- balli** Knight, 1968 /N. Mexico; S.W. United States/
- *benjamin** Rieger, 1984 /Greece/ [Pinaceae: *Pinus* (Rieger, 1984)]
- *bistriatus** (Zou, 1987) /China: Yunnan/
- *borneoensis** Carvalho, 1986, /Borneo/
- brunneus** Poppus, 1914 /E. North America/ [Salicaceae: *Salix* spp.; other woody dicots (Schuh and Schwartz, 1988)]
- *buanoi** Poppus, 1914 /S.E. United States/
- *castaneus** (Zou, 1983) /China: Yunnan/
- cembroides** Schuh and Schwartz, 1988 /Mexico: Zacatecas; U.S.A.: W. Texas/ [Pinaceae: *Pinus cembroides*, *P. sp.* (Schuh and Schwartz, 1988)]
- chiricahuae** Knight, 1968 /U.S.A.: Arizona/ [Salicaceae: *Salix* sp. (Schuh and Schwartz, 1988)]
- choii** Josifov, 1977 /North Korea; Far Eastern U.S.S.R./ [Fagaceae: *Quercus dentata*, *Q. sp.* (Josifov, 1977; Kerzhner, 1988)]
- cinnamopteris** Kirschbaum, 1855 /Palearctic/ [Pinaceae: *Pinus sylvestris* (Kerzhner, 1988)]
- clavatus** (Linnaeus, 1767) /Palearctic; N. America: introduced/ [Cornaceae: *Cornus* sp.; Fagaceae: *Quercus* spp.; Salicaceae: *Salix* spp., *Populus* sp.; Tiliaceae: *Tilia* sp. (Wagner, 1973; Kerzhner, 1988; Schuh and Schwartz, 1988)]
- clavicornis** Poppus, 1914 /U.S.A.: Nevada, Arizona/ [Pinaceae: *Pinus monophylla* (Schuh and Schwartz, 1988)]
- concolor** Schuh and Schwartz, 1988 /U.S.A.: California, Nevada, Oregon/ [Pinaceae: *Abies concolor*, *Pinus contorta* (Schuh and Schwartz, 1988)]
- confusus** Kirschbaum, 1855 /Palearctic/ [Salicaceae: *Salix* (Wagner, 1973)]
- crassipes** Heidemann, 1892 /E. North America/ [Pinaceae: *Pinus banksiana*, *P. echinata*, *P. mugo*, *P. ponderosa*, *P. resinosa*, *P. rigida*, *P. strobus*, *P. sylvestris*, *P. taeda*, *P. virginiana*, *Tsuga canadensis* (Schuh and Schwartz, 1988)]
- culion** Schuh, 1984 /Philippine Islands/
- dailanh** Schuh, 1984 /Viet Nam; Java; Sumatra; Borneo/
- daradae** Schuh, 1984 /New Guinea/
- *decimaculatus** Zou, 1983 /China: Yunnan/
- diffusus** Knight, 1968 /W. North America: Rocky Mountains/ [Pinaceae: *Abies* sp., *Picea engelmanni*, *Pinus albicaulis*, *P. aristata*, *P. contorta*, *P. edulis*, *P. monticola*, *P. ponderosa*, *P. flexilis* (Schuh and Schwartz, 1988)]
- discretus** Van Duzee, 1918 /S.W. U.S.A.: Mexico: Baja California/ [Compositae, Leguminosae: various woody species (Schuh and Schwartz, 1988)]
- disjunctus** Kerzhner, 1969 /U.S.S.R.: Turkmenia, Tadzhikistan and Kazakhstan (Kerzhner, in litt.); Iran/ [Salicaceae: *Salix* sp., Leguminosae: *Halimodendron halodendron*; Anacardiaceae: *Pistacea vera*; also on introduced *Catalpa* in botanical garden (Kerzhner, 1968 and in litt.)]
- dislocatus** Knight, 1968 /United States: S. Rocky Mountains/ [Pinaceae: *Pinus edulis*, *P. ponderosa* (Schuh and Schwartz, 1988)]
- erraticus** Linnavuori, 1962 /Japan: Honshu; North Korea; Far Eastern U.S.S.R./ [Betulaceae: *Alnus* sp. and other woody dicots (Josifov, 1987; Kerzhner, 1988)]
- exiguus** Poppus, 1914 /S.W. United States/ [Pinaceae: *Pinus edulis*, *P. monophylla* (Schuh and Schwartz, 1988)]
- explanatus** Schuh and Schwartz, 1988 /U.S.A.: S. Arizona/
- floridanus** Knight, 1973 /U.S.A.: Florida/ [Pinaceae: *Pinus clausa* (Schuh and Schwartz, 1988)]
- formosanus** Poppus, 1914 /Taiwan/
- furvus** Knight, 1923 /E. U.S.A./ [Pinaceae: *Pinus virginiana* (Schuh and Schwartz, 1988)]
- fuscipennis** Knight, 1926 /U.S.A.: S. Rocky Mountains/ [Pinaceae: *Pinus edulis*, *P. monophylla* (Schuh and Schwartz, 1988)]
- fyan** Schuh, 1984 /Viet Nam/
- *gallicus** Remane, 1954 /S. France/ [Salicaceae: *Populus alba*, *Salix* spp. (Wagner, 1973)]
- geminus** Knight, 1926 /Northcentral U.S.A. and adjacent Canada/ [Pinaceae: *Pinus banksiana* (Schuh and Schwartz, 1988)]
- gracilis** Uhler, 1895 /E. U.S.A./ [Pinaceae: *Pinus banksiana*, *P. clausa*, *P. ellioti*, *P. glabra*, *P. resinosa*, *P. rigida*, *P. taeda*, *P. virginiana* (Schuh and Schwartz, 1988)]
- heidemanni** Poppus, 1914 /S.E. U.S.A./ [Pinaceae: *Pinus clausa*, *P. taeda* (Schuh and Schwartz, 1988)]
- henryi** Schuh and Schwartz, 1988 /S.E. U.S.A./
- *indonesicus** new name for *Pilophorus sumatranus* (Schuh, 1984), a secondary homonym of *Pilophorus sumatranus* Poppus, 1914 /Sumatra/
- *javanus** Poppus, 1914 /Java/