

*Kraussella* Carvalho, 1987 [Rev. Brasileira Biol. 47: 180], a junior homonym of *Kraussella* Bolivar, 1909 [Bol. Soc. Esp. Hist. Nat. 9: 292], Orthoptera. Masculine.

*Josifovolygus* nom. n. is proposed for *Tricholygus* Josifov, 1992 [Reichenbachia 29: 108], a junior homonym of *Tricholygus* Poppius, 1910 [Swedish Zool. Exped. Kilimandjaro 2:47], Miridae. Masculine.

#### REPLACEMENT SPECIES-GROUP NAMES

*Adelphocoris fijiensis* nom. n. is proposed for *A. lateralis* Reuter, 1908 [Ann. Naturhist. Mus. Wien 22: 184] from Fiji Is., a junior secondary homonym of *Phytocoris lateralis* Fallén, 1829 [Hem. Suec.: 88] = *Adelphocoris seticornis* (Fabricius, 1775), Palearctic.

*Adelphocoris sichuanus* nom. n. is proposed for *A. apicalis* Reuter, 1906 [Annu. Mus. Zool. St. Petersburg 10: 9, 13] from China, a junior secondary homonym of *Phytocoris apicalis* Hahn, 1833 [Wanz. Ins. 1: 220] = *Adelphocoris seticornis* (Fabricius, 1775), Palearctic.

*Calocoris poppiusi* nom. n. is proposed for *Calocoris caucasicus* Poppius, 1912, *Creontiades cuacasicus* Poppius, 1912 [Ofv. Finsk. Vet. Soc. Forh. 54A(29): 6], a junior secondary homonym of *Calocoris caucasicus* Poppius, 1912 [Ofv. Finsk. Vet. Soc. Forh. 54A(29): 7], both species from the Caucasus.

*Campylomma nigrifemur* Wagner, 1975 [Not. Entomol. 61: 11] is the valid name for *C. pallida* (Wagner, 1957), *Sthenaropsis pallida* Wagner, 1957 [Jahresh. Ver. Vaterl. Naturkd. Wurttemberg 112: 94] from the southern Palearctic, a junior secondary homonym of *Campylomma pallida* Usinger, 1946 [Bull. B. P. Bishop Mus. 189: 89], from Guam.

*Campylomma odhiamboi* nom. n. is proposed for *Campylomma punctipes* (Odhiambo, 1959) *Sthenarus punctipes* Odhiambo, 1959 [Ann. Mag. Nat. Hist. (13)2: 435], Uganda, a junior secondary homonym of *Capsus punctipes* Herrich-Schaeffer, 1835 [Nomencl. Entomol. 1: 150] = ? *Campylomma verbasci* (Meyer-Dur, 1843), Palearctic.

*Deraeocoris apicatus* nom. n. is proposed for *D. apicalis* Poppius, 1915 [Arch. Naturg. 80A(8): 40], Taiwan, a junior secondary homonym of *Capsus apicalis* Signoret, 1865 [Ann. Soc. Entomol. France, ser. 4, 5: 125]

= *Deraeocoris cordiger* (Hahn, 1834), Palearctic.

*Deraeocoris brunneolus* nom. n. is proposed for *D. brunneus* (Poppius, 1915), *Cimicicapsus brunneus* Poppius, 1915 [Ann. Mus. Natl. Hung. 13: 84] from Australia, a junior secondary homonym of *D. brunneus* Poppius, 1912 [Acta Soc. Sci. Fenn. 41(3): 120, 126], Madagascar.

*Deraeocoris darjeelingensis* nom. n. is proposed for *D. discoidalis* Poppius, 1915 [Ann. Mus. Natl. Hungarici 13: 80] from India, a junior secondary homonym of *Lamprolygus signatus* var. *discoidalis* Poppius, 1912 [Acta Soc. Sci. Fenn. 41(3): 113] = *Deraeocoris discoidalis* (Poppius, 1912), tropical Africa.

*Deraeocoris discoidalis* (Poppius, 1912), stat. n., *Lamprolygus signatus* var. *discoidalis* Poppius, 1912 [Acta Soc. Sci. Fenn. 41(3): 113] is the valid name for *D. signatoides* Carvalho, 1957 [Arq. Mus. Nac. 44: 80] from tropical Africa. Note: In renaming the preoccupied *D. signatus* (Poppius, 1912), Carvalho (1957: 80) gave it the new name *D. signatoides* instead of using the varietal name *discoidalis*.

*Halticus spegazzinii* Berg, 1883 [An. Soc. Cienc. Argentina 9: 74] is the valid name for *H. pygmaeus* (Berg, 1879), *Capsus pygmaeus* Berg, 1879 [Hem. Argentina, p. 290] from Argentina, a junior primary homonym of *C. pygmaeus* Zetterstedt, 1838 [Ins. Lapp., p. 279] = *Tytthus pygmaeus* (Zetterstedt, 1838), Palearctic.

*Heterocordylus italicus* nom. n. is proposed for *H. flavipes* Wagner, 1953 [Ann. Naturhist. Mus. Wien 59: 296] from Italy, a junior primary homonym of *H. flavipes* Nitobe, 1906 [Insect World, Gifu, 10: 19], Japan, nomen dubium. Note: In Carvalho (1958) *flavipes* Nitobe is given as *flaviceps* [sic] Matsumura.

*Hyalopeplus lineifer* (Walker, 1873), *Capsus lineifer* Walker, 1873 [Cat. Heteroptera Br. Mus. 6: 122] is the valid name for *H. vitripennis* (Stål, 1855), *Capsus vitripennis* Stål, 1855 [Ofv. Finsk. Vet. Soc. Forh., 12(4): 186] from Oriental and Australian Regions, a junior primary homonym of *Capsus vitripennis* Say, 1832 [Descript. Het. Hem. N. Am.: 24] = *Hyaliodes vitripennis* (Say, 1832), North America.

*Lygocoris sinicus* nom. n. is proposed for *Lygocoris (Apolygus) pubescens* Zheng and Wang, 1983, *Lygus (Apolygus) pubescens*