

la maison fre de Popaja (prairies), G. Benard capt., E.-G. Dehaut, 1909/ Juillet/ alt. 1057 m/ *Heterocordylus benardi* [h] det. Horváth/ CH/ typus. PLT: 1 ♂ with damaged hemelytra, as LT, but with additional label "Heterocordylus benardi Horv." [hH].

**bipartitus* Horváth, 1884 (*Deraeocoris trifasciatus* var.). LT: ♀, pn, Körtvélyes [p], 24.6.83 [h].

**carbonarius* Horváth, 1888 (*Sthenarus*). LT: ♂, gc, genitalia glued on card below, (1) Carpathes, Sinaia, Valachie, A.L. Montandon/ (2) *Sthenarus carbonarius* Horv. [h] det. Horváth/ (3) *Sthenarus carbonarius* Horv. [hH]/ (4) CH. PLT: 2 ♂, 1 ♀, as LT, but without label (3). Currently *Phoenicocoris* id.

**carduellus* Horváth, 1888 (*Psallus*). LT: ♂, pn, Lesina, Novak/ *Psallus carduellus* Horv. [h] det. Horváth/ CH. PLT: 1 ♀ and 1 damaged specimen, as LT. Identification label in Horváth's handwriting is at a pin of a specimen from Neum which is lost. Currently *Nanopsallus* id.

**carpathicus* Horváth, 1882 (*Poeciloscytus (Systriatius)*). LT: ♂, gc, Késmárk [p], 1.8.81 [h]. PLT: ♀, gc, Késmárk [p], 3.8.81 [h]. Currently *Polymerus* id.

**chrysopsilus* Reuter, 1878 (*Psallus*). LT: ♀, head missing, gt, Csorna Kleva, Pével, 75, jul. [h]/ *Psallus chrysopsilus* Reut. [h] det. Horváth/ *Psallus chrysopsilus* Reut. [hR]/ CH.

**collaris* Horváth, 1907 (*Pycnopterna striata* var.). LT: ♀ (judging from the original description, abdomen missing), reglued on card, Italia, Vallombrosa [hH]/ v. *collaris* H. [hH, r] Coll. Horváth/ *P. striata* L. var. *collaris* Horv. [hH]/ *P. striata* L. v. *collaris* Horv. [h] det. Horváth/ CH. Currently *Miris* id.

**conformis* Horváth, 1894 (*Mauroidactylus nigricornis* var.). LT: ♂, mpn, (1) Caucasus [p], Akstafa [h], 7.6.94 [h, us]/ (2) *M. albidus* Kol. v. *conformis* Horv. [h] det. Horváth/ (3) *albidus* Kol. var. *conformis* Horv. [hH]/ (4) CH. PLT: 1 ♀ on the same pin; 1 ♂ and 1 ♂ on one pin, as LT, but without label (3). Junior synonym of *M. albidus* (Kolenati, 1845).

**consobrinus* Horváth, 1904 (*Dichrooscytus*). LT: ♀, gc, Kok-Djajak/ Turkestan, Almásy/ *Dichrooscytus consobrinus* Horv. [hH]/ *Dichrooscytus consobrinus* Horv. [h] det. Horváth.

**conviva* Horváth, 1907 (*Deraeocoris trifasciatus* var.). LT: ♀, pn, Balcan, Corfu, Paganetti '03/ *trifasciatus* L. var. *conviva* Horv. [hH]/ *C. trifasciatus* L. v. *conviva* Horv. [h] det. Horváth/ CH.

**facetus* Horváth, 1907 (*Laemocoris*). LT: ♀, gc, (1) N. Africa [p], Tunis [h], Matsum./ (2) Typus/ (3) *Laemocoris facetus* Horv. [hH]/ (4) *Laemocoris facetus* Horv. [h] det. Horváth/ (5) CH. PLT: 1 ♀, as LT but without label (3).

**formosus* Horváth, 1923 (*Mimocoris*). LT: ♂, gc, (1) Corsica, Bocognano, Juli '14, Gulde/ (2) *Mimocoris formosus* Horv. [hH]/ (3) *Mimocoris formosus* Horv. [h] det. Horváth/ (4) CH. PLT: 5 ♀, gc, Corsica, Vizzavona, Juli '14, Gulde/ labels (3) and (4). Junior synonym of *Mimocoris rugicollis* (A. Costa, 1853).

frenatus* Horváth, 1894 (*Lygus kalmi* var.). LT: ♀, gc, (1) Armenia [p], Nikolaevka [hH]/ (2) *L. kalmi* L. var. *frenatus* Horv. [hH]/ (3) *Lygus* var. *frenatus* Horv. [h] det. Horváth/ (4) CH. PLT: 1 ♀, as LT, but without label (2). Currently *Orthops frenatus* (Horváth, 1894), **stat. n. = *O. kalmi* var. *orientalis* (Reuter, 1896), **syn. n.** - Note: The variety discussed

represents a separate species. The same species was described again as *Lygus kalmi* var. *orientalis* Reuter, 1896 from Transcaucasia and Turkestan (lectotype, here designated: ♂, Iskander [= Iskander Kul' Lake in Tadjikistan], Finnish Zoological Museum, Helsinki). *O. frenatus* differs from *O. kalmi* (Linnaeus, 1758), *O. campestris* (Linnaeus, 1758) and *O. basalis* (Costa, 1853) in the brown line on external side of each tibia from its base to the middle (in the 3 species compared, external side of tibia is entirely pale or with a brown spot at the knee; rarely the brown line is present, but interrupted near the knee) and other details of coloration. *O. frenatus* is found in Armenia (Charentsevan, Erevan), Iran (Tebriz), Turkmenistan, Tadjikistan, Uzbekistan, Kirgizia, and Kazakhstan.

**frontosum* Horváth, 1898 (*Piezocranum*). LT: ♀, gc, Algeria [p], Msila [h]/ *frontosum* (type) [h] Coll. Horváth/ *Pachytomella frontosa* Horv. [hH]/ *Pachytomella frontosa* Horv. [h] det. Horváth/ CH/ Holotypus [Holo added by Josifov]/ *Dasysectus sordidus* Fb. Josifov det. [hJ]. Junior synonym of *Dasysectus sordidus* Fieber, 1864.

**heterocerus* Horváth, 1927 (*Myrmecophyes*). LT: ♂, gc, Caucasus, Armen. Geb., Leder, Reitter/ *M. heterocerus* Horv. [h] det. Horváth/ typus/ Lectotypus [p] *Myrmecophyes heterocerus* Horv., Bykov det. 68 [hBy]. PLT: 1 ♂, 8 ♀, 2 larvae, as LT, but "Paralectotypus" in the last label. - Note: LT designation was not published by Bykov.

**hueeberi* Horváth, 1907 (*Calocoris pilicornis* var.). LT: ♂, gt, (1) Germania, Tuttingen [hH]/ (2) *C. pilicornis* Pz. v. *Häeberi* [h] det. Horváth/ (3) *pilicornis* Pz. var. *Häeberi* Horv. [hH]/ (4) CH. PLT: ♂, gt, Germania [p], Blaubeuren [hH]/ labels (2) and (4).

**instabilis* Reuter, 1904 (*Psallus*). LT: ♂, gc, (1) I. Canar., Becker/ (2) Teneriffe, Orotava [p], 1901 II (h, us)/ (3) *instabilis* R. [h, r] det. Reuter/ (4) *Psallus instabilis* Reut. [hR]/ (5) *P. instabilis* Reut. [h] det. Horváth. PLT: ♂, as LT, but "1901 I" and without label (4). Currently *Lindbergopsallus* id.

**jakowleffi* Horváth, 1906 (*Chorosomella*). LT: ♂, gc, (1) Tauria [p], Eupatoria [hH]/ (2) *Chorosomella jakowleffi* Horv. [h] det. Horváth/ (3) *Chorosomella jakowleffi* Horv. [hH]/ (4) CH. PLT: 2 ♀, as LT but without label (3).

**larvatus* Horváth, 1884 (*Deraeocoris olivaceus* var.). LT: ♂, pn, Nagymihály [p], Chyzer, 1881 [h].

**longipennis* Horváth, 1909 (*Tuponia*). LT: ♂, gc, I. Canar., Becker/ Teneriffe, Guimar [p], 1901 III [h, us]/ *longipennis* [h, r] det. Horváth/ *Tuponia longipennis* [h] det. Horváth/ *Tuponia longipennis* Horv. [hH]/ CH.

**micantulus* Horváth, 1905 (*Halticus*). LT: ♂, gc, (1) Japonia, Matsumura/ (2) Sendai [hH]/ (3) *Halticus micantulus* Horv. [hH]/ (4) *Halticus micantulus* Horv. [h] det. Horváth/ CH. PLT: 2 ♂, as LT but without label (3). Currently *Ectimopterus* id.

**moestus* Reuter, 1876 (*Criocoris*). LT: ♀, gt, Buda [p] 8.7.74 [hH]/ *moestus* Rt. (type) [hH]/ *Criocoris sulcicornis* Kb. [h] det. Horváth/ CH. Junior synonym of *C. sulcicornis* (Kirschbaum, 1856).

**montandoni* Reuter, 1899 (*Macrotylus*). Represented in HNHM by 1 teneral female from Pliñegti with identification label handwritten by Horváth. The original description was made apparently from