

one female specimen ("in specimine") collected by Montandon in Plăinești ("Plaineschi"). Sienkiewicz (1964: 22, 23) indicated as "Type" a specimen in the Bucharest Museum from Grădiștea (which is not the type locality) and listed 5 specimens in MGAB from Plăinești under *Acrotelus caspicus*. Wagner (1973: 107) designated the female in HNHM as LT. The latter was also accepted as "typ." by Josifov (1993: 56). However the HNHM specimen is hardly that examined by Reuter. It has no darkening ("nebulos") on corium and the antennae (for which Reuter indicated the length of 2nd segment) are turned under the body, covered by glue and not seen. Junior synonym of *Acrotelus caspicus* (Reuter, 1879).

**novaki* Horváth, 1885 (*Deraeocoris schach* var.). LT: ♂, gc, (1) Spalato, Reitter, 79 [hH]/ (2) *C. schach* Fabr. var. *Novaki* Horv. [hH]/ (3) *Capsus schach* Fabr. v. *Novaki* Horv. [h] det. Horváth/ (4) CH. PLT: 1 ♂, 1 ♀, pn, Lesina, Novak/ labels (3) and (4); 1 ♀, pn, Lesina (Novak) [hH]/ labels (3) and (4); 1 ♂, 1 ♀, gc, Dalmatia, Spalato [hH]/ labels (3) and (4); 1 ♀, Dalmatien, Ragusa, Reitter/ labels (3) and (4).

**pallidicornis* Horváth, 1904 (*Mauroidactylus albidus* var.). LT: ♀, gc, (1) Ilysk/ (2) Turkestan, Almásy [p] 15 V [h, us]/ (3) *albidus* Kol. var. *pallidicornis* [hH]/ (4) *M. albidus* v. *pallidicornis* Horv. [h] det. Horváth. PLT: 11 ♀, as LT, but without label (3); 1 ♀, as other LT but Kok-Dschigdé instead Ilysk and dated 27.V.

**pallidulus* Reuter, 1904 (*Orthotylus*). LT: ♀, gc, Austria [p], Wien [h], Prater, 24.5.99 [hH, us]/ *pallidulus* Rt. [h, r] Coll. Horváth/ *Orthotylus pallidulus* Reut. [h] det. Horváth/ *Orthotylus pallidulus* Reut. [hH]/ CH.

**pallidus* Horváth, 1905 (*Deraeocoris*). LT: ♀, gc, Ins. Jesso, Sapporo/ Japonia, Matsumura/ *Deraeocoris pallidus* Horv. [hH]/ *Deraeocoris pallidus* Horv. [h] det. Horváth/ CH. Valid name: *D. kerzhneri* Josifov, 1983.

**pallidus* Horváth, 1887 (*Miridius*). LT: ♂, mpn, Duino, 15.6.84 [hH]/ *Miridius pallidus* Horv. [h] det. Horváth/ CH. PLT: 1 ♂ and 1 ♀ on one pin, as LT; 1 ♂ and 1 ♀ on one pin, as LT, but with additional label "*Miridius pallidus* Horv." [hH].

**pectoralis* Horváth, 1904 (*Anapus*). The holotype of this species, a male from Przhneval'sk, was examined. The following synonymy is established: *Anapus kirschbaumi* (Stål, 1858) = *A. pectoralis* Horváth, 1904, *syn. n.*

**pekinensis* Horváth, 1901 (*Polymerus*). LT: ♀, gc, China, Peking/ Exp. Zichy, leg. Csiki/ *Polymerus pekinensis* Horv. [hH]/ *P. pekinensis* Horv. [h] det. Horváth.

**pernix* Horváth, 1906 (*Cyphodema*). LT: ♀, reglued on card, genitalia on a separate card [typical preparation by Seidenstücker], Konia bis Kaisarie/ Asia min. Penther '02/ *Cyphodema pernix* Horv. [h] det. Horváth/ CH. PLT: 2 ♂, 1 ♀, as LT, one of these males with additional label "*Cyphodema pernix* Horv. [hH]". Two additional syntypes were destroyed by dermestids.

**persimilis* Poppius, 1915 (*Allodapus*). LT: ♂ (sic!), gc, Formosa, Sauter/ Takaol/ *Allodapus persimilis* n. sp. [hP]. Currently *Hallodapus* id. - Note: Poppius stated in the original description that he described the species from two females deposited in the museums in Helsinki and Budapest respectively. Carvalho

(1980) published notes on the specimen in Budapest. Schuh (1984) stated that the "holotype ... has been lost", only a pin with labels remained. Apparently he had in mind the specimen in Helsinki collection.

**pontica* Horváth, 1888 (*Byrsoptera*). LT: ♂, gc, (1) Tauria Retowski [p], Friedenthal, 25.VI.86 [h, us]/ (2) *pontica* Horv. (type) [h] Coll. Horváth/ (3) *Byrsoptera pontica* Horv. [h] det. Horváth/ (4) *Byrsoptera pontica* Horv. [hH]/ (5) CH. PLT: 1 ♀, as LT, but without label (4). Currently *Orthonotus* id.

**punctigera* Horváth, 1881 (*Pachytoma*). It is not clear from the original description whether it was based on one or more specimens; actually 4 ♀ (and 2 larvae) are in HNHM. Currently *Dimorphocoris* id.

**putoni* Horváth, 1888 (*Calocoris*). LT: ♂, gc, Syrien, Kaifa, Reitter/ *Calocoris putoni* Horv. [hH]/ *Calocoris putoni* Horv. [h] det. Horváth/ CH/ typus. - Note: A similarly labelled second male belongs to Horváth's var. β and cannot be considered type.

**regalis* Horváth, 1884 (*Deraeocoris trifasciatus* var.). LT: ♀, pn, Gödöllő [p], Gammel, 1875 [h]. PLT: 1 ♀, pn, Körtvélyes [p], 12.6.83 [h].

**retovskii* Reuter, 1885 (*Plagiognathus*). LT: ♀, gc, Thauria, Retowski [p], Theodosia, 24.5.83 [h, us]/ *Plagiognathus retovskii* Reut. [h] det. Horváth/ *Plagiognathus retovskii* Reut. Typ [hR]/ CH. Junior synonym of *P. bicolor* (Jakovlev, 1880).

**reuteri* Horváth, 1882 (*Calocoris*). Wagner (1968: 158) designated a lectotype, but did not label the specimen accordingly. I added respective label to the following specimen: ♂, reglued on card by Wagner, Brussa, Merkl, 1882/ *Calocoris reuteri* Horv. [hH]/ *Calocoris reuteri* Horv. [h] det. Horváth/ CH/ typus.

**rivalis* Horváth, 1894 (*Oncotylus*). LT: ♂, reglued on card by Seidenstücker, with original card pinned below, (1) Armenia [p], Nikolaevka [h], 15.6.93 [h, us]/ (2) *Oncotylus rivalis* Horv. [hH]/ (3) CH/ (4) *Oncotylus rivalis* Horv. [h] det. Horváth/ (5) *rivalis* Horv. (type) [h] Coll. Horváth/ (6) *Oncotylus rivalis* Horv. [h]/ (7) Coll. Mus. Nat. Hung./ (8) *Thermocoris rivalis* (Horv.) [hS] det. Seidenstücker 1957. PLT: 1 ♀, gc, labels (1), (5), (4), (6), (3). Currently *Thermocoris* id.

**rubriceps* Horváth, 1907 (*Deraeocoris trifasciatus* var.). LT: ♀, gc, Caucas [p], Borshom [h]/ *trifasciatus* L. var. *rubriceps* Horv. [hH]/ *C. trifasciatus* L. v. *rubriceps* Horv. det. Horváth/ CH.

**rubrinerve* Horváth, 1905 (*Stenodema*). LT: ♀, gc, (1) Japonia [p] Tokio [h] Matsumura/ (2) *Miris rubrinervis* [h] det. Horváth/ (3) *Miris rubrinervis* [hH]/ (4) CH. PLT: 1 ♀, as LT, but without label (3).

**rufifemur* Horváth, 1911 (*Calocoris sexpunctatus* var.). LT: ♀, gc, Tunisia, Vibert/ Camp de la Santé [hH]/ *sexpunctatus* Fabr. var. *rufifemur* Horv. [hH]/ *C. sexpunctatus* Fabr. v. *rufifemur* Horv. [h] det. Horváth/ CH. Junior synonym of *C. nemoralis* (Fabricius, 1787).

**rutilans* Horváth, 1888 (*Lygus*). LT: ♀, mpn, (1) Innsbruck, Thalh., 1887 [hH]/ (2) *rutilans* H. [hH, r], Coll. Horváth/ (3) *L. pratensis* L. v. *rutilans* Horv. [h] det. Horváth/ (4) CH/ (5) *Lygus rutilans* Horv. Lectotype design. by Štys 62 [hŠt]/ (6) *Lygus punctatus* Ztt. ♀ det. Štys [hŠt]. PLT: ♀ with labels (1), (2), (6) and "pratensis L. var. *rutilans* Horv." [hH]. Junior synonym of *Lygus punctatus* (Zetterstedt, 1838). - Note: LT designation was not published by Štys.